HARRIS

Door and Millwork

# Exterior Door Catalog







# Table of Contents


*04-05* Get Inspired

*06* HDM System

*07* Plastpro Quality

*08* Nova Series Doors

*09* Nova Full Lite SDL

*10* Nova 90 3/4 Lite Doors

*11* Nova Onyx Doors

*12* Craftsman Door

*13* Craftsman SDL Options

*14* Panel & Flush Doors

*15* Slimline Specialty FG

*16* Rustic Series

*17* Au Courant Doors

*18* Wood Fir Doors

*19* SDL Options

*20* Steel Doors

*21* Retro Fit Doors

*22* 8/0 - Makeover Retro Textured Fiberglass

*23* 8/0 - Makeover Black Primed Fiberglass

*24-25* Mahogany Doors

*26* SDL Txt Mahogany Fiberglass Doors

*27* Fiberglass SDL Options

*28-29* Hardware

*30-31* Multi Point Locks

*32* S - Frame

*33-34* Premium Door Frames

*35* Standard Sizing Chart


# Harris Door & Millwork

For over 50 years, our family has been in the millwork business fostering a sense of community and home. Led by three generations of our family, we've evolved from a small local operation to a trusted brand, steadfastly upholding our core values while continuously adapting to meet our customers' needs. Every door we craft represents more than an entryway—it's an invitation to warmth, your cherished memories, and enhancing the character of your home.

Each product reflects our family's enduring legacy, capturing our unwavering commitment and the unique bond we share with our customers. Understanding the value of personal connections sets us apart. We're more than a brand; we're your neighbors, your friends, and partners in the journey of transforming houses into homes, with exceptional door and millwork products. As we look towards the future, we're deeply grateful for being part of your story. With anticipation, we continue our mission, welcoming more families home and carrying our family legacy forward for generations to come.

# Get Inspired









**WE HELP YOU BUILD YOUR DREAM ENTRY.**


## HDM System Includes:

- Long reach weatherstrip
- High efficiency dual bulb door bottom
- Corner seal pads
- End sill pad
- Two 2 ¼" long screws for hinges
- Rot resistant  jambs & PVC brickmould
- Designed to give you a high performance door unit!
- 5-5/8" Composite Z-Series Sill

## Easy Flip Operation

### 1. Ultimate Flip Lever Astragal

Enhanced performance and accessability with effortless one-flip operation.




## Aluminum & Wood Veneer Finishes

White

Clear Fir

Mahogany

**Scan for video**



**5-5/8" Composite Z-Series Bronze Sill**





## Patented Hydroshield Technology

Our exclusive HydroShield technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield technology used with our polyfiber foor frames create an enhanced, impenetrable entryway.

### 1. Fiberglass reinforced door skins

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of gaining options.

### 2. Full length composite stiles

Our full-length composite styles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

### 3. Composite top & bottom rails

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

### 4. Extended Lockblock

Plastpro's full length LVL allows any type of lock to be placed for increased security.

### 5. Polyurethane foam core

Our advanced CFC-free, high density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

### Backed by warranty

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.




## Frame Decay Comparison



Plastpro PF Door Frame



Traditional Wood Frame

## Nova 90

Our Nova series features direct glazed glass that creates a seamless and elegant design. The large pane glass allows the most amount of light into your home. The Nova 90 comes in a shaker profile and is available in brushed smooth finish.

## Features & Benefits

**1. Composite Stile Cap**

**2. Full Length LVL**

(Hinge & strike side, for extra rigidity)

**3. Wood blocking**

(For structural support in HVHZ impact models)

**4. Steel Beam**

(Hinge & strike side, for extra rigidity in all 8’0” and HVHZ impact models)

**5. Insulated 1” Glass**

**6. Compression Molded Fiberglass Skin**

**7. Brush Finished Texture**


**8. Integrally Molded Glass Top**

**9. High Density Polyurethane Foam**

**10. ADA Compliant Bottom Rail**

**11. Composite Bottom Rail**

**12. Can be stained or painted**






8’0” / 6’8”

DRS1EL/DRS1E80L

8’0” / 6’8”

DRS1DL/DRS1D80L

8’0” / 6’8”

DRS1DL/DRS1D80L
3w3h Prairie/3w3h Prairie 8-0

8’0” / 6’8”

DRS1DL/DRS1D80L
2w5h/2w5h 8-0

8’0” / 6’8”

DRS1DL/DRS1D80L
3w1h/3w1h 8-0

8’0” / 6’8”

DRS1DL/DRS1D80L
2w2h/2w2h 8-0

8’0” / 6’8”

DRS1DL/DRS1D80L
3w5h/3w5h 8-0

8’0” / 6’8”

DRS1DL/DRS1D80L
2w6h/2w6h 8-0


BEFORE



AFTER

8’0” / 6’8”

DRS1SB/DRS1S80B
MINIBLIND

8’0” / 6’8”

SLS1SBL
SLS1S80BL


8’0” / 6’8”

SLS1SL
SLS1SL80

8’0” / 6’8”

SLS1EL
SLS1EL80

8’0” / 6’8”

DRS1DL/DRS1D80L
3w4h/3w4h 8-0

8’0” / 6’8”

DRS1DL/DRS1D80L
2w1h/2w1h 8-0

AVAILABLE: 2’0”, 2’6”, 2’8”, & 3’0”

# NOVA 90 3/4 LITE DOORS WITH SDL

6’8” & 8’0”



DRSEL

DRS1EL80

6’8” & 8’0”



DRS1EL

DRS1EL80

2w1h/2w1h 8-0

6’8” & 8’0”



DRS1EL

DRS1EL80

3w2h/3w2h 8-0

6’8” & 8’0”



DRS1EL

DRS1EL80

2w2h/2w2h 8-0

6’8” & 8’0”



DRS1EL

DRS1EL80

2w3h/2w3h 8-0

6’8” & 8’0”



DRS1EL

DRS1EL80

3w6h/3w6h 8-0

Queen Anne

6’8” & 8’0”



DRS1EL

DRS1EL80

3w3h/3w3h 8-0

Prairie

6’8” & 8’0”



DRS1EL

DRS1EL80

1w4h/1w4h 8-0

6’8” & 8’0”



DRS1DL

DRS1DL80

2w5h/2w5h 8-0

6’8” & 8’0”



DRS1EL

DRS1EL80

3w3h/3w3h 8-0

AVAILABLE: 2’6”, 2’8”, & 3’0”

**AVAILABLE IN:**

- Double-Insulated
- Tempered
- Low-E
- GBG
- Mini Blind
- Flemish

## One Lite Series Doors

Featuring a flush glazed glass with removable stop to allow glass to be switched without changing the door.

6’8”



DRS12

6’8”



DRS12

2W2H

6’8”



DRS12

2w3h

6’8”



DRS12

3w3h Prairie

AVAILABLE: 2’8” & 3’0”

8’0”

6’8”



DRM13/DRM1380

8’0”

6’8”



SLM13/SLM1380





# NOVA ONYX DOORS

**AVAILABLE IN SIZES: 2/6, 2/8, & 3/0, WIDTHS: 6/8 & 8/0**



3/4 Lite

Clear Low E Glass



3/4 Lite


Rain Low E Glass



3/4 Lite

Flemish Low E Glass

Also Available in White



Full View

Clear Low E Glass

**SIDELITE GLASS OPTIONS**



Full View

Sizes 10” & 12”

3/4 Lite



Low-E

RAIN

FLEMISH



# CRAFTSMAN DOORS




DRF3C/DRF3C80




DRF3F/DRF3F80
ACCEPTS INSERT













DRS3C/DRS3C80




DRS3F/DRS3F80
ACCEPTS INSERT




DRS1K/DRS1K80




DRS2K/DRS2K80

# CRAFTSMAN SDL OPTIONS




DRF3C/DRF3C80
2w1h/2w1h 8-0




DRF3C/DRF3C80
3w1h/3w1h 8-0




DRF3C/DRF3C80
2w2h/2w2h 8-0




DRF3C/DRF3C80
3w2h/3w2h 8-0





DRF3C/DRF3C80
3w3h Prairie/3w3h Prairie 8-0




SIF3C





DRS3C/DRS3C80
2w1h/2w1h 8-0




DRS3C/DRS3C80
3w1h/3w1h 8-0




DRS3C/DRS3C80
2w2h/2w2h 8-0




DRS3C/DRS3C80
3w2h/3w2h 8-0




DRS3C/DRS3C80
3w2h/3w2h 8-0





SIS3C


AVAILABLE: 3’0”




# PANEL & FLUSH DOORS




DRS2B/DRS2B80




DRS2G/DRS2G80





DRS60/DRS6080

*Available in TXT Fiberglass





DRS29/DRS2980

*Available in TXT Fiberglass




DRS61/DRS6170/DRS6180

*Available in TXT Fiberglass




DRS00/DRS0070/DRS0080

* 7/0 AVAILABLE: 3’0” ONLY




DRS2D













# SLIMLINE SPECIALTY FIBERGLASS DOORS

***Available in: 2/6, 2/8, & 3/0 in 6/8 & 8/0***





3LT Slimline
Low-E

4LT Slimline
Low-E




6LT Slimline
Low-E

8LT Slimline
Low-E





1LT Slimline
Low-E
3/6 & 8/0 in Stock





3LT Sidelite
No Lock Block

4LT Sidelite
No Lock Block




6LT Sidelite
No Lock Block

8LT Sidelite
No Lock Block




1LT Sidelight
No Lock Block

# RUSTIC SERIES




DRATP/DRATP80
22”x15”
3w2h




DRATP/DRATP80
22”x15”
2w2h




DRATP/DRATP80
22”x15”




DRATP/DRATP80
6”x8”




DRATP/DRATP80
15”x22”
2w3h




DRATP/DRATP80
15”x22”
2w2h




DRATP/DRATP80
15”x22”




DRA2A/DRA2A80
6”x8”




DRA2A/DRA2A80




DRA1P

All Available in 3’0” WIdths. 3’6” Available in 8/0 Height Only.







# AU COURANT DOORS



Staggered 5 Lite
8”x 6”



Side Aligned 6 Lite
8”x 6”



Diamond 4 Lite
8”x 8”



Staggered 4 Lite
8”x 8”



Centered 4 Lite
8”x 8”



Staggered 3 Lite
3”x 22”



Modern 4 Lite
22”x 3”



Modern 6 Lite
22”x 3”




Four Lite
22”x 8”



Five Lite
22”x 8”




Six Lite
22”x 8”



Four Lite
22”x 10”



Three Lite
22”x 15”



Divided Six Lite W/
4 Lite Bottom
22”x 15” & 22”x 3”




Single Top Lite W/
4 Lite Bottom
22”x 15” & 22”x 3”



Single Top Lite
22”x 15”



Single Lite
7”x 64”



Twin Full Lite
7”x 64”



Staggered Twin Lite
8”x 36”



Divided 3 Lite Top
22”x 15”



Divided 6Lite Top
22”x 15”



1 Lite Five Panel
22”x 8”



2 Lite Five Panel
22”x 8”



Half Lite
22”x 36”

# IN-STOCK FIR WOOD DOORS





7130



7501



7801



6801




6175


9541



7044



7002



7701



7031



7702



# SDL OPTIONS


1 Lite


1w3h


1w4h


1w5h


2w2h


2w3h


2w5h


3w5h


7501


2w2h


2w3h


2w4h


3w4h


1w2h


1w3h


1 Lite


2w1h


3w1h


3w2h


1 Lite


2w2h


2w3h


1w3h


3w3h Prairie


3w3h Prairie


Prairie Ladder


3w3h Prairie Modified #1


Prairie 7 Lite # 2


Prairie 10 Lite # 3


3w1h Over 1 Lite


4w1h Over 1 Lite

# STEEL DOORS

6’8”



-6 Panel

6’8”



1/2 Lite

6’8”



Fullview

6’8”



3/4 Lite over 2 Pnl

6’8”



3/4 Lite over 2 Pnl

6’8”



2 Pnl Square
3/0 Only

6’8”



2 Pnl Arch Top
with Grooves

6’8”



Craftsman 2 Pnl

6’8”



Fullview

6’8”



1/2 Lite

6’8”



3/4 Lite



# RETRO FIT NOVA 90 DOORS

*Can be painted or stained



2W1H



3W1H



2W2H



3W3H
PRAIRIE



1W4H



2W3H



3W6H
QUEEN ANNE



2W4H



3W3H

**Before**



**After**



***Replaces 10” x 3-0 x 10” with 10” Transom***
***12” x 3-0 x 12” with 12” Transom***
***Unit Size 60 5/8” x 93 1/4”***

# 8/0 - MAKEOVER RETRO TEXTURED FIBERGLASS



4LT Square Top - Low E Glass



4LT Square Top - Flemish Glass



Square Top - Diamond Light



6LT Square Top - Low E Glass



6LT Square Top - Flemish Glass



6LT Common Arch -Flemish Glass



# 8/0 - MAKEOVER BLACK PRIMED FIBERGLASS

Elevate Your Home
With Black Fiberglass!



6LT SDL - Clear Low-E Glass



6LT SDL - Flemish Glass


***Replaces 10” x 3-0 x 10” with 10” Transom***
***12” x 3-0 x 12” with 12” Transom***
***Unit Size 60 5/8” x 93 1/4”***




3/0 x 6/8 With 2 x 10” Sidelites and 10” Transom




8/0 Retrofit Double Door
Actual Unit Size 60 1/2” x 93 1/4”




TDL Muntin Bar at Glass

***The True Divided Lite (TDL) Collection makes a classic addition to any home, complementing a wide range of architectural styles. 1-3/4" thick TDL Collection doors feature individual panes of double insulated, clear, " Low-E" energy efficient beveled glass for beauty, strength and security. True Divided Lite doors have engineered stiles and rails that virtually eliminates warping.***



6 LITE TDL ARCH TOP

## Traditional Privacy Glass Options:




Clear Bevel
Privacy Rating: 1

Baroque
Privacy Rating: 2

Gluechip Bevel
Privacy Rating: 3

Gluechip
Privacy Rating: 4



Water
Privacy Rating: 5

Hammered
Privacy Rating: 6

Reeded
Privacy Rating: 7

Granite
Privacy Rating: 8



MAHOGANY DOORS



3/4 6LT TDL Low-E Beveled Glass



1 LT Low-E



3/4 6LT TDL Arch Top Low-E



Craftsman TDL 6LT



3LT Contemporary



5LT Contemporary



6LT Contemporary



7 Pnl Contemporary

# SDL TEXTURED MAHOGANY FIBERGLASS



6LT Arch Top SDL -
Flemish Glass



6LT Arch Top SDL -
Clear Low-E Glass

**Available In: 5’0” x 8’0, 6’0” x 8’0”**
**Integral Molded Fiberglass SDL Grilles with Internal Spacers**


# FIBERGLASS SDL OPTIONS

## Ogee Profile



7/8” White


7/8” Onyx


7/8” Fir Grain Tan


7/8” Wood Grain Tan


1-1/4” White


1-1/4” Onyx


1-1/4” Fir Grain Tan


1-1/4” Wood Grain Tan


## Putty Profile


7/8” White


7/8” Onyx


1-1/4” White


1-1/4” Onyx


3-1/2” White


5” White

## Wood SDL


7/8” Fir Ogee


1-1/4” Fir Ogee


1-1/4” Fir Square


3-1/2” Fir Square

**Personalize Your Door With A Custom SDL Pattern.**




Antique Brass


Antique Nickel


Bright Brass


Flat Black


Oil-Rubbed Bronze


Polished Chrome


Satin Brass


Satin Nickel


Stainless Steel


White Primed


Zinc Brass

| | | | Ball Bearing | NRP | Spring |
|---|---|---|---|---|---|
| US2D | Zinc | X | | X | X |
| US3 | Bright Brass | X | | X | X |
| US5 | Antique Brass | X | | X | X |
| US10B | Oil-Rubbed Bronze | X | X | X | X |
| US15 | Satin Nickel | X | X | X | X |
| US15A | Antique Nickel | X | | X | |
| US26 | Polished Chrome | X | | X | X |
| USP | Flat Black | X | X | X | X |
| USS | Stainless Steel | X | | X | |

## 6/8 Hinge Locations

-1st Hinge 6-7/16”
-2nd Hinge 37-5/8”
-3rd Hinge 68-13/16”

-Lock Location 43-11/16”
-Deadbolt 5-1/2” OC

## 8/0 Hinge Locations

-1st Hinge 6-7/16”
-2nd Hinge 32-9/16”
-3rd Hinge 58-11/16”
-4th Hinge 84-13/16”

-Lock Location 59-11/16”
-Deadbolt 5-1/2” OC


## Works with a wide variety of standard hardware, including electronic deadbolts.

Use of multi-point locks has been limited due to high cost, difficult installation and operation, and the limitations of dedicated handleset hardware required for each lock offering. Not so with PanoLock+.

An innovative system of adapters lets Panolock+ work with a wide variety of off-the-shelf hardware (both standard and smart locks). Brands include Schalge, Kwikset, and more.

**A**. Tapered bolt, unlike other locks that tend to catch, Panolock+'s tapered bolts engage easily, even when the door is out of alignment.

**B.** Adjustable roller strike. Rollers lower operationg force, allowing the tapered bolt to gently snug the door panel against the weatherstrip.




## Adjustable Strike Plate Finishes

Black

Stainless Steel

## Faceplate Finishes

Sizes: 6/8 & 8/0

Bronze Anodized

Brushed Clear Anodized

PANOLOCK

POWERED BY ENDURA DOOR COMPONENTS MADE IN THE USA

### Easy to live with.

A simple turn of the deadbolt operates both tapered bolts smoothly and the handle-set operates the handleset latch. Three points of secure contact. PanoLock+ is easy to live with, even after years of use.

### Easy to work with.

PanoLock+ is flexible. Handing and swing can be set in the shop, reducing SKUs.

- No dedicated hardware required
- No need for dedicated panels
- No difficult installation
- No expensive templates


### Tested and proven.

PanoLock+ has been extensively tested and proven to perform, even in severe conditions. PanoLock+ withstood winds up to 200 mph in structural testing.

- Operating torque/force tested as low as 2 in/lbs with selected handle sets
- Durability cycle testing passes 100,000 cycles
- Air filtration and exfiltration testes to A2
- Water infiltration and exfiltration tested DP60 with Z-articulating cap sill
- Impact/dorced entry resistance tested grade 40





## Scan for video




PanoLock+ Square Adapter




PanoLock+ can work with a thumb press, lever, or knob.

# S - FRAME

The S-Frame is a low-profile frame that provides a modern look without sacrificing durability and reliability.

## Privacy Glass Options

*Special order


Pure


Rainglass


Zenith



Chinchilla


Frosted


Oceana

## Frame Size Options


22”x 36”


22” x 48”


20” x 64”
22” x 64”


22”x 15 1/4”
20”x 15 1/4”


7”x 64”


8”x 48”



## Features & Benefits

1. Available in white or tan
2. Injection molded offers a smooth texture
3. Extruded vinyl S-frame has a woodgrain texture
4. Dry applied sealant eliminates squeeze out
5. Idealseal dry sealant prevents dirt adhesion
6. Built to resist warping



# PREMIUM DOOR FRAMES



## Exterior Door Polyfiber Frames

Plastpro’s Polyfiber (PF) Door Frames are an innovative new alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood, but requires less maintenance and has a longer life span. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood jambs with no added hassles. When a fiberglass door is used together with a PF Frame, they create an enhanced, impenetrable entryway.


Primed


Fir Grain


Woodgrain

# STANDARD DOOR FRAMES

## WHY ASK FOR FRAMESAVER?




FrameSaver Door Frames from Endura are simply the best door frames on the market. They are so dependable they come with a lifetime transferable warranty that nobody can match. Our patented composite bottom won't absorb water, warp, crack, or rot, an dfinishes and paints just like wood. FrameSaver's finger-jointed wood composite protects the base of the frame from wicking into the wood. Rot never has a chance to begin. That's performance standard.

POWERED BY ENDURA
DOOR COMPONENTS MADE IN THE USA

LIFETIME WARRANTY
*The Best In The Industry*



# STANDARD SIZING CHART

### Inswing Door Systems

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmold |
|---|---|---|---|---|
| Single Door Unit | 2'0" | 25 1/2" x 82" | 26 1/4" x 82 1/2" | 28" x 83 1/4" |
| | 2'4" | 29 1/2" x 82" | 30 1/4" x 82 1/2" | 32" x 83 1/4" |
| | 2'6" | 31 1/2" x 82" | 32 1/4" x 82 1/2" | 34" x 83 1/4" |
| | 2'8" | 33 1/2" x 82" | 34 1/4" x 82 1/2" | 36" x 83 1/4" |
| | 2'10" | 35 1/2" x 82" | 36 1/4" x 82 1/2" | 38" x 83 1/4" |
| | 3'0" | 37 1/2" x 82" | 38 1/4" x 82 1/2" | 40" x 83 1/4" |
| | 3'6" | 43 1/2" x 82" | 44 1/4" x 82 1/2" | 46" x 83 1/4" |
| Double Door Unit | 4'0" | 49 7/8" x 82" | 50 5/8" x 82 1/2" | 52 3/8" x 83 1/4" |
| | 4'8" | 57 7/8" x 82" | 58 5/8" x 82 1/2" | 60 3/8" x 83 1/4" |
| | 5'0" | 61 7/8" x 82" | 62 5/8" x 82 1/2" | 64 3/8" x 83 1/4" |
| | 5'4" | 65 7/8" x 82" | 66 5/8" x 82 1/2" | 68 3/8" x 83 1/4" |
| | 5'8" | 69 7/8" x 82" | 70 5/8" x 82 1/2" | 72 3/8" x 83 1/4" |
| | 6'0" | 73 7/8" x 82" | 74 5/8" x 82 1/2" | 76 3/8" x 83 1/4" |
| Patio Door Unit | 5'0" | 62 7/8" x 82" | 63 5/8" x 82 1/2" | 65 3/8" x 83 1/4" |
| | 5'4" | 66 7/8" x 82" | 67 5/8" x 82 1/2" | 69 3/8" x 83 1/4" |
| | 5'8" | 70 7/8" x 82" | 71 5/8" x 82 1/2" | 73 3/8" x 83 1/4" |
| | 6'0" | 74 7/8" x 82" | 75 5/8" x 82 1/2" | 77 3/8" x 83 1/4" |

### Outswing Door Systems

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmold |
|---|---|---|---|---|
| Single Door Unit | 2'0" | 25 1/2" x 81 1/4" | 26 1/4" x 81 3/4" | 28 1/2" x 83 3/4" |
| | 2'4" | 29 1/2" x 81 1/4" | 30 1/4" x 81 3/4" | 32 1/2" x 83 3/4" |
| | 2'6" | 31 1/2" x 81 1/4" | 32 1/4" x 81 3/4" | 34 1/2" x 83 3/4" |
| | 2'8" | 33 1/2" x 81 1/4" | 34 1/4" x 81 3/4" | 36 1/2" x 83 3/4" |
| | 2'10" | 35 1/2" x 81 1/4" | 36 1/4" x 81 3/4" | 38 1/2" x 83 3/4" |
| | 3'0" | 37 1/2" x 81 1/4" | 38 1/4" x 81 3/4" | 40 1/2" x 83 3/4" |
| | 3'6" | 43 1/2" x 81 1/4" | 44 1/4" x 81 3/4" | 46 1/2" x 83 3/4" |
| Double Door Unit | 4'0" | 49 7/8" x 81 1/4" | 50 5/8" x 81 3/4" | 52 7/8" x 83 3/4" |
| | 4'8" | 57 7/8" x 81 1/4" | 58 5/8" x 81 3/4" | 60 7/8" x 83 3/4" |
| | 5'0" | 61 7/8" x 81 1/4" | 62 5/8" x 81 3/4" | 64 7/8" x 83 3/4" |
| | 5'4" | 65 7/8" x 81 1/4" | 66 5/8" x 81 3/4" | 68 7/8" x 83 3/4" |
| | 5'8" | 69 7/8" x 81 1/4" | 70 5/8" x 81 3/4" | 72 7/8" x 83 3/4" |
| | 6'0" | 73 7/8" x 81 1/4" | 74 5/8" x 81 3/4" | 76 7/8" x 83 3/4" |
| Patio Door Unit | 5'0" | 62 7/8" x 81 1/4" | 63 5/8" x 81 3/4" | 65 7/8" x 83 3/4" |
| | 5'4" | 66 7/8" x 81 1/4" | 67 5/8" x 81 3/4" | 69 7/8" x 83 3/4" |
| | 5'8" | 70 7/8" x 81 1/4" | 71 5/8" x 81 3/4" | 73 7/8" x 83 3/4" |
| | 6'0" | 74 7/8" x 81 1/4" | 75 5/8" x 81 3/4" | 77 7/8" x 83 1/4" |

### Door & Sidelites With Continuous Sill System- Inswing With Back to Back Mulls

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmold |
|---|---|---|---|---|
| W/(1) 10" Sidelite | 3'0" | 49" x 82" | 49 3/4" x 82 1/2" | 51 1/2" x 83 1/4" |
| W/(1) 12" Sidelite | 3'0" | 51" x 82" | 51 3/4" x 82 1/2" | 53 1/2" x 83 1/4" |
| W/(1) 14" Sidelite | 3'0" | 53" x 82" | 53 3/4" x 82 1/2" | 55 1/2" x 83 1/4" |
| W/(2) 10" Sidelite | 3'0" | 60 1/2" x 82" | 61 1/4" x 82 1/2" | 63" x 83 1/4" |
| W/(2) 12" Sidelite | 3'0" | 64 1/2" x 82" | 65 1/4" x 82 1/2" | 67" x 83 1/4" |
| W/(2) 14" Sidelite | 3'0" | 68 1/2" x 82" | 69 1/4" x 82 1/2" | 71" x 83 1/4" |

### Door & Sidelites With Continuous Sill System- Outswing With Back to Back Mulls

| Description | Size | Actual Unit Size | Rough Opening | Outside Brickmold |
|---|---|---|---|---|
| W/(1) 10" Sidelite | 3'0" | 49" x 81 1/4" | 49 3/4" x 81 3/4" | 52" x 82 3/4" |
| W/(1) 12" Sidelite | 3'0" | 51" x 81 1/4" | 51 3/4" x 81 3/4" | 54" x 82 3/4" |
| W/(1) 14" Sidelite | 3'0" | 53" x 81 1/4" | 53 3/4" x 81 3/4" | 56" x 82 3/4" |
| W/(2) 10" Sidelite | 3'0" | 60 1/2" x 81 1/4" | 61 1/4" x 81 3/4" | 63 1/2" x 82 3/4" |
| W/(2) 12" Sidelite | 3'0" | 64 1/2" x 81 1/4" | 65 1/4" x 81 3/4" | 67 1/2" x 82 3/4" |
| W/(2) 14" Sidelite | 3'0" | 68 1/2" x 81 1/4" | 69 1/4" x 81 3/4" | 71 1/2" x 82 3/4" |

***Handicap Sill: Deduct 1" from height***

***Narrow Mull Post: Deduct 1/2" per mull***

HARRIS
Door and Millwork

Check Out
Our Website




## Contact Us

5786 HWY 129 N SUITE A
PENDERGRASS, GA 30567
PHONE: (706) 693-0060
FAX: (706) 693-0874

## Follow Us

Facebook: Harris Door & Millwork
Instagram: @harrisdoorandmillwork
LinkedIn: www.linkedin.com/company/harrisdm/