Scan here to view this catalog digitally



FIBERGLASS ENTRY SYSTEMS

TUCKER DOOR & TRIM

Our Vision

The premier choice for windows and doors.

Our Mission

Opening windows and doors to invite the world home. Setting the standard of excellence through superior workmanship, service, and opportunities in the communities we serve.

Who We Are

Tucker Door and Trim is a wholesale door, window and trim distributor throughout the southeast United States. Our distribution network covers the entire state of Georgia along with portions of South Carolina, North Carolina, Alabama, Tennessee, and Florida. Tucker Door has two facilities: the main facility is located in Monroe, Ga. and the secondary facility is located in Albany, Ga.

Table of Contents

Decorative Doorglass 6-9
Enclosed Blinds 10-11
Simulated Divided Lites 12-15
Grilles Between Glass 16-25
Impact Rated Doorglass 26-27
ONYX Nova/Nova 90 28-32
Staining/Painting Guides 33
Flush Glazed SDL 34-35
Flush Glazed Craftsman Doors 36
Rustic Collection Doors 37
Panel Doors 38-40
Entry System Components 41-46
Door Handing Chart 47

Low-E available | Severe Weather available | Turtle code compliant

Low-E Plus available | 366 Low-E | ADA Compliant | In Stock

Warranty

https://cdn2.hubspot.net/hubfs/5769187/Western%20Reflections/Western%20Reflections%20Files/downloads/warranties/2012-WR-warranty.pdf

https://www.plastproinc.com/resources/warranty

https://residential.masonite.com/learn/warranty-information/

Tucker Design Portal

*****Dealers Only*****

Configure

With the Tucker Design Portal you can configure a millwork item online to fit your specifications. After configuring your item from the portal, our configurator will render an accurate spec drawing in real time. Make changes as you go, add components, create multiple versions and save common configurations*.

Quote

After designing your item in the Tucker Design Portal you can create a detailed quote and save it to your dashboard. Previous quotes, past designs, and reports are all stored in the portal. You will have the ability to generate a quote for your customers, complete with your branding and custom pricing.



Order

Once you have designed and quoted your door through the Tucker Design Portal all items are submitted directly to the Tucker Door and Trim team to begin processing your order.

WITH OUR BRAND NEW 'PRODUCTION STATUS' FEATURE, YOU CAN SEE THE STATUS OF ALL OF YOUR ORDERS, VIEW PROOF OF DELIVERIES, AND DOWNLOAD INVOICES. CONTACT YOUR TUCKER SALES REP TODAY, TO LEARN MORE.

*Changes can be made up until your order is placed.

Best-in-Class Entry Components

The Tucker Door system uses the best in class components (doors, doorglass, frames, thresholds) to provide our customers and yours the best the industry has to offer. These components provide superior look and enduring performance for today's home building demands that vary from market to market. Day in and day out, you can depend on Tucker Door to provide you with the better solution.

Doors and Sidelights

- Available in various wood species...mahogany, fir, clear pine, and knotty alder (inquire about custom species that are available)
- Available in 6-8, 7-0, and 8-0 heights; 1-3/4" to 2-1/4" thick; various widths (inquire about special heights and width options)
- Available in steel and fiberglass (smooth, woodgrain, fir grain, and mahogany grain)
  - Fiberglass features 6 sides no wood exposure
  - Fiberglass available in flush glazed options
  - Fire rated steel and fiberglass doors available
  - Standard and custom SDL options available

Frame

- Available in various wood species...mahogany, fir, primed, clear pine, and knotty alder (inquire about custom species that are available)
- Available in 6-8, 7-0, 8-0 heights; 4-9/16"and 6-9/16" widths (inquire about special heights and width options)
- Available in composite (primed, stainable mahogany grain, stainable wood grain)
- Available in 6-8, 7-0, 8-0 heights; 4-9/16"and 6-9/16" widths (inquire about special heights and width options)
- Fire rated jambs available in wood and composite materials

Trim

- Available in various wood species...mahogany, fir, primed, clear pine, and knotty alder (inquire about custom species that are available)
- Available in various profiles...BM180, 1-piece 1x4 and back band, 1x4, 1x6, 1x8, 5/4x4, 5/4x6, 5/4x8 (inquire about custom profiles available)
- Available in composite (primed, stainable mahogany grain, and stainable wood grain)

Door Sill

- High performing high-dam sill system with composite substrate
- Available in various colors...mill, bronze, satin nickel
- Available in various widths and swings...4-9/16" or 6-9/16"; inswing or outswing
- ADA sills available


T-Astragal


- Available in various wood species...mahogany, fir, primed, clear pine, and knotty alder (inquire about custom species that are available)
- Available in the Endura Ultimate series (Ultimate Flip, Ultimate Push Button, and Ultimate Lite) (see page 46 for additional information)
- The Ultimate is available in wood veneer species (pine, mahogany, VG fir, and clear alder)
- Available as a Trillenium and PanoLock (see page 44-45 for additional information)

Things to Consider About Doorglass

LOW-E DOORGLASS

Available as a clear doorglass option, Low-E glass is made with an invisible thin metallic coating that blocks heat flow.A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In the winter, it reduces heat loss to the outside and allows solar energy to pass inside. Available in Severe Weather®, Blinds and Shades, Grilles Between Glass, and Clear Doorglass. See www.odl.com for specific thermal performance information.





- Reduces direct sun rays
- Reduces cooling loss
- Blocks re-radiated solar heat
- Filters UV rays
- Allows solar energy in
- Reduces as much as 71% of heat loss
- Reduces drafts & cold spots

REDUCES FABRIC FADING
Low-E glass protects fabrics, carpets and all coverings from fading by blocking up to 61% of harmful ultra-violet rays.

REDUCE SOLAR HEAT GAIN
In cold weather, Low-E glass stays warm on the inside, minimizing cold spots and convection currents.


REDUCES CONDENSATION
Cold glass and warm, moist indoor air can cause damaging condensation. Low-E glass keeps glass warmer, reducing condensation.



Perspectives / Lightscapes: Embracing Privacy Without Sacrificing Light




Blanca



Chinchilla




Cumulus




Linen



Micro-Granite



Rain



Streamed



Vapor

Opticks textured glass is a great option to meet both light and privacy needs. Eight textures run the gamut from nature-inspired, tranquil textures to contemporary textures that are both dramatic and subtle. Common among all eight Opticks doorglass patterns is the beautiful way light refracts and diffuses off the textures.

Available in a wide range of door and side lite sizes and energy-efficient low-E glass, Opticks offers a range of privacy options while letting light in to add character to your home.

Chinchilla, Rain, and Micro-Granite are in stock other textures are special order.

See more designs at ODL.com

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant





Nouveau

Available Special Order

Doorglass Design

Caming Options



Patina



Platinum Nickel

Available with ZEEL® frame



Glass Textures



Clear Bevels



Glue Chip Glass

Nouveau provides low privacy.


LOW | MEDIUM | HIGH | MAXIMUM



MN-Rectangle
1/0 - 3/0 - 1/0
1/2 - 3/0 - 1/2



MN-Ellipse
1/0 - 3/0 - 1/0



2264-MN
2064-MN**

764-MN
864-MN



2248-MN




848-MN



919-MN




949-MN



2236-MN
2036-MN**



836-MN



2236 RT-MN



2210 AT-MN




591-GRC



640-MN

**Platinum nickel only





Cadence

Available Special Order

Doorglass Design

Caming Options



Patina

Available with ZEEL® frame




Glass Textures



Clear Bevels



Ripple Glass



Hammered Glass

Cadance provides medium privacy.

LOW | **MEDIUM** | HIGH | MAXIMUM

Low-E available

Low-E Plus available


Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant



2264-CD




764-CD
864-CD




2248-CD



848-CD




CD-Half Round
1/2 - 3/0 - 1/2



919-CD



949-CD



2280-CD



880-CD



Waterside

Available Special Order

Doorglass Design

Caming Options




Black Chrome

Available with ZEEL® frame



Glass Textures



Clear Soft Wave




Streamed Glass

Waterside provides maximum privacy.

LOW | MEDIUM | **HIGH** | MAXIMUM





Pembrook

Available Special Order

Doorglass Design

Caming Options



Wide, Flat Patina

Available with ZEEL® frame



Glass Textures




Arctic



Clear Bevels



Micro-Cubed



Streamed

Pembrook provides high privacy.

LOW | MEDIUM | **HIGH** | MAXIMUM

Low-E available

Low-E Plus available

Severe Weather available

In Stock


366 Low-E

ADA Compliant

Turtle code compliant



PEM-Rectangle
1/0 - 3/0 - 1/0
1/2 - 3/0 - 1/2



2264-WTS
2064-WTS


764-WTS
864-WTS



2248-WTS



848-WTS




2236-WTS



836-WTS



2280-WTS




880-WTS



2248-PEM

848-PEM



2264-PEM

764-PEM

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant

blink | ENTRY DOORGLASS

Standard Colors

White and Tan

White



2264-RLB
2064-RLB



2280-RLB
2080-RLB



1464-RLB



1480-RLB
SPECIAL ORDER



2248-RLB
SPECIAL ORDER



2236-RLB
2036-RLB



864-RLB
SPECIAL ORDER



880-RLB
SPECIAL ORDER



836-RLB
SPECIAL ORDER

Tan

Tan is special order



2264-TRLB
2064-TRLB



2280-TRLB




2236-TRLB



864-TRLB



880-TRLB



Premium colors are special order

blink | ENTRY DOORGLASS

Premium Colors

Espresso, Sand, Silver Moon, or Slate Gray

Espresso



2264-ERLB
2064-ERLB



2280-ERLB
2080-ERLB



2236-ERLB
2036-ERLB

Sand



2264-SRLB
2064-SRLB



2280-SRLB
2080-SRLB



2236-SRLB
2036-SRLB

Silver Moon



2264-SMRLB
2064-SMRLB



2280-SMRLB
2080-SMRLB



2236-SMRLB
2036-SMRLB

Slate Gray



2264-SGRLB
2064-SGRLB



2280-SGRLB



2236-SGRLB
2036-SGRLB



864
-SGRLB



880
-SGRLB


2064-SDL-BLC 6L





Available in clear glass or textured glass.


2064-SDL 6L


2264-SDL 6L
0864-SDL 3L

Simulated Divided Lite

Traditional Grille

1-1/8" External Grille SDL
7/8" Internal Grille

Glass Options



Clear (CL)


Clear (CL) Low-E


Baroque (BQ) Low-E


Chinchilla (CHA) Low-E


Micro-Granite (MG) Low-E


Rain (RN) Low-E


NEW Vapor (VPR) Low-E

The look of a true divided lite, with the energy efficiency of a single lite. A mill finish grille between glass, and backing strips for a true wood muntin appearance.

The Traditional SDL bars are injection molded along with our Evolve® frame to eliminate separate application of the SDL bars. This all-in-one design offers a better flush-to-glass fit. Evolve frames are available in white or oak FiberMate® material.

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant


2236-SDL 9L
0836-SDL 3L


2248-SDL 4L
0848-SDL 2L


2248-SDL 6L
0848-SDL 3L


2248-SDL 12L
0848-SDL 4L


2264-SDL 8L
0864-SDL 4L


2064-SDL 10L
0864-SDL 5L


2264-SDL 15L
0864-SDL 5L



Harmony Blinds

Blind Color

White

Grille

11/16" wide

Standard White
Contoured Bar

Glass Textures

Clear

- Blinds and grilles between glass
- Triple-pane insulation offers superior energy performance
- Reduces outside noise intrusion
- Blinds are hidden when fully raised
- Safe for children and pets
- No dusting
- Single reduced travel operator tilts, raises and lowers
- Low-E available.





Craftsman Simulated Divided Lite and 1-Lites*

Craftsman Grille

7/8" External
Grille SDL
1/2" Internal Grille

Glass Options



Clear (CL)



Clear (CL)
Low-E



Baroque (BQ)
Low-E


Blanca (BLC)
Low-E



Chinchilla (CHA)
Low-E



Micro-Granite (MG)
Low-E



Rain (RN)
Low-E



Streamed (STM)
Low-E



NEW Vapor (VPR)
Low-E

The look of a true divided lite, with the energy efficiency of a single lite. A mill finish grille between glass, and backing strips for a true wood muntin appearance.

Available in clear glass or textured glass.

*Textured glass 1-Lites are in Opticks section.

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant

SPECIAL ORDER



2236-BLD
Low-E Only



2236-BLD 9L

SPECIAL ORDER



2264-BLD
Low-E Only

SPECIAL ORDER



2264-BLD 10L



2264-BLD 15L

Craftsman Sidelights offered with Glass Textures listed below.




22"x15.25"
2215
Fiberglass Doors




22"x15.25" 3L
2215
Fiberglass Doors




22"x15.25" 6L
2215
Fiberglass Doors



21"x16"
2116
Steel Doors




21"x16" 3L
2116
Steel Doors



21"x16" 6L
2116
Steel Doors



7"x15"
0715
Clear
Blanca
Chinchilla
Micro-Granite
Rain



8"x64"
0864
Clear
Clear Low-E
Blanca
Chinchilla
Micro-Granite
Rain
Streamed



2248-MYB GBG 4L





Mistify Black (MYB)

Flat Grilles Between Glass

Grille Options

3/8" x 5/8"
3/8" x 7/8"
White Flat Bar

3/8" x 7/8"
Tan Flat Bar

3/8" x 5/8"
3/8" x 7/8"
Beige Flat Bar

3/8" x 5/8"
3/8" x 7/8"
Champagne Flat Bar

3/8" x 5/8"
Bronze Flat Bar

3/8" x 5/8"
3/8" x 7/8"
2-Tone Flat Bar Bronze/White

3/8" x 5/8"
3/8" x 7/8"
Black Flat Bar

Glass Textures

Clear

Mistify Black
available with 7/8" Black Flat Bar only

Low-E available

Low-E Plus available

Severe Weather available


In Stock

366 Low-E

ADA Compliant

Turtle code compliant

Craftsman Frame only — **ZEEL® Frame only**



Size	2515 3L	2515 4L	2515 6L	2217 3L		2217 6L	
Bar Width	7/8"	7/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■
Tan							
Beige							
Champagne							
Bronze							
Bronze / White							
Black							
Mistify Black							
Mistify White							

Available in Clear and Low-E • Bronze/White and Black are Low-E only



Size	2210 5L	2206 4L	2236 4L		2036 9L		2236 9L		0836 2L		0836 3L	
Bar Width	5/8"	5/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■	■	■
Tan				■		■		■		■		■
Beige			■	■	■	■	■	■	■	■	■	■
Champagne	■	■	■		■		■		■		■	
Bronze												
Bronze / White				■		■		■		■		■
Black				■		■		■		■		■
Mistify Black				■						■		
Mistify White												

Available in Clear and Low-E • Bronze/White and Black are Low-E only

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant

Flat Grilles Between Glass



Size	2248 3L		2248 4L		2248 6L		2248 8L		2248 12L		0848 2L		0848 3L		0848 4L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Tan		■		■		■		■		■		■		■		■
Beige	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Champagne	■		■		■		■		■	■	■		■		■	■
Bronze	■		■		■		■		■		■		■		■	
Bronze / White	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Black	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Mistify Black		■		■		■		■								
Mistify White				■		■		■								

Available in Clear and Low-E • Bronze/White and Black are Low-E only



Size	2064 8L		2264 8L		2064 10L		2264 10L		2064 15L		2264 15L		1464 10L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Tan		■		■		■		■		■		■		■
Beige	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Champagne	■		■		■		■		■	■	■	■	■	
Bronze	■		■		■		■		■		■		■	
Bronze / White	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Black	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Mistify Black				■										
Mistify White				■										

Available in Clear and Low-E • Bronze/White and Black are Low-E only

Flat Grilles Between Glass



Size	2260* 15L		2064 4L		2264 4L		2064 4L		2264 4L		2064 6L		2264 6L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Tan				■		■		■		■		■		■
Beige			■	■	■	■	■	■	■	■	■	■	■	■
Champagne			■		■		■		■		■		■	
Bronze			■		■		■		■		■		■	
Bronze / White			■	■	■	■	■	■	■	■	■	■	■	■
Black			■	■	■	■	■	■	■	■	■	■	■	■
Mistify Black						■				■				■
Mistify White										■				

Available in Clear and Low-E • Bronze/White and Black are Low-E only • *Contact customer service for more configurations



Size	0764 2L		0764 3L		0764 4L		0764 5L		0864 5L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■
Tan		■				■		■		■
Beige	■	■	■	■	■	■	■	■		
Champagne	■				■		■	■	■	
Bronze	■				■		■		■	
Bronze / White	■	■	■	■	■	■	■	■		
Black	■	■	■	■	■	■	■	■		
Mistify Black		■		■		■				
Mistify White		■		■		■				

Available in Clear and Low-E • Bronze/White and Black are Low-E only

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant

Flat Grilles Between Glass

Contact customer service for additional ADA sizes and options



Size	2276* 18L		2080 4L		2280 4L		2080 4L		2280 4L		2080 6L		2280 6L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Tan				■		■		■		■		■		■
Beige			■	■	■	■	■	■	■	■	■	■	■	■
Champagne			■		■		■		■		■		■	
Bronze			■		■		■		■		■		■	
Bronze / White			■	■	■	■	■	■	■	■	■	■	■	■
Black			■	■	■	■	■	■	■	■	■	■	■	■
Mistify Black						■				■				■
Mistify White														

Available in Clear and Low-E • Bronze/White and Black are Low-E only • *Contact customer service for more configurations



Size	1480 12L		0880 2L		0880 3L		0880 4L		0880 6L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■	■	■	■	■	■	■
Tan		■		■		■		■		■
Beige	■		■	■	■	■	■	■	■	■
Champagne	■	■	■		■		■		■	
Bronze	■		■		■		■		■	
Bronze / White	■	■	■	■	■	■	■	■	■	■
Black	■	■	■	■	■	■	■	■	■	■
Mistify Black						■		■		
Mistify White										

Available in Clear and Low-E • Bronze/White and Black are Low-E only

Flat Grilles Between Glass

Contact customer service for additional ADA sizes and options



Size	2080 8L		2280 8L		2280 10L		2080 12L		2280 12L		2080 18L		2280 18L	
Bar Width	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"	5/8"	7/8"
White	■	■	■	■		■	■	■	■	■	■	■	■	■
Tan		■		■				■		■		■		■
Beige	■	■	■	■			■	■	■	■	■	■	■	■
Champagne	■		■				■		■		■		■	
Bronze	■		■			■	■		■		■		■	
Bronze / White	■	■	■	■			■	■	■	■	■	■	■	■
Black	■	■	■	■			■	■	■	■	■	■	■	■
Mistify Black				■										
Mistify White														

Available in Clear and Low-E • Bronze/White and Black are Low-E only

Transom



Size	13-5/8 x 63-1/2 5L	13-5/8 x 64-1/2 5L	13-5/8 x 68-1/2 5L
Bar Width	5/8"	5/8"	5/8"
White	■	■	■

Clear only



Clear Glass

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant

Turtle code compliant



2210-CL



2210-CL 5L



2210-CL 7L



0718-CL



1010-CL



1515-CL



0806-CL



2206-CL 4L




480-CL 4L



2210-CL
Severe Weather only



2036-CL



2236-CL
2236-SGSG



2036-CL 9L



2236-CL 9L



2236-CL 12L



2210 AT-CL



2210 AT-CL 11L



2217-CL
ZEEL® Frame Profile



0817-CL
ZEEL® Frame Profile



2116-CL
Craftsman Frame Profile



2215-CL
Craftsman Frame Profile



2515-CL
Craftsman Frame Profile



2215-CL 3L
Craftsman Frame Profile



2116-CL 6L
Craftsman Frame Profile



2215-CL 6L
Craftsman Frame Profile



2515-CL 6L
Craftsman Frame Profile



0715-CL
Craftsman Frame Profile



0864-CL
Craftsman Frame Profile

Low-E available

Low-E Plus available

Severe Weather available

In Stock

366 Low-E

ADA Compliant


Turtle code compliant

Clear Glass


2236 RT-CL


2236 RT-CL 11L


2238 AT-CL


2248-CL


2248-CL 12L


949-CL


919-CL


1464-CL


2064-CL
2064-SGSG

NEW


2260-CL


2264-CL
2264-SGSG


2264 RT-CL
17L


1464-CL 10L


1480-CL


2080-CL
2080-SGSG

NEW


2276-CL


2280-CL
2280-SGSG


2080-CL 12L


2280-CL 12L


2080-CL 18L


2280-CL 18L

Clear Glass


2064-CL 10L


2264-CL 10L


2064-CL 15L


2264-CL 15L


Ellipse

Rectangle


0836-CL
Stock Clear
Only


0836-CL
3L


0848-CL
Stock Low-E
Only


0848-CL
4L


0764-CL
0764-SGSG


0864-CL


0764-CL
5L


0864-CL
5L


0880-CL
0880-SGSG


0880-CL
6L


ADA Glass


2260-CL


2276-CL

Ventlites


2236-VL
Clear Glass
Stock Clear Only


2236-VL 12L
Clear GBG

2236-VL
Rain Glass

Severe Weather/Impact Doorglass

Western Reflections Severe Weather doorglass is designed for hurricane-rated doors.

Each option is designed to provide protection from damaging wind, water infiltration, eliminate the need for hurricane shutters and suit your style and functional needs.

Look for this symbol throughout this catalog


Our Severe Weather Products Meet the Following Requirements:

- Wind-borne debris regions or high velocity hurricane zones (HVHZ) when installed in a proper entrance.
- Design Pressure (DP) ± 66 psf, per Florida Component Approval FL14935
- Wind and missile impact code requirements
- Texas Department of Insurance codes
- Florida Building Commission codes
- Product certification information available under Florida Building Commission FBC approval FL14935.1, FL14935.2, FL14935.3, FL14935.4
- Provides up to 30% more suppression of outside noise than standard doorglass
- Gray Turtle Glass meets coastal light transmittance code requirements in sea turtle nesting areas (see pg 113)



WATCH THE VIDEO
Western-Reflections.com/catalog

See the Missle Impact Test video at
www.western-reflections.com/techinfo_impactstandards.htm



FLORIDA WIND-BORNE DEBRIS REGION
FOR RISK CATEGORY II BUILDINGS

Designated areas where the basic wind speed is 140mph or greater.

130mph and within 1 mile of the coast.

HIGH VELOCITY HURRICANE ZONE
Broward and Dade County

DESIGNATED CATASTROPHE AREAS





NOVA 90 HVHZ IMPACT

Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique, patent-pending process whereby a missile-proof shield is built in to reinforce the door. Our Nova series is available in HVHZ impact models and feature direct glazed glass that creates a seamless and elegant design. The large pane glass allows the most amount of light into your home. It features a simple, clean, and modern profile with brushed smooth finish that is available in full lite and 3/4 lite models.


DIRECT GLAZED
FULL LITE or 3/4 LITE

AVAILABLE HEIGHTS
Doors: 6'8" or 8'0" **Side Lite:** 6'8" or 8'0"

AVAILABLE WIDTHS
Doors: 2'6" • 2'8" • 3'0" **Side Lite:** 1'0"


FEATURES & BENEFITS

1. **COMPOSITE STILE CAP**
2. **FULL LENGTH LVL**
   (Hinge & Strike side, for extra rigidity)
3. **WOOD BLOCKING**
   (For structural support)
4. **STEEL BEAM**
   (Hinge & Strike side, for extra rigidity)
5. **INSULATED 1" GLASS**
   (Impact LowE 366)
6. **COMPRESSION MOLDED FIBERGLASS SKIN**
7. **BRUSH FINISHED TEXTURE**
8. **INTEGRALLY MOLDED GLASS STOP**
9. **ADA COMPLIANT BOTTOM RAIL**
10. **COMPOSITE BOTTOM RAIL**





TO SEE THE FULL FLORIDA BUILDING CODE APPROVAL DOCUMENT,
VISIT WWW.FLORIDABUILDING.ORG. THE NOVA 90 FL# IS 28093, 28095 & 29714.



ONYX FULL LITE

Enhance the aesthetics and natural lighting of your home with our Nova series, featuring direct glazed glass that creates a seamless and elegant design. Take a step further with our durable onyx pigmented fiberglass skin that gives you the contemporary look of a black door, but eliminates the need for frequent maintenance or painting.




DRS1S DRS1S80 SLS1S SLS1S80

DIRECT GLAZED
6'8" or 8'0" FULL LITE DOOR

AVAILABLE WIDTHS
2'0" • 2'6" • 2'8" • 2'10" • 3'0"


FEATURES & BENEFITS

1. COMPOSITE STILE CAP
2. FULL LENGTH LVL
   (Hinge & Strike side, for extra rigidity)
3. WOOD BLOCKING
   (For structural support in HVHZ Impact models)
4. STEEL BEAM
   (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
5. INSULATED 1" GLASS
6. ONYX COMPRESSION MOLDED FIBERGLASS SKIN
7. BRUSH FINISHED TEXTURE
8. INTEGRALLY MOLDED GLASS STOP
9. HIGH DENSITY POLYURETHANE FOAM
10. ADA COMPLIANT BOTTOM RAIL
11. COMPOSITE BOTTOM RAIL



GLASS OPTIONS*

Also available in HVHZ Impact Glass



LowE 272 *In-Stock*
(Impact LowE 366)

MINI BLIND

TRANSLUCENT

RAIN

CHORD

FLEMISH

**Approximate representations, actual product may vary.*



ONYX ¾ LITE

Enhance the aesthetics and natural lighting of your home with our Nova series, featuring direct glazed glass that creates a seamless and elegant design. Take a step further with our durable onyx pigmented fiberglass skin that gives you the contemporary look of a black door, but eliminates the need for frequent maintenance or painting.



DRS1E DRS1E80 SLS1E SLS1E80

DIRECT GLAZED
6'8" or 8'0" 3/4 LITE DOOR

AVAILABLE WIDTHS
2'6" • 2'8" • 2'10" • 3'0"


FEATURES & BENEFITS

1. COMPOSITE STILE CAP
2. FULL LENGTH LVL
   (Hinge & Strike side, for extra rigidity)
3. WOOD BLOCKING
   (For structural support in HVHZ Impact models)
4. STEEL BEAM
   (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
5. INSULATED 1" GLASS
6. ONYX COMPRESSION MOLDED FIBERGLASS SKIN
7. BRUSH FINISHED TEXTURE
8. INTEGRALLY MOLDED GLASS STOP
9. HIGH DENSITY POLYURETHANE FOAM
10. ADA COMPLIANT BOTTOM RAIL
11. COMPOSITE BOTTOM RAIL



GLASS OPTIONS*

Also available in HVHZ Impact Glass



LowE 272 *In-Stock*
(Impact LowE 366)

MINI BLIND

TRANSLUCENT

RAIN *In-Stock*

CHORD

FLEMISH *In-Stock*

**Approximate representations, actual product may vary.*



NEW TO MARKET

ONYX ½ LITE

Enhance the aesthetics of your home with our NEW half lite door, featuring direct glazed glass that creates a seamless and elegant design. Part of our ONYX series this model eliminates the need for frequent maintenance or painting with durable black pigmented fiberglass skin.



DRB1H **DRB1H80** **SLB1H** **SLB1H80**

DIRECT GLAZED
6'8" or 8'0" 1/2 LITE DOOR

AVAILABLE WIDTHS
DOORS: 2'6" • 2'8" • 3'0" SIDE LITES: 1'0" • 1'2"

FEATURES & BENEFITS

1. COMPOSITE STILE CAP
2. FULL LENGTH LVL
   (Hinge & Strike side, for extra rigidity)
3. WOOD BLOCKING
   (For structural support in HVHZ Impact models)
4. STEEL BEAM
   (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
5. INSULATED 1" GLASS
6. ONYX COMPRESSION MOLDED FIBERGLASS SKIN
7. BRUSH FINISHED TEXTURE
8. INTEGRALLY MOLDED GLASS STOP
9. HIGH DENSITY POLYURETHANE FOAM
10. ADA COMPLIANT BOTTOM RAIL
11. COMPOSITE BOTTOM RAIL



GLASS OPTIONS*

Also available in HVHZ Impact Glass

LowE 272 *(Impact LowE 366)*
Privacy Rating 1

TRANSLUCENT
Privacy Rating 10

FLEMISH
Privacy Rating 5

RAIN
Privacy Rating 9

CHORD
Privacy Rating 8

**Approximate representations, actual product may vary.*



NEW TO MARKET

NOVA 90 ½ LITE

Enhance the aesthetics of your home with our NEW Nova 90 half lite door, featuring direct glazed glass that creates a seamless and elegant design. Part of our Nova 90 series this model features a simple, clean, and modern profile with a brushed smooth finish.




DRS1H **DRS1H80** **SLS1H** **SLS1H80**

DIRECT GLAZED
6'8" or 8'0" 1/2 LITE DOOR

AVAILABLE WIDTHS
DOORS: 2'6" • 2'8" • 3'0" SIDE LITES: 1'0" • 1'2"

FEATURES & BENEFITS

1. COMPOSITE STILE CAP
2. FULL LENGTH LVL
   (Hinge & Strike side, for extra rigidity)
3. WOOD BLOCKING
   (For structural support in HVHZ Impact models)
4. STEEL BEAM
   (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
5. INSULATED 1" GLASS
6. COMPRESSION MOLDED FIBERGLASS SKIN
7. BRUSH FINISHED TEXTURE
8. INTEGRALLY MOLDED GLASS STOP
9. HIGH DENSITY POLYURETHANE FOAM
10. ADA COMPLIANT BOTTOM RAIL
11. COMPOSITE BOTTOM RAIL



GLASS OPTIONS*

Also available in HVHZ Impact Glass

LowE 272 *(Impact LowE 366)*
Privacy Rating 1

TRANSLUCENT
Privacy Rating 10


FLEMISH
Privacy Rating 5

RAIN
Privacy Rating 9

CHORD
Privacy Rating 8

**Approximate representations, actual product may vary.*









HVHZ IMPACT AVAILABLE ● IN STOCK ● EXTENDED LEAD TIME

NOVA 90 FEATURES & BENEFITS

1. **COMPOSITE STILE CAP**
2. **FULL LENGTH LVL**
   (Hinge & Strike side, for extra rigidity)
3. **WOOD BLOCKING**
   (For structural support in HVHZ Impact models)
4. **STEEL BEAM**
   (Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)
5. **INSULATED 1" GLASS**
6. **COMPRESSION MOLDED FIBERGLASS SKIN**
7. **BRUSH FINISHED TEXTURE**
8. **INTEGRALLY MOLDED GLASS STOP**
9. **HIGH DENSITY POLYURETHANE FOAM**
10. **ADA COMPLIANT BOTTOM RAIL**
11. **COMPOSITE BOTTOM RAIL**

GLASS OPTIONS*

Also available in HVHZ Impact Glass

LowE 272 *(Impact LowE 366)*



MINI BLIND

TRANSLUCENT

RAIN

CHORD

FLEMISH

**Approximate representations, actual product may vary.*

plastpro®



STAINING GUIDES

MATERIALS NEEDED

A. Pre-Mixed Oil-Based Stain (1/2 pint)
B. Mineral Spirits (4 fl. oz.)
C. Top Coat/Sealer (20 fl. oz.)
D. Two Lint-free Clean Cloths
E. One Pair Protective Glove
F. 3" China Bristle Brush
G. Two Stir Sticks
H. Two Skin Samples
I. Finishing Instruction

STAINING INSTRUCTIONS

SURFACE PREPARATION



1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained, such as the glass insert.
   DO NOT SAND TEXTURED FIBERGLASS
3. Wipe the Door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.

STAIN APPLICATION

Wood Grain Doors:

1. Starting at the center of the Door, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door grain.
2. With a clean cloth softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door.
3. After all stain is brushed evenly, you may ad finishing touches by using a small 1" to 2" brush or cotton swabs.
4. If desired allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.

Brushed Finish Doors (Nova 90):



1. Mix stain with stir stick. Apply stain with a 3" to 4" soft bristle brush
2. Wait 5-10 minutes then wipe off excess stain using a clean cloth.
3. To stain smooth stiles of the door brush the stain on and do not wipe it off.
4. Allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.

PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours) mix the top coat well and apply evenly using a clean, dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.



PAINTING GUIDES

MATERIALS NEEDED

A. Lint-free Cloth
B. Mineral Spirits
C. Rubber Gloves
D. Masking Tape
E. 4" Bristle Brush
F. For water-based application: acrylic-based primer* / acrylic latex-based exterior grade paint

For Smooth Doors ONLY

G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS

SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. **Smooth Doors ONLY:** Lightly scuff/sand the surface with a Scotch Brite pad or fine sand paper.
   DO NOT SAND TEXTURED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.

PRIMING

1. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
2. The primer must be completely dry before applying the topcoat.



PAINTING


1. Apply exterior grade paint with a 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware- should be finished inside of the lock bore as well.

IMPORTANT TO NOTE: It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

CAUTION: Read and follow all the manufacturer's safe use instructions before using any chemical product.

FLUSH GLAZED SIMULATED DIVIDED LIGHTS

6/8 & 8/0 Textured Fir Grain ALL DOOR STYLES AVAILABLE IN 2/6, 2/8 & 3/0



Textured Oak Grain



FLUSH GLAZED SIMULATED DIVIDED LIGHTS

6/8 & 8/0 Textured Mahogany Grain ALL DOOR STYLES AVAILABLE IN 1/0, 2/6, 2/8 & 3/0



CRAFTSMAN DOORS - FLUSH GLAZED & FIR GRAIN

Enjoy the fine craftsmanship and classic styling our Fir Grain series doors. Fir Grain doors feature the fine vertical graining characteristic of Douglas Fir, which emphasizes the architecturally correct proportions of our fiberglass entry doors.

Dentil shelf is an optional add-on item for all Craftsman doors.



FIR GRAIN DENTIL SHELF



DRF3C



DRF3C
2W1H



DRF3C
3W1H



SLF3C




DRF3C80
2W2H



DRF3C80
3W2H



SLF3C80
1W2H





DRF3C80
3W3H Prairie



DRF3C80
5W5H Queen Anne



SLF3C80
1W3H

FIBERGLASS DOORS - RUSTIC COLLECTION

All of the fiberglass exterior doors in the Rustic Collection feature the deep graining and distinct plank detail of true distressed wood without any of the drawbacks of wood exterior doors. Made with our Hydroshield Technology™ our fiberglass exterior doors will never rot, splinter or crack like wood doors.



SPEAKEASY
ACCSPKY0910KIT



CLAVOS

SQUARE



1-1/2"
ACCLP12Q

ROUND

1-1/2"
ACCLP12R



1-1/4"
ACCLP14Q

1-1/4"
ACCLP14R

HINGE STRAP
ACCHGSTP18





DRA1P
ACCLP14Q



DRA2A
Cut-out

PRISCILLA - PCL3R4
SPECIAL ORDER
INSERT



DRA2C
ACCLP14P



DRA2C80
Cut-out

PRISCILLA - PCL3R5
SPECIAL ORDER
INSERT



DRA1P80



DRA2A80
ACCHGSTP18

ACCSPKYO910KIT
SPEAKEASY



DRA2P80

6/8 PANEL
DOORS -
KNOTTY ALDER



2-PANEL
DRK2B
3/0

WOODGRAIN TEXTURED FIBERGLASS EXTERIOR DOORS

Our Woodgrain Textured Fiberglass Exterior Doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood.

Limited Lifetime Warranty DOORS SHOWN ARE IN STOCK.

6/8 PANEL DOORS


4-PANEL
DRG41
3/0


SLG60
1/0


6-PANEL
DRG60
2/6 - 2/8 - 3/0


4-P BLANK TOP
DRG40
2/8 - 3/0


9-PANEL
DRG90
3/0


FLUSH
DRG00
2/0 - 2/4 - 2/6
2/8 - 2/10 - 3/0


SLG00
10" - 1/0 - 1/2


3/4 PREMIUM
DRG3P
3/0


SLG3P
1/0

6/8 PANEL DOORS


3-PANEL 3/4
ELITE
DRG3E
3/0


3/4 4-PANEL
DRG49
2/8 - 3/0


SLG49
1/0


DRG6C
3/0

8/0 PANEL DOORS


FLUSH
DRG0080
2/0 - 2/6 - 2/8 - 3/0


SLG0080
1/0


6-PANEL
DRG6080
2/6 - 2/8 - 3/0


3-PANEL
DRG3080
3/0


SLG3080
1/0

6/8 PANEL DOORS - FIR GRAIN


1-PANEL SHAKER
DRF1K
3/0


2-PANEL SHAKER
DRF2K
3/0


5-PANEL SHAKER
DRF50
3/0

Trimmable Door Series


Trimmable doors ensure the perfect fit for every entryway. With the flexibility to trim all sides to correct height and width for an existing entryway without any reconstruction.

Trim up to 1" from each composite stile, 1/2" from top rail and 1-1/2" from bottom rail.

DRS61T


DRG61T

Retro Size



34-1/2" X 77"
Cutout

c/o = Image is shown with cut-out not actual glass

SMOOTH SKIN SERIES EXTERIOR DOORS

DOORS SHOWN ARE IN STOCK.

1-PANEL SHAKER
DRS1K
3/0

2-PANEL SHAKER
DRS2K
2/8 - 3/0

5-PANEL SHAKER
DRS50
3/0


2-PANEL
DRS3F
2/8 - 2/10 - 3/0


2-PANEL
DRS3C
3/0

6/8 PANEL DOORS

2-PANEL
DRS2B
2/8 - 3/0

2-PANEL
ARCH
DRS2D
2/8 - 3/0


ARCH PLANK
DRS2G
2/8 - 3/0

3/4 ELITE
DRS3E
3/0


3/4 1-Panel
DRS29
2/8 - 2/10 - 3/0

FLUSH
DRS00
2/0 - 2/4 - 2/6
2/8 - 2/10 - 3/0

SLS00
10"
2/8 - 3/0


6 PANEL
DRS6C
3/0

6 PANEL
DRS61
2/8 - 3/0

SLS61
1/0

6/8 PANEL DOORS

7/0 PANEL DOORS

4-PANEL
DRS41
2/8 - 3/0

6-PANEL
DRS60
2/6

4-P BLANK TOP
DRS40
2/8 - 3/0

3-PANEL
DRS3P
3/0

4-PANEL
DRS49
2/8 - 3/0

SLS49
2/8

FLUSH
DRS0070
2/6 - 2/8 - 3/0

4-PANEL
DRS4170
3/0

SLS4170
1/0

6-PANEL
DRS6170
3/0

SLS6170
1/0

8/0 PANEL DOORS

FLUSH
DRS0080
2/0 - 2/6
2/8 - 3/0

SLS0080
1/0

6-PANEL
DRS6080
2/6 - 2/8 - 3/0

4-PANEL
DRS4180
3/0

3-PANEL
DRS3080
2/8 - 3/0

SLS3080
1/0

2-PANEL
DRS2B80
2/8 - 3/0

2-PANEL
DRS2D80
3/0

2-PANEL
DRS3C80
3/0

Fire Rated Fiberglass Doors

20 Minute Warnock Hersey Fire Rating Approval. Great for single and multi-family homes, and light commercial applications. Earns tax credits. More affordable.

For all door styles available in Fire-Rated doors, please talk to us at Tucker Door & Trim.


ENERGY STAR PARTNER

- Fiberglass Reinforced Skins
- Fire Retardant Foam Core
- Widest range of styles and sizes
- Available in Rustic, Mahogany Woodgrain and Smooth Skin finish.
- Limited Lifetime Warranty



HydroShield™ technology

20 MINUTE FIRE RATED FRAME







6-PANEL
DRG60
2/8 - 3/0



6-PANEL
DRS60
2/8 - 3/0














PF Frames™

COMPOSITE DOOR FRAMES FROM PLASTPRO®

An innovative new alternative to traditional wood door jambs. After extensive research and development, Plastpro® has formulated a poly-fiber doorframe system that combines all the strengths and convenience of wood with enhanced properties that make it moisture, rot, and insect resistant. This unique formulation means that Plastpro's PF Frames™ will not absorb or wick moisture and will never warp, splinter, or rot. The advanced PF Frame™ system can be machined the same way as traditional wood jambs with no added hassles. Plastpro's PF Frames™ guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as years down the road.

FEATURES AND BENEFITS

- Closed cellular structure ensures doorframe and moulding will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Rigid poly-fiber formulation eliminates the need for an aluminum support channel.
- Easily machined just like a traditional wood door frame.
- More screw-holding power than wood.
- Matching composite astragals and mullposts offering sidelight and transom capabilities.
- Available in smooth and stainable textured embossed in Mahogany and Oak Grain.
- Available in various lengths.
- Jambs available in 4-9/16 and 6-9/16" widths



plastpro
KNOW THE BEAUTY OF INNOVATION



Door systems Powered By Endura® components are engineered to create smarter, better experiences for everyone, every time. Endura's innovative solutions work together to account for real-world challenges you face each day, delivering secure, hassle-free performance, and unmatched quality and value.

POWERED BY ENDURA
DOOR COMPONENTS MADE IN THE USA





Z-ADJUSTABLE INSWING SILL (ZAI)

ZAI uses an innovative design of all-synthetic components that are built to last, eliminating the worries of wood and enhancing performance. Protect your entry from unsightly damage, rusted screws, discoloration, deformity, gaps and dents with Z-Adjustable Inswing Sills.

- **Built to Last** - Waterproof all-composite substrate won't rack, warp or rot, ever. No more stuck doors, drafts or callbacks.
- **Sealed Adjustment Screws** - Sealing plugs hide unsightly screws and keep water and dirt away from the adjustment mechanism, maintaining adjustability of the sill cap over time.





FRAMESAVER® DOOR FRAMES

FrameSaver™ Door Frames are simply the best wood frames on the market. Backed by a fully-transferable lifetime warranty, FrameSaver combines the performance of composite and the strength of wood in one innovative solution.

- **Rot Proof. Backed for Life.** - FrameSaver never absorbs water, rots, cracks or warps, and is backed by the industry's strongest warranty.
- **Unmatched Warranty** - Backed by the industry's only fully-transferable lifetime warranty for endless coverage and peace of mind.
- **Proven Durability** - Finger-jointed construction creates a perfect fit and enhances structural integrity of the frame.
- **Like Wood, Only Better** - Composite bottom delivers superior protection from water, while finishing and painting just like wood.



NEW! REPLACEABLE DECK SILL® (RDS™)

IT'S NOT JUST ANOTHER SILL. IT'S A SOLUTION.

Jobsites are messy and the door sill takes the biggest hit. Whether it's denting, scratching, paint or oxidation, the aluminum sill deck gets damaged and repairs are costly or impossible to fix without replacing the sill or, in some cases, the entire door unit. If you're paying for the costly repairs or replacement of the damaged sills, you're paying too much. Stop paying for it and start planning for it with the sill of the future, the Replaceable Deck Sill®.

RDS Stocked in Bronze finish, available in Mill Finish


WHEN TIME IS MONEY, SAVE BOTH WITH RDS. IT'S EASY AS 1-2-3.

RDS makes an accident on the job site an easy fix. Drop a brick. Spill some paint. RDS's sill deck can be removed and replaced with ease, requiring only a few simple steps.



DISENGAGE.

Remove sill deck with a stiff putty knife; bend front edge away from the substrate.



REMOVE.

Slide the deck out, away from the sill.



REPLACE.


Slide the new deck into place and tap into place with mallet.

ONE COST-CUTTING SOLUTION. TWO TIME-SAVING OPTIONS.




OPTION 1: PRE-INSTALLED ALUMINUM DECK

Replace damaged aluminum sill deck with a flawless new one in a matter of minutes and with tools already on hand.



OPTION 2: CONSTRUCTION DUNNAGE

Prevent damage with a temporary dunnage sill cap and deck during construction. Then simply install final components.



FLAWLESSLY MEET BUILDING CODE REQUIREMENTS.

Removable sill deck conceals subfloor anchoring screws so you can meet necessary code requirements without sacrificing a clean sill appearance.




PANOLOCK®+ MULTI-POINT LOCK

PanoLock®+ is the first and only multi-point lock that works with a wide variety of off-the-shelf hardware, including electronic deadbolts! That's affordable security and performance for every entry door.


Works with a wide variety of standard hardware, including electronic deadbolts.*

Use of multi-point locks has been limited due to high cost, difficult installation and operation, and the limitations of dedicated handleset hardware required for each lock offering. Not so with PanoLock®+.


An innovative system of adapters lets PanoLock+ work with a wide variety of off-the-shelf hardware. Both standard and smart locks. Brands like Schlage, Kwikset and more.








PanoLock+ Square Adapter.



PanoLock+ can work with a thumb press, lever or knob.



A. Tapered bolt. Unlike other locks that tend to catch, PanoLock+'s tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike. Rollers lower operating force allowing the tapered bolt to gently snug the door panel against the weatherstrip.

Faceplate Finishes

Bronze Anodized | Satin Nickel

Adjustable Strike Plate Finishes

Victorian Bronze | Satin Nickel | Bright Brass | Black | Stainless Steel

Sizes

6/8
8/0

Security. Performance. Standard.

Easy to live with.

A simple turn of the deadbolt operates both tapered bolts smoothly and the handle-set operates the handleset latch. Three points of secure contact. PanoLock+ is easy to live with, even after years of use.

Easy to work with.

PanoLock+ is flexible. Handing and swing can be set in the shop, reducing SKUs.

- **No dedicated hardware required.**
- **No need for dedicated panels.**
- **No difficult installation.**
- **No expensive templates.**

Tested and proven.

PanoLock+ has been extensively tested and proven to perform, even in severe conditions. PanoLock+ withstood winds up to 200 mph in structural testing.

- **Operating torque/force tested as low as 2 in/lbs with select handle sets.**
- **Durability Cycle Testing Passed 100,000 cycles.**
- **Air infiltration and exfiltration Tested to A2.**
- **Water Infiltration and Exfiltration Tested DP60 with Z-Articulating Cap sill.**
- **Impact/Forced Entry Resistance Tested Grade 40.**



https://www.enduraproducts.com/panolock-plus/



TRILENNIUM® MULTI-POINT LOCKING SYSTEM

Unmatched Strength. Ultimate Performance. Backed by the industry's highest ratings for structural and forced entry performance, Trilennium™ delivers 3x the strength, 3x the security and 3x the performance in one system.


UNMATCHED STRENGTH: Protects with the power of three deadbolts, while the one-piece, solid I-Beam lock construction works to strengthen the door panel.

UNMATCHED PERFORMANCE: Bolts pre-engage when unlocked to fight deflection at all times, and can correct misalignment up to 3/16" in three directions once engaged.

UNMATCHED OPERATION: A single turn of the thumbturn or key is all you need to unlock the door. With Panic Release, a single turn of the interior lever unlocks the entire system.



Eclipse Grip Entry Set
Shown in Victorian Bronze



As lock is activated, Trilennium's patented Roller Strikes and Bolts pull the panel into perfect alignment, correcting misalignment in three directions.

TRILENNIUM® HANDSET COLLECTION

Our extensive hardware portfolio combines elegant design with precision engineering for beautiful, reliable performance with ultimate customization to match any style.



Eclipse Entry Set
Shown in Satin Nickel



Pinnacle Entry Set
Shown in Victorian Bronze



Rectangular Entry Set
Shown in Black



Curved Entry Set
Shown in Satin Nickel




Horizon Entry Set
Shown in Bright Brass



Eclipse Grip Set
Shown in Victorian Bronze





ULTIMATE FLIP LEVER™ ASTRAGAL

The Ultimate Flip Lever™ Astragal delivers superior sealing power and security combined with effortless operation. One flip is all you need to secure your inactive door and keep leaks at bay.


- **Effortless One-Flip Operation** - A single flip of the built-in lever activates both bolts and secures the door. No reaching or bending necessary.
- **Ultimate Security** - When each of the astragal's bolts are engaged, the inactive door is secured in place. No extra locking steps necessary.
- **Extended Sealing Power** - Spring-loaded Floating Boot, Simple Solution™ Corner Pad and weatherstrip get an added boost with a full-length Sealing Fin for an extra layer of protection against air and water infiltration.
- **4-Way Adjustable Strike Retainer**


ALUMINUM & WOOD VENEER FINISHES



*Also available in Compatible Options

**Non-thermal Only






ULTIMATE PUSH BUTTON ASTRAGAL

Endura's Ultimate Push Button Astragal delivers enhanced sealing power and added built-in security in a solution that's easy to use, operating with the simple push of a button.

- **Dual Push Operation** - Each Spring-loaded Bolt automatically engages with the simple push of a button and conveniently retracts with one easy motion.
- **Extended Sealing Power** - Spring-loaded Floating Boot, Simple Solution™ Corner Pad and weatherstrip get an added boost with a full-length Sealing Fin for an extra layer of protection against air and water infiltration.
- **Easy Hardware Customization** - 4-way adjustable strike retainers feature Snap-n-Size™ functionality and can be easily removed, resized and repositioned without additional cutting tools to accommodate various hardware sizes and styles.






ULTIMATE LITE ASTRAGAL

Keep costs in check without compromising performance with Endura's Ultimate Lite Astragal.


- **Simple Operation** - Slide to engage. Slide to retract. That's it.
- **Leak-Fighting Performance** - Spring-loaded Floating Boot works with pre-installed Simple Solution™ Corner Pad and weatherstrip to fight air and water infiltration.
- **Easy Hardware Customization** - 4-way adjustable strike retainers feature Snap-n-Size™ functionality and can be easily removed, resized and repositioned without additional cutting tools to accommodate various hardware sizes and styles.

Door Handing Chart


INSWING PATIO UNITS (VIEW FROM EXTERIOR)









OUTSWING PATIO UNITS (VIEW FROM EXTERIOR)








INSWING FRENCH BI-HINGED UNITS (VIEW FROM EXTERIOR)




INSWING SIDELIGHT UNITS (VIEW FROM EXTERIOR)



OUTSWING FRENCH BI-HINGED UNITS (VIEW FROM EXTERIOR)



OUTSWING SIDELIGHT UNITS (VIEW FROM EXTERIOR)



NOTE: When ordering units with one sidelight, indicate if sidelight is on the hinge side or lock side of unit as viewed from the exterior side of unit.

ROUGH OPENING CHART

NOMINAL DOOR SIZE	ACTUAL DOOR SIZE	OUTSIDE OF FRAME	OUTSIDE OF BRICKMOLD	ROUGH OPENING
2/0 Single Inswing	23.75	25.50	28.00	26.50
2/6 Single Inswing	29.75	31.50	34.00	32.50
2/8 Single Inswing	31.75	33.50	36.00	34.50
3/0 Single Inswing	35.75	37.50	40.00	38.50
4/0 Twin with T-astragal		50.00	52.50	51.00
5/0 Twin with T-astragal		62.00	64.50	63.00
5/4 Twin with T-astragal		66.00	68.50	67.00
6/0 Twin with T-astragal		74.00	76.50	75.00
3/0 with one 12" sidelight		51.00	53.50	52.00
3/0 with two 12" sidelights		64.50	67.00	65.50
For outswing units add 1/2" to outside of brickmold dimensions above				
6/8 Single Inswing	79.25	82.00	83.25	82.50
6/8 Single Outswing	79.25	81.25	82.75	81.75
6/8 with 12" Transom IS		95.50	96.75	96.00
6/8 with 12" Transom OS		94.75	96.25	95.25
6/8 with 14" Transom IS		97.50	98.75	98.00
6/8 with 14" Transom OS		96.75	98.25	97.25
8/0 Single Inswing	95.25	98.00	99.25	98.50
8/0 Single Outswing	95.25	97.25	98.75	97.75
8/0 with 12" Transom IS		111.50	112.75	112.00
8/0 with 12" Transom OS		110.75	112.25	111.25
8/0 with 14" Transom IS		113.50	114.75	114.00
8/0 with 14" Transom OS		112.75	114.25	113.25

TUCKER DOOR & TRIM

650 Unisia Drive
Monroe, GA 30655
1-800-899-1739
770-267-4622

2700 Distribution Dr.
Suite A
Henrico VA 23231
1-800-899-1739

1020 Pecan Grove Rd
Albany, GA 31701
1-866-432-2822
229-432-2322

ASK YOUR DEALER FOR A FULL LINE BROCHURE

plastpro
KNOW THE BEAUTY OF INNOVATION

POWERED BY ENDURA
DOOR COMPONENTS MADE IN THE USA

ODL®

225019 (04/2025)