PROLinx
STAIR SYSTEMS

STAIR COMPONENTS GUIDE



800-839-2588 | www.BlueLinxCo.com

Distributed by BlueLinx

BlueLinx

Delivering value to your business

BlueLinx has an experienced sales staff ready to assist you in growing your business. From Decorative Columns to Wood Flooring, BlueLinx has forged partnerships with recognized manufacturers to provide you with quality you can count on at a price you can afford to pay. Be it truckloads right from the mill or just-in-time units on our fleet of trucks, you can rely on BlueLinx to handle your needs any time of year.



Table of Contents

Steps to the Perfect Stair 4
Traditional Collection 12
- Post to Post Newels 12, 14
- Over the Post Newels 13, 14
- Pin Top Balusters 15
- Square Top Balusters 16

Hampton Collection 17
- Hampton Newels 17
- Hampton Balusters 18-19

Classic Collection 20
- Classic Newels 20
- Classic Balusters 21

Regency Collection 22
Olympia Collection 23
Craftsman Collection 24
- Craftsman Newels 24, 25
- Full Square Balusters 24

Box Newels 28-29
- Box Newel Caps 28-29

Metal Balusters & Accessories 30-31
Handrails & Fittings 34-37
- Handrail Fittings Illustrated 35
- ADA/Comm'l Rail & Fittings 36
- Wall Rail & Shoe Rail 36
- Handrail Brackets 37
- Rosettes 37

Treads & Risers 40-45
- Red Oak Plain Treads 40
- Hybrid/Combination Treads 40
- Red Oak Return Treads 41
- Solid Edge-Glued Treads 42
- Red Oak Landing Tread 43
- Risers, Loose Returns 43
- FasTREAD® Replacement Tread 44
- Primed LVL Stringers 44
- Primed "GBR" Risers 45

Installation Accessories 46-47







Take these
steps to a *beautiful* Staircase

STEP 1: Choose your Collection

We have several styles and designs from which to choose:

- Traditional Collection
- Hampton Collection
- Classic Collection
- Craftsman Collection
- Metal Balusters

Available species are:



Poplar


Hemlock


Red Oak


White Oak



Hard Maple


Mahogany

Ask about the availability of other species.

STEP 2: Choose your Balustrade System


Over-the-Post System





Handrails travel over newel posts in OVER THE POST systems. These systems require handrail fittings and typically require the most amount of time and labor to install.

Post-to-Post System





In POST TO POST systems, rails travel between block top or square top newel posts. These systems generally require the least amount of time and labor to install.

STEP 3: Choose your Baluster Style

We have several styles and designs from which to choose:

Pin Top Balusters



Top portion of baluster is round; designed to be inserted into bottom of handrails. 1-1/4" and 1-3/4" square bottoms

Square Top Balusters




Tops of balusters are square 1-1/4" square or 1-3/4" square. Designed to be used with plowed rail.

Metal Balusters




Available in 1/2" square or 5/8" square, our balusters are available in a variety of finishes and styles. Balusters have round pins at top for easier installation.




STEP 3: Choose your Baluster Style (continued)






The "rake" of a staircase is the slope, or angle of the stair as it ascends.


The "True Rake" baluster system offers true alignment so lines appear parallel and clean. See page 18-19 for True Rake balusters.




Turning Length increase 4" per Baluster



Turning Length increase 2-1/2" per Baluster



Turning Length remains constant




Turning Length remains constant


STEP 4: Choose your Handrail

Handrail styles are matched to each collection based on architectural scale. Refer to individual collection pages to find the best handrail to match with your choice of baluster.

There are two types of handrail available: Unplowed (or Plain), and Plowed.



Unplowed Rail:
Use with pin-top or metal balusters.



Plowed Rail:
Use with square top balusters. Available in 1-1/4" and 1-3/4" widths





6010 Plain



6210 Plain



6510 Plain



6710 Plain



6010 Bending Rail



6210 Bending Rail



6510 Bending Rail



6710 Bending Rail

Each rail profile is available in Plain, Plowed, and in Bending Rail. Each rail profile has a corresponding Bending Rail and Mould profile. Used on curved stairs and balconies, Bending Rail has a matching mould that holds the rail piece together during construction. It also protects it during shipping. The tightest radius to which bending rail can be bent is 48".

Shoe rails and Fillets
Shoe rails are plowed lineal material sometimes used with square bottom balusters. Fillet is cut to fill the spacing between balusters





STEP 5: Choose your Newel Post System

Depending on the rail style you chose in Step 2, newel posts are classified by Over-the-Post pin-top newels, and Post-to-Post block top and Box Newels.



Pin top newels require handrail fittings that slide down on top of pins, creating a continuous rail system that is elegant to the touch.



Block top, and Box Newels allow rails to run between them, creating an added touch of detail to your staircase system.

Handrail Fittings are not required unless there is a transition in handrail height between newels (on landings for example).

STEP 6: Choose your Starting Fitting

If you selected an Over-The-Post system, you should select the type of starting fitting that begins the staircase railing. Certain fittings require specific starting steps. See the notes below.



Starting Easing with Cap
Use on Pin-Top Starting Newels installed on standard starting steps. Newel post and Starting Easing share the same centerline.



Volute
Use with Pin-Top Starting or Volute Newels. Requires a starting step.



Turnout
Use on Pin-Top Starting or Volute Newels. Requires a starting step.


PROLinx
STAIR SYSTEMS
Get Inspired
your staircase likely the first architectural
element one sees when entering your home.
So ma tatement sets the tone
for rest of your ome.
From and metal balusters to box newels
our selection is sure to please.




Traditional Collection

Post to Post Newels

Rooted in 18th Century America architecture, our ***Traditional Collection*** represents the best of that era.


Inviting as it is beautiful, create the look of authentic, stylish comfort perfected by Colonial artisans over three centuries ago.





Mushroom Top Ball Top

When Ordering: Specify Mushroom Top (MT) or Ball Top (BT)




MODEL #:	4040-48	4040-54	4040-60	4045-60	4046-60
Usage:	S / B	S / B	I	I	I
Length:	48"	54"	60"	60"	60"
Top:	BT / MT	BT / MT	BT / MT	BT / MT	BT / MT
Specie:	RO / PP	RO / PP	RO / PP	RO / PP	RO / PP

Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing


Top Key
BT - Ball Top
MT - Mushroom Top

Specie Key
RO - Red Oak
PP - Poplar



Shown at Right:
4900 Series Newels
5015 Primed Balusters
5010 Handrail
Red Oak Treads

Over the Post Newels



MODEL #:	4015-48	4015-56	4015-64	4019-56
Usage:	S / B	S / B	I	S / B
Length:	48"	56"	64"	56"
Top:	PT	PT	PT	PT
Specie:	RO / PP	RO / PP	RO	RO




Volute Starting Newels

These newels are designed to be used on starting steps in conjunction with starting fittings such as volutes, turnouts, and opening caps.

See Page 35 for an illustrated guide to handrail fittings.

Square Base Adjustable Length Newel With 1-1/2" X 18" Loose Pin.



Round Base Adjustable Length Newel With 1-1/2" x 18" Loose Pin.

MODEL #:	4063-43 SBLP	4063-43 RBLP
Usage:	S	S
Length:	43"	43"
Top:	PT	PT
Specie:	RO	RO / PP



Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing

Top Key
PT - Pin Top

Specie Key
RO - Red Oak
PP - Poplar


Traditional Collection

Newel Posts

Available in Post to Post and Over the Post designs.








MODEL #:	4010BT	4012BT	4015BT	4010PT	4015PT
Usage:	S / B	S / B	B / I	S / B	S / B
Length:	48"	54"	60"	43"	59"
Top:	BT	BT	BT	PT	PT
Specie:	RO / PP / HM	RO	RO / PP / HM	RO	RO



Block Top Post to Post Newels

Varying lengths of the top block allow for changes in rail direction, such as landings and where stair rails intersect at a balcony.






Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing

Top Key
BT - Ball Top
PT - Pin Top

Specie Key
RO - Red Oak
PP - Poplar
HK - Hemlock

Pin Top Balusters




MODEL #:	5015-31	5015-34	5015-36	5015-39	5015-41	5015-43
Length:	31"	34"	36"	39"	41"	43"
Bottom :	1-1/4"	1-1/4"	1-1/4"	1-1/4"	1-1/4"	1-1/4"
Specie:	PR	RO / PR	RO / PR	RO / PR	RO / PR	RO / PR

Specie Key
RO - Red Oak
PR - Primed

The SS-5015 "Smart Stick"

What's smart about the SS-5015 "Smart Stick?" The top and bottom pins are the same size, requiring the same size drill bit... meaning it's easier and quicker to install. That's good news for installers. The bottom pin is shorter and needs no trimming. The 3/4" pin top increases possible spacing of balusters by 1/4" while complying with the 4" maximum spacing in many building codes.




MODEL #:	SS-5015-36	SS-5015-39	SS-5015-41	SS-5015-43
Length:	36"	39"	41"	43"
Bottom :	1-1/4"	1-1/4"	1-1/4"	1-1/4"
Specie:	PR	PR	PR	PR

Specie Key
PR - Primed

Traditional Collection

Square Top Balusters





MODEL #:	5141-34	5141-36	5141-39	5141-41
Length:	34"	36"	39"	41"
Bottom :	1-1/4"	1-1/4"	1-1/4"	1-1/4"
Specie:	PR / PP / RO	PR / HK / PP / RO	PR / HK / PP / RO	PR / HK / PP / RO

Specie Key

PR - Primed
HK - Hemlock
PP - Poplar
RO - Red Oak

Compatible Handrails for our Traditional Collection



6010 6210 6510 6710



Shown at Right:


- 4010 Series Newels
- 5010 Primed Balusters
- 6010 Handrail

Hampton Collection


Newel Posts

Our ***Hampton Collection*** captures the detail and style that are "The Hamptons."

With the same style as its namesake, fine lines and bold curves tastefully highlight elegance and splendor.



MODEL #:	4500-48	4500-56	4500-62	4545-62	4546-72	3500-48	3500-54	3503-54
Usage:	S / B	S / B	I	I	I	S / B	S / B	I
Length:	48"	56"	62"	62"	72"	48"	54"	54"
Bottom:	3-1/2"	3-1/2"	3-1/2"	3-1/2"	3-1/2"	3"	3"	3"
Top:	BT	BT	BT	BT	BT	BT	BT	BT
Specie:	RO	RO	RO	RO	RO	RO	RO	RO



Round Base Adjustable Length Newel With 1-1/2" x 18" Loose Pin.

MODEL #:	4515-48	4515-56	4563-43 RBLP
Usage:	S / B	S / B	S
Length:	48"	56"	43"
Bottom:	3-1/2"	3-1/2"	3-1/2"
Top:	PT	PT	PT
Specie:	RO	RO	RO



Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing


Top Key
BT - Ball Top
PT - Pin Top

Specie Key
RO - Red Oak

Hampton Collection

Pin Top Balusters





MODEL #:	5300-34	5300-36	5300-39	5300-40-2	5300-42-3
Length:	34"	36"	39"	40"	42"
Bottom :	1-3/4"	1-3/4"	1-3/4"	1-3/4"	1-3/4"
Specie:	PR	PR	PR	PR	PR

Specie Key

PR - Primed

Compatible Handrails for our Hampton Collection


6010


6210


6510


6710




Shown at Right:

- 5300 Primed Balusters
- 6210 Handrail

Square Top Balusters







MODEL #:	5105-34	5105-36	5105-39	5105-40-2	5105-42-3	5105-42LB
Length:	34"	36"	39"	40"	42"	42"
Bottom :	1-3/4"	1-3/4"	1-3/4"	1-3/4"	1-3/4"	1-3/4"
Specie:	PR	PR	PR	PR	PR	PR *No Pin*



Square Top Balusters:
Plowed Rail is the best choice when using square top balusters. This rail comes with fillet, which is cut to fit between the square tops of balusters. See Page 34 for our selection of plowed rail.







MODEL #:	5205-31	5205-34	5205-36	5235-41
Length:	31"	34"	36"	41"
Bottom :	1-1/4"	1-1/4"	1-1/4"	1-1/4"
Specie:	HK / PP	RO	HK / PP / RO	PR / HK / PP / RO


Specie Key
PR - Primed
HK - Hemlock (No Pin)
PP - Poplar (No Pin)
RO - Red Oak (No Pin)




Classic Collection


Newel Posts







1" Pin Top










MODEL #:	3015P-48	3015P-56	3015P-64	3063P-43 SBLP
Usage:	S / B	S / B	I	S / B
Length:	48"	56"	64"	48"
Bottom:	3-1/2"	3-1/2"	3-1/2"	3-1/2" Sq
Top:	PT	PT	PT	AT
Specie:	RO / PP	RO / PP	RO / PP	RO


Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing


Top Key
AT - Acorn Top
PT - Pin Top


Specie Key
RO - Red Oak
PP - Poplar




Acorn Top









MODEL #:	3030P-48	3030P-56	3030P-62	3045P-62
Usage:	S / B	S / B	I	S / B
Length:	48"	56"	62"	62"
Bottom:	3-1/2"	3-1/2"	3-1/2"	3-1/2"
Top:	AT	AT	AT	AT
Specie:	RO	RO	RO	RO




Classic Collection

Pin Top Balusters

Our ***Classic Collection*** captures the artistic style of ancient Greece with its emphasis on proportion and harmony.

These designs have timeless architectural design.



MODEL #:	2015-36	2015-39	2015-41	2015-42LB
Length:	36"	39"	41"	42"
Bottom :	1-3/4"	1-3/4"	1-3/4"	1-3/4"
Specie:	PR / RO	PR / RO	PR / RO	PR / RO *No Pin*




Compatible Handrails for our Classic Collection



6210 6510 6710

Specie Key

PR - Primed
RO - Red Oak



Parts on this staircase:


- 3063 Volute Newel
- 2015 Primed Balusters
- Red Oak Stair Treads

Regency Collection

Newels & Pin Top Balusters

Reflecting the high styles and traditions of late 18th century England and America, the symmetry and balance of The Regency Collection are typical of center-hall colonial style homes.






MODEL #:	2715-35	2715-37	2715-39	2715-41	2715-41LB
Length:	35"	37"	39"	41"	41"
Bottom :	1-3/4"	1-3/4"	1-3/4"	1-3/4"	1-3/4"
Specie:	PR	PR	PR	PR	PR


Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing

Top Key
PT - Pin Top
BT - Ball Top

Specie Key
RO - Red Oak
PP - Poplar
PR - Primed








MODEL #:	4863	4815-48	4815-60	4840-56	4840-64
Usage:	S	S / B	I / B	S / B	B / I
Length:	43"	48"	60"	56"	64"
Bottom:	3-1/2"	3-1/2"	3-1/2"	3-1/2"	3-1/2"
Top:	PT	PT	PT	PT	PT
Specie:	RO / WO HM / MH	RO	RO / WO HM / MH	RO / WO HM / MH	RO / WO HM / MH

Olympia Collection

Pin Top Balusters

With dignified and restrained emphasis on geometric form, the harmonious proportions of The Olympia Balusters will lend style and grace to any home.



MODEL #:	2815-37	2815-41	2815-43
Length:	35"	41"	43"
Bottom :	1-3/4"	1-3/4"	1-3/4"
Specie:	PR	PR	PR



Specie Key

PR - Primed

Compatible Handrails for our Regency and Olympia Collection



6210



6510



6710




Shown at Left:

- 4800 Series Newels
- 2715 Primed Balusters
- Red Oak Treads
- 6710 Handrail


Craftsman Collection

Newels & Full Square Balusters



MODEL #:	5060-36	5060-41	5060-43	5360-36	5360-41	5360-43
Length:	36"	41"	43"	36"	41"	43"
Bottom :	1-1/4"	1-1/4"	1-1/4"	1-3/4"	1-1/4"	1-3/4"
Specie:	PR / HK / RO	HK	PR / HK / RO	PR / RO	PR	PR / RO





MODEL #:	4940	4942	4945	4946
Usage:	S / B	S / B	I	I
Length:	48"	54"	60"	60"
Bottom:	3"	3"	3"	3"
Top:	MT	MT	MT	MT
Specie:	PP / RO	PP / RO	PP / RO	PP / RO

Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing


Top Key
MT - Mushroom Top

Specie Key
RO - Red Oak
PP - Poplar

Newel Posts




4001564 Hemlock
Box Newel



MODEL #:	4001588	4001564	4000-66	4001-66
Usage:	S / B / I	S / B / I	S / B / I	S / B / I
Length:	59"	55"	66"	66"
Bottom:	3-1/4"	5"	3"	3-1/2"
Top:	CH	BOX	FULL SQ	FULL SQ
Specie:	HK	HK	RO / PP	RO / PP

Compatible Handrails for our Craftsman Collection




6010 6210 6510 6710

Usage Key
S - Starting Newel
B - Balcony Newel
I - Intersection/Landing

Top Key
PT - Pin Top
BT - Ball Top
CH - Chamfered
BOX - Box Newel

Specie Key
PR - Primed
HK - Hemlock
RO - Red Oak
PP - Poplar



Parts on this staircase:
- Chamfered Newels
- 6010 Plowed Handrail
- 5060 Square Balusters



Box Newels

Box Newels make a bold statement.

Add our Oil Rubbed Copper metal balusters to your staircase for an added touch.

Box Newels come in many styles and sizes.



High Hat/Pyramid Cap Box Newels



Pyramid



High Hat

Each newel on this page comes with both caps shown above.



PROFILE #:	PL4075-56	PL4075-66	PL4090	PL4091	FL4092	FP4093	RP4094
Description:	Plain	Plain	Adjustable	Plain	Fluted	Flat Panel	Raised Panel
Length:	56"	66"	55"	55"	55"	55"	55"
Square:	3½"	3½"	5"	6¼"	6¼"	6¼"	6¼"
Specie:	PP / RO WO / HM MH	PP / RO	PP / RO WO / HM MH	PP / RO WO / HM MH	PP / RO WO / HM MH	PP / RO WO / HM MH	PP / RO WO / HM MH

Specie Key

PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany

Box Newel Caps: High Hat/Pyramid



PROFILE #:	9802	9801
Description:	NC-75 Newel Cap Kit	NC-91 Newel Cap Kit
Size:	5 " x 5 "	6¾" x 6¾"
Specie:	RO / WO HM / MH	RO / WO HM / MH

Radius Cap Box Newels



Radius Cap and Neck Trim Detail
on 4095 and 4098 Box Newels











Specie Key

PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany

PROFILE #:	BS-4077-24	PL4077-64	PL4191-55	PL4095-56	FP4098-56
Description:	Base/Sleeve	Plain	Plain	Plain	Flat Panel
Length:	24"	64"	55"	56"	56"
Square:	5"	3½"	5"	7½"	7½"
Specie:	RO	PP / RO / WO HM / MH	RO	PP / RO / WO HM / MH	PP / RO / WO HM / MH

Box Newel Radius Caps



NC-77



NC-95 / NC-91R

PROFILE #:	NC-77	NC-95	NC-91R
Description:	Cap w/ Cove Mould	Cap w/ Cove Mould	Cap w/ Cove Mould
Size:	5½" x 5½"	8" x 8"	6¾" x 6¾"
Fits:	3½" Newels	7½" Newels	6¼" Newels
Specie:	PP / RO / WO HM / MH	RO / WO HM / MH	RO / WO HM / MH

Hollow Metal Balusters & Accessories

1/2" & 5/8" Balusters



HM-PL | HM-PLAK01 | HM-PLAK02 | HM-TW1 | HM-TW2 | HM-BAS1 | HM-BAS2 | HM-F44A | HM-FRS44

1/2" PROFILE #:	DESCRIPTION	SIZE	AVAILABLE FINISHES
HM-PL44	Plain Bar	½" X 44	MB / SB / ORC / ORB
HM-PLAK01	Sgl. Knuckle	½" X 44	MB[1] / SB[2] / ORC[1] / ORB[1]
HM-PLAK02	Dbl. Knuckle	½" X 44	MB[1] / SB[2] / ORC[1] / ORB[1]
HM-TW1	Sgl. Twist	½" X 44	MB / SB / ORC / ORB
HM-TW2	Dbl. Twist	½" X 44	MB / SB / ORC / ORB
HM-BAS1	Sgl. Basket	½" X 44	MB / SB / ORC / ORB
HM-BAS2	Dbl. Basket	½" X 44	MB / SB / ORC / ORB
HM-F44A	Scroll	½" X 44	MB / SB / ORC / ORB
HM-FRS44	Scroll	½" X 44	SB / ORC / ORB

Notes:
1. Knuckles shipped loose
2. Knuckles are not adjustable

5/8" PROFILE #:	DESCRIPTION	SIZE	AVAILABLE FINISHES
HM-PL44-58	Plain Bar	5/8" X 44	SB
HM-PLAK01-58	Sgl. Knuckle[1]	5/8" X 44	SB
HM-PLAK02-58	Dbl. Knuckle[1]	5/8" X 44	SB
HM-TW1-58	Sgl. Twist	5/8" X 44	SB
HM-TW2-58	Dbl. Twist	5/8" X 44	SB
HM-BAS1-58	Sgl. Basket	5/8" X 44	SB
HM-BAS2-58	Dbl. Basket	5/8" X 44	SB
HM-F44A	Scroll	5/8" X 44	SB


Notes:
1. Knuckles shipped loose
2. Knuckles are not adjustable

1/2" & 5/8" Baluster Knuckles & Shoes

PROFILE #:	DESCRIPTION	SIZE	FINISH
AK02	Adjustable Knuckle w/Set Screw	1/2"	MB / SB / ORC
FSH02	Flat Base Shoe w/Set Screw	1/2"	MB / SB / ORC / ORB
PSH02	Pitch Shoe w/Set Screw	1/2"	MB / SB / ORC / ORB
AK03	Adjustable Knuckle w/Set Screw	5/8"	SB
FSH03	Flat Base Shoe w/Set Screw	5/8"	SB
PSH03	Pitch Shoe w/Set Screw	5/8"	SB



AK02 / AK03



FSH02 / FSH03



PSH02 / PSH03

Finish Key

MB - Matte Black
SB - Satin Black
ORC - Oil Rubbed Copper
ORB - Oil Rubbed Bronze




PROLinx
STAIR SYSTEMS

Elegance

When the space calls for a curved stair, our bending rail selection will exceed your expectations.

All of our standard handrails have a matching bending rail profile, in a variety of the most popular wood species.

If your staircase requires a different rail or wood specie than offered here, let us know what you have in mind.





Handrail Profiles


Handrails are the backbone to your stairway, providing continuity and structure to the final design. PROLinx Stair Systems offers both solid and engineered handrails. Each handrail has a matching bending rail profile for curved stair and balcony systems.




6010 Plain*



6010 Bending Rail





Available in:

Poplar

Hemlock

Red Oak*


*6010 Rail is available in **Finger Joint***, **NU-Rail Solid***, Plain, and **Plowed*** with Fillet. Lengths available may vary by species.*




6210 Plain



6210 Bending Rail





Available in:

Poplar

Red Oak


6210 Rail is available in Finger Joint, NU-Rail Solid, Plain, and Plowed with Fillet. Lengths available may vary by species.




6510 Plain*



6510 Bending Rail





Available in:

Red Oak*

White Oak

Hard Maple

Mahogany


*6510 Rail is available in **NU-Rail Solid***, Plain, and **Plowed*** with Fillet. Lengths available may vary by species.*




6710 Plain



6710 Bending Rail





Available in:

Red Oak

Mahogany

6510 Rail is available in NU-Rail Solid, Plain, and Plowed with Fillet. Lengths available may vary by species.

***Available for Quick Ship**

All others Special Order 10-12 Business Days

6010 Colonial



LEFT HAND VOLUTE

7030
7030-90
7230
7530
7730



RIGHT HAND VOLUTE

7035
7035-90
7235
7535
7735



LEFT HAND LARGE TURNOUT

7040
7240
7540
7740



RIGHT HAND LARGE TURNOUT

7045
7245
7545
7745



RETURNED END

7009
7209
7509
7709



STARTING EASING WITH CAP

7010
7210
7510
7710



QUARTER-TURN NO CAP

90° Turn	135° Turn
7011	7011-135
7211	7211-135
7511	
7711	



60° UP EASING

7012
7212
7512
7712



60° OVER EASING

7013
7213
7513
7713



90° UP EASING

7014
7214
7514
7714



OPENING CAP

7019
7219
7519
7719



TANDEM CAP

7020
7220
7520
7720



QUARTER-TURN WITH CAP

90° Turn	135° Turn
7021	7021-135
7221	7221-135
7521	7521-135
7721	7721-135



"S" FITTING LEFT HAND and RIGHT HAND

7047	5" CL
7247	5-1/8" CL
7547	5-1/8" CL
7747	5-1/8" CL



LEFT HAND 90° 2-RISE GOOSENECK W/CAP

7060
7260
7560
7760



RIGHT HAND 90° 2-RISE GOOSENECK W/CAP

7065
7265
7565
7765



LEFT HAND QUARTERTURN TURN 2-RISE GOOSENECK

NO CAP	W/CAP
7071	7081
7271	7281
7571	7581
7771	7781



RIGHT HAND QUARTERTURN 2-RISE GOOSENECK

NO CAP	W/CAP
7076	7086
7276	7286
7576	7586
7776	7786



STRAIGHT GOOSENECK WITH CAP

1-Rise	2-Rise
7088	7089
	7289
	7589
	7789




STRAIGHT GOOSENECK NO CAP

1-Rise	2-Rise
7098	7099
	7299
	7599
	7799

Other Rails & Fittings

Use our 6040 Round Rail with Flat Bottom where building codes require handrails to comply with the American with Disabilities Act. Rail joinery is made easy by using our Spring Bolt Rail To Rail Kit® on page 46.

ADA/Commercial Rail & Fittings





6040 Round Rail*



7123 Quarterturn



7124 Up Easing




7125 Over Easing

PROFILE #:	6040	7123	7124	7125
Description:	Round Rail w/Flat Bottom	90° Quarterturn	60° Up Easing	60° Over Easing
Available Species:	PP / **RO***	PP / RO	PP / RO	PP / RO

Specie Key


PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple

Wall Rail & Shoe Rail






6042 Wall Rail*





6045 Shoe Rail





6006 Shoe Rail

PROFILE #:	6042	6045	6006
Description:	Oval Fingerjoint Wall Rail	Shoe Rail w/1-1/4" Fillet	Shoe Rail w/1-3/4" Fillet
Available Species:	HK / PP / **RO***	HK / PP / RO	PP / RO / HM

Fillet is available separately in Poplar, Red Oak, White Oak, Hard Maple, and Mahogany

***Available for Quick Ship**

All others Special Order 10-12 Business Days

6010 Colonial Rail Brackets


Bright Brass


Matte Black


Oil Rubbed Copper


Brushed Nickel


Old World Copper


702-MD

PROFILE #:	601-HD	702-MD
Description:	Heavy Duty Rail Bracket	Medium Duty Economy Bracket
Available Finishes:	BB / MB / ORC / BN / OWC	BB / BN

Finish Key

BB - Bright Brass
MB - Matte Black
ORC - Oil Rubbed Copper
BN - Brushed Nickel
OWC - Old World Copper

Rosettes


7317 Round Rosette



7337 Oval Rosette


5220 Rectangle Rosette

PROFILE #:	7317 Rosette	7337 Rosette	5220 Rosette
Description:	4" Full Round	4" x 5-1/2" Oval	4-5/16" x 6" Rectangle
Available Species:	PP / RO	PP / RO / WO / HM / MH	RO

Specie Key

PP - Poplar
RO - Red Oak
WO - White Oak
HM - Hard Maple
MH - Mahogany




PROLinx
STAIR SYSTEMS
Classic
Harmonious design, balance of architectural scale, and a dignified emphasis on geometric form will create a lasting first impression.
When a classic, timeless look is desired, our Classic collection offers many styles that have withstood the test of time, adding the perfect architectural accent to match any style of home.



Engineered Treads


Treads and Starting Steps create the foundation for your staircase. No other component receives as much wear and tear. PROLinx Stair Systems are engineered with this in mind...performance required to last a lifetime.

Red Oak Plain Treads




Engineered Red Oak Tread

Item #	Actual Net Size
8510	1-1/32 x 10-1/2 x 36
8510	1-1/32 x 10-1/2 x 42
8510	1-1/32 x 10-1/2 x 48
8510	1-1/32 x 10-1/2 x 54
8530	1-1/32 x 11-1/2 x 36
8530	1-1/32 x 11-1/2 x 42
8530	1-1/32 x 11-1/2 x 48
8530	1-1/32 x 11-1/2 x 54
8530	1-1/32 x 11-1/2 x 60
8530	1-1/32 x 11-1/2 x 72



Hybrid Combination Treads

For stairs with carpeted runners where an oak reveal is desired.



Item #	Miter Style	Actual Net Size
8631H	Sweep	1-1/32 x 11-1/2 x 42
8631H	Sweep	1-1/32 x 11-1/2 x 48
8631H	Sweep	1-1/32 x 11-1/2 x 54
8631H	Sweep	1-1/32 x 11-1/2 x 60



Parts on this staircase:

- 8631 Hybrid Return Treads
- 5000 Primed Baluster
- 4040 Red Oak Newel

Red Oak Return Treads




Straight Line Miter Return Tread



Sweep Miter Return Tread

Item #	Miter Style	Actual Net Size
8503	Straight Line	1-1/32 x 10-1/4 x 42
8503	Straight Line	1-1/32 x 10-1/4 x 48
8503	Straight Line	1-1/32 x 10-1/4 x 54
8523	Straight Line	1-1/32 x 11-1/4 x 42
8523	Straight Line	1-1/32 x 11-1/4 x 48
8523	Straight Line	1-1/32 x 11-1/4 x 54
8531	Sweep	1-1/32 x 11-1/2 x 42
8531	Sweep	1-1/32 x 11-1/2 x 48
8531	Sweep	1-1/32 x 11-1/2 x 54
8531	Sweep	1-1/32 x 11-1/2 x 60



Southern Yellow Pine Treads



Bullnose Pine Tread

Item #	Usage	Actual Size
350771	under carpet/basement steps	1″ X11 ¼″ X 12′ w/bullnose
350774	under carpet/basement steps	1″ X 11 ¼″ X 16′ w/bullnose
448216	Stain Grade	1″ X 11 ¼″ X 12′ w/bullnose
448218	Stain Grade	1″ X 11 ¼″ X 16′ w/bullnose

Solid Edge-Glued Treads

Our Solid-Edge Glued treads are made from quality hardwoods, hand-selected for beauty and color grain, and assembed to the highest standards. Edge-glued treads are solid hardwood that will enhance the beauty of any staircase.


Plain Treads

Available in Red Oak and White Oak



Edge-glued Plain Tread

Item #	Actual Net Size	Species
8430	1-1/32 x 11-1/2 x 36	RO / WO
8430	1-1/32 x 11-1/2 x 42	RO / WO
8430	1-1/32 x 11-1/2 x 48	RO / WO
8430	1-1/32 x 11-1/2 x 54	RO / WO
8430	1-1/32 x 11-1/2 x 60	RO / WO




Edge-Glued Tread

Red Oak Sweep Miter Return Treads



Edge-glued Return Tread

Item #	Actual Net Size
8431	1-1/32 x 11-1/2 x 42
8431	1-1/32 x 11-1/2 x 48
8431	1-1/32 x 11-1/2 x 54
8431	1-1/32 x 11-1/2 x 60



Sweep Miter Return


8010 Series Red Oak Starting Steps

Single and Double Starting Step Assemblies include pre-curved risers




Starting Step Assembly


Item #	Description
8010-48	Single Starting Step Assembly
8010-60	Single Starting Step Assembly
8015-48	Double Starting Step Assembly
8015-54	Double Starting Step Assembly



8010




8010
Bullnose



8015

Red Oak Landing Tread

Matches thickness of standard 3/4" Red Oak Flooring




Item #	Description	Actual Net Size
8090	3-1/2" Landing Tread	1-1/32 x 3-1/2
8590	5-1/4" Landing Tread	1-1/32 x 5-1/4




Risers & Returns

Item #	Description	Actual Net Size	Species
8010R	Red Oak Riser	3/4 x 8 x 48	RO
9300	Sq. Cut Return	1-1/16 x 1-1/4 x 13 Sq. Cut	RO / WO
9300	Coped Return	1-1/16 x 1-1/4 x 13 Coped	RO / WO



Coped Return




Square Cut Return

Specie Key

RO - Red Oak
WO - White Oak



Red Oak Riser



FasTREAD® Replacement Treads

The FasTREAD® Replacement Tread is designed to convert carpeted staircases into red oak masterpieces. The FasTREAD® fits over existing treads and is installed using common finish nails and wood adhesives.



Red Oak FasTREAD®



FasTREAD® Return

Attach the FasTREAD® Oak Return to the end of any FasTREAD® Replacement Tread to create a return tread.

Item #	Description	Size
8431	FasTREAD 48 Inch	5/8 x 11-1/2 x 48
8431	FasTREAD Loose Return	3/4 x 13 x 1-1/8




The FasTREAD® Replacement Tread
Turn any carpeted staircase into a red oak staircase with the FasTREAD® Replacement Tread system.

Made of select solid red oak, it comes unfinished so it can be finished to match your other red oak decor.

Primed LVL Stringers

Available in 9-1/4" and 11-1/4" widths




Item #	Description	Size
8800X	Primed LVL Stringer	1 x 9-1/4 x 192 (16')
8800X	Primed LVL Stringer	1 x 9-1/4 x 216 (18')
8800X	Primed LVL Stringer	1 x 9-1/4 x 240 (20')
8800X	Primed LVL Stringer	1 x 11-1/4 x 216 (18')
8800X	Primed LVL Stringer	1 x 11-1/4 x 240 (20')



Primed LVL Stringer

Primed "GBR" Risers

Primed and Glue-Block Ready. Perfect for stair builders!




8110E GBR
(Glue Block Ready)
Primed Risers



Item #	Description	Size
8110E	Primed GBR Pine Risers	3/4 x 8-1/2 x 36
8110E	Primed GBR Pine Risers	3/4 x 8-1/2 x 42
8110E	Primed GBR Pine Risers	3/4 x 8-1/2 x 48
8110E	Primed GBR Pine Risers	3/4 x 8-1/2 x 120

Installation Accessories

Wood Installation


A


B


C


D


E


F

Key	Item #	Description	Size
A	9400K-RKT	Rail Bolt Kit	5/16" x 3-1/2"
B	6501008	Rail Bolt Wrench	7/8" x 6"
C	9400-300	3" Newel Attachment Kit	For 3" Newel Bases
C	9400-312	3-1/2" Newel Attachment Kit	For 3-1/2" Newel Bases
C	9400-500	5" Box Newel Attachment Kit	For 5" Newel Bases
D	9400K-NKT	Newel Attach Bolt	1/2"Ø x 11"
E	9400K-000	EZ Pin Baluster Pins	1/4"Ø x 3/4" Ø x 1-3/4"
F	9400K-038	Oak Plug - 3/8 inch	3/8" Diameter (10 pack)
F	9400K-012	Oak Plug - 1/2 inch	1/2" Diameter (4 pack)
F	9400K-100	Oak Plug 1-inch	1" Diameter (4 pack)

Metal Installation


EPOX-NOZ


EPOX-100


EPOX-CKT


EPOX-APG

Profile	Description
EPOX100	2-Part Epoxy Dual Cartridge - Black
EPOX-NOZ	Disposable Mixing Nozzle
EPOX-CKT	Caulking Gun Conversion Kit
EPOX-APG	Dispenser Gun - Multi Use

Spring Bolt® Fasteners

Spring Bolt® Fasteners are the revolutionary tool to use when joining handrails to fittings and newel posts. There's even a Spring Bolt® to use when installing newels to floor systems! Say goodbye to unsightly plugs and clunky rail bolt kits. Spring Bolts® attach in minutes.



Key	Item #	Description	Purpose	Size
A	9001205	Rail to Rail Connectors	Connects rail to rail or rail to fittings	1/2"w x 4-1/2" l
B	9001206	Rail to Post Connectors	Connects rail to newel post	7/8"w x 4-1/2" l
C	9001207	Rail to Post End Connector Set	Connects balcony rail to connecting newel posts	7/8"w x 4-1/2" l
D	9001208	Post to Floor Connector	Connects newel posts to floor system	1-1/4"w x 11" l



PrimeLinx® Primed Trim Boards

Don't forget our PrimeLinx trim boards to finish any stair case with available sizes 1 x4, 1x6, 1x8, 1x10 1x12 (sizes shown are nominal)





PROLinx STAIR SYSTEMS











FASTREAD, SPRING BOLT, and RAIL TO RAIL KIT are all registered trademarks of Regency Stair Parts.
BLUELINX and the BLUELINX design are trademarks and registered service marks of BlueLinx Corporation. © 2016 BlueLinx Corporation. All rights reserved.

Distributed by BlueLinx