HARRIS

Door and Millwork

Exterior Door Catalog





Table of Contents

04-05 Get Inspired

06 HDM System

07 Plastpro Quality

08 Nova Series Doors

09 Nova Full Lite SDL

10 Nova 90 3/4 Lite Doors

11 Nova Onyx Doors

12 Craftsman Door

13 Craftsman SDL Options

14 Panel & Flush Doors

15 Slimline Specialty FG

16 Rustic Series

17 Au Courant Doors

18 Wood Fir Doors

19 SDL Options

20 Steel Doors

21 Retro Fit Doors

22-23 8/0 Makeover Retro Fiberglass Doors

24-25 Mahogany Doors

26 Hardware & Grille Options

27 Fiberglass SDL Options

28-29 Hardware

30-31 Multi Point Locks

32 S - Frame

33 Premium Frame Options

34 Standard Door Frames

35 Standard Sizing Chart



Harris Door & Millwork

For over 50 years, our family has been in the millwork business fostering a sense of community and home. Led by three generations of our family, we've evolved from a small local operation to a trusted brand, steadfastly upholding our core values while continuously adapting to meet our customers' needs. Every door we craft represents more than an entryway—it's an invitation to warmth, your cherished memories, and enhancing the character of your home.

Each product reflects our family's enduring legacy, capturing our unwavering commitment and the unique bond we share with our customers. Understanding the value of personal connections sets us apart. We're more than a brand; we're your neighbors, your friends, and partners in the journey of transforming houses into homes, with exceptional door and millwork products. As we look towards the future, we're deeply grateful for being part of your story. With anticipation, we continue our mission, welcoming more families home and carrying our family legacy forward for generations to come.

Get Inspired



WE HELP YOU BUILD YOUR DREAM ENTRY.








HDM System Includes:

- Long reach weatherstrip
- High efficiency dual bulb door bottom
- Corner seal pads
- End sill pad
- Two 2 ¼" long screws for hinges
- Rot resistant jambs & PVC brickmould
- Designed to give you a high performance door unit!
- 5-5/8" Composite Sill



Astragal Options

1. Shaker Astragal

Enhanced performance and accessability with effortless one-flip operation.



Aluminum & Wood Veneer Finishes

- Black
- White
- Clear Fir
- Mahogany



5-5/8" Composite Bronze Sill

Patented Hydroshield Technology

Our exclusive HydroShield technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield technology used with our polyfiber foor frames create an enhanced, impenetrable entryway.

1. Fiberglass reinforced door skins

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stainted, and we provide a variety of gaining options.

2. Full length composite stiles

Our full-length composite styles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3. Composite top & bottom rails

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

4. Extended Lockblock

Plastpro's full length LVL allows any type of lock to be placed for increased security.

5. Polyurethane foam core

Our advanced CFC-free, high density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

Backed by warranty

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.



Frame Decay Comparison



Plastpro PF Door Frame



Traditional Wood Frame

Nova 90

Our Nova series features direct glazed glass that creates a seamless and elegant design. The large pane glass allows the most amount of light into your home. The Nova 90 comes in a shaker profile and is available in brushed smooth finish.

Features & Benefits

1. Composite Stile Cap

2. Full Length LVL

(Hinge & strike side, for extra rigidity)

3. Wood blocking

(For structural support in HVHZ impact models)

4. Steel Beam

(Hinge & strike side, for extra rigidity in all 8’0” and HVHZ impact models)

5. Insulated 1” Glass

6. Compression Molded Fiberglass Skin

7. Brush Finished Texture

8. Integrally Molded Glass Top

9. High Density Polyurethane Foam

10. ADA Compliant Bottom Rail

11. Composite Bottom Rail


12. Can be stained or painted



DRS1EL/DRS1E80L




DRS1DL/DRS1D80L







DRS1SB/DRS1S80B
MINIBLIND



SLS1SBL
SLS1S80BL



SLS1SL
SLS1SL80



SLS1EL
SLS1EL80

NOVA FULL LITE SDL



DRS1DL/DRS1D80L
3w3h Prairie/3w3h Prairie 8-0



DRS1DL/DRS1D80L
2w5h/2w5h 8-0



DRS1DL/DRS1D80L
3w1h/3w1h 8-0



DRS1DL/DRS1D80L
2w2h/2w2h 8-0



DRS1DL/DRS1D80L
3w5h/3w5h 8-0



DRS1DL/DRS1D80L
2w6h/2w6h 8-0




BEFORE



AFTER



DRS1DL/DRS1D80L
3w4h/3w4h 8-0



DRS1DL/DRS1D80L
2w1h/2w1h 8-0

AVAILABLE: 2’0”, 2’6”, 2’8”, & 3’0”

NOVA 90 3/4 LITE DOORS WITH SDL

6'8" & 8'0"



DRSEL

DRS1EL80

6'8" & 8'0"



DRS1EL

DRS1EL80

2w1h/2w1h 8-0

6'8" & 8'0"



DRS1EL

DRS1EL80

3w2h/3w2h 8-0

6'8" & 8'0"



DRS1EL

DRS1EL80

2w2h/2w2h 8-0

6'8" & 8'0"



DRS1EL

DRS1EL80

2w3h/2w3h 8-0

6'8" & 8'0"



DRS1EL

DRS1EL80

3w6h/3w6h 8-0

Queen Anne

6'8" & 8'0"



DRS1EL

DRS1EL80

3w3h/3w3h 8-0

Prairie

6'8" & 8'0"



DRS1EL

DRS1EL80

1w4h/1w4h 8-0

6'8" & 8'0"



DRS1DL

DRS1DL80

2w5h/2w5h 8-0

6'8" & 8'0"



DRS1EL

DRS1EL80

3w3h/3w3h 8-0

AVAILABLE IN:

- Double-Insulated
- Tempered
- Low-E
- Flemish

AVAILABLE: 2'6", 2'8", & 3'0"

One Lite Series Doors

6'8"



DRS12

6'8"



DRS12

2W2H

6'8"



DRS12

2w3h

6'8"



DRS12

3w3h Prairie

8'0"

6'8"



DRM13/DRM1380

8'0"

6'8"



SLM13/SLM1380

AVAILABLE: 2'8" & 3'0"

AVAILABLE IN SIZES: 2/6, 2/8, & 3/0, WIDTHS: 6/8 & 8/0



3/4 Lite
Clear Low E Glass



3/4 Lite
Rain Low E Glass



3/4 Lite
Flemish Low E Glass
Also Available in White



Full View
Clear Low E Glass



Full View 3/4 Lite
Sizes 10” & 12”

SIDELITE GLASS OPTIONS

Low-E

RAIN

FLEMISH



CRAFTSMAN DOORS




DRF3C/DRF3C80




DRF3F/DRF3F80
ACCEPTS INSERT









DRS3C/DRS3C80



DRS3F/DRS3F80
ACCEPTS INSERT



DRS1K/DRS1K80



DRS2K/DRS2K80

CRAFTSMAN SDL OPTIONS



DRF3C/DRF3C80
2w1h/2w1h 8-0

DRF3C/DRF3C80
3w1h/3w1h 8-0

DRF3C/DRF3C80
2w2h/2w2h 8-0

DRF3C/DRF3C80
3w2h/3w2h 8-0

DRF3C/DRF3C80
3w3h Prairie/3w3h Prairie 8-0

SIF3C



DRS3C/DRS3C80
2w1h/2w1h 8-0

DRS3C/DRS3C80
3w1h/3w1h 8-0

DRS3C/DRS3C80
2w2h/2w2h 8-0

DRS3C/DRS3C80
3w2h/3w2h 8-0


DRS3C/DRS3C80
3w2h/3w2h 8-0

SIS3C


AVAILABLE: 3’0”



PANEL & FLUSH DOORS



DRS2B/DRS2B80




DRS2G/DRS2G80




DRS60/DRS6080

*Available in TXT Fiberglass




DRS29/DRS2980

*Available in TXT Fiberglass



DRS61/DRS6170/DRS6180

*Available in TXT Fiberglass



DRS00/DRS0070/DRS0080



DRS2D

* 7/0 AVAILABLE: 3’0” ONLY











Available in: 2/6, 2/8, & 3/0 in 6/8 & 8/0




3LT Slimline Low-E

4LT Slimline Low-E




6LT Slimline Low-E

8LT Slimline Low-E




1LT Slimline Low-E




3LT Sidelite No Lock Block

4LT Sidelite No Lock Block



6LT Sidelite No Lock Block

8LT Sidelite No Lock Block



1LT Sidelight No Lock Block

RUSTIC SERIES



DRATP/DRATP80
22”x15”
3w2h



DRATP/DRATP80
22”x15”
2w2h



DRATP/DRATP80
22”x15”



DRATP/DRATP80
6”x8”



DRATP/DRATP80
15”x22”
2w3h



DRATP/DRATP80
15”x22”
2w2h



DRATP/DRATP80
15”x22”



DRA2A/DRA2A80
6”x8”



DRA2A/DRA2A80




DRA1P


All Available in 3’0” WIdths. 3’6” Available in 8/0 Height Only.



AU COURANT DOORS



Staggered 5 Lite
8”x 6”



Side Aligned 6 Lite
8”x 6”



Diamond 4 Lite
8”x 8”



Staggered 4 Lite
8”x 8”



Centered 4 Lite
8”x 8”



Staggered 3 Lite
3”x 22”



Modern 4 Lite
22”x 3”



Modern 6 Lite
22”x 3”




Four Lite
22”x 8”



Five Lite
22”x 8”



Six Lite
22”x 8”



Four Lite
22”x 10”



Three Lite
22”x 15”



Divided Six Lite W/
4 Lite Bottom
22”x 15” & 22”x 3”




Single Top Lite W/
4 Lite Bottom
22”x 15” & 22”x 3”



Single Top Lite
22”x 15”



Single Lite
7”x 64”



Twin Full Lite
7”x 64”



Staggered Twin Lite
8”x 36”



Divided 3 Lite Top
22”x 15”



Divided 6Lite Top
22”x 15”



1 Lite Five Panel
22”x 8”



2 Lite Five Panel
22”x 8”




Half Lite
22”x 36”

IN-STOCK FIR WOOD DOORS





7130



7501



7801



6801




6175


9541



7044



7002



7701




7031



7702

SDL OPTIONS


1 Lite


1w3h


1w4h


1w5h


2w2h


2w3h


2w5h


3w5h


7501


2w2h


2w3h


2w4h


3w4h


1w2h


1w3h


1 Lite


2w1h


3w1h


3w2h


1 Lite


2w2h


2w3h


1w3h


3w3h Prairie


3w3h Prairie



Prairie Ladder


3w3h Prairie Modified #1


Prairie 7 Lite # 2


Prairie 10 Lite # 3


3w1h Over 1 Lite


4w1h Over 1 Lite

STEEL DOORS

6’8”



-6 Panel

6’8”



1/2 Lite

6’8”



Fullview

6’8”



3/4 Lite over 2 Pnl

6’8”



3/4 Lite over 2 Pnl

6’8”



2 Pnl Square
3/0 Only

6’8”



2 Pnl Arch Top
with Grooves

6’8”



Craftsman 2 Pnl

6’8”



Fullview

6’8”



1/2 Lite

6’8”




3/4 Lite



RETRO FIT NOVA 90 DOORS

*Can be painted or stained


2W1H


3W1H


2W2H


3W3H
PRAIRIE


1W4H


2W3H


3W6H
QUEEN ANNE


2W4H


3W3H

Before



After



Replaces 10” x 3-0 x 10” with 10” Transom
12” x 3-0 x 12” with 12” Transom
Unit Size 60 5/8” x 93 1/4”


8/0 - MAKEOVER RETRO FIBERGLASS DOORS



4LT Square Top - Low E Glass



6LT Square Top - Low E Glass



Square Top - Diamond Light



6LT SDL - Clear Low-E Glass

Replaces 10” x 3-0 x 10” with 10” Transom

12” x 3-0 x 12” with 12” Transom

Unit Size 60 5/8” x 93 1/4”


8/0 - MAKEOVER RETRO FIBERGLASS DOORS



BEFORE

AFTER






TDL Muntin Bar at Glass

*The **True Divided Lite (TDL) Collection** makes a classic addition to any home, complementing a wide range of architectural styles. 1-3/4" thick TDL Collection doors feature individual panes of double insulated, clear, " Low-E" energy efficient beveled glass for beauty, strength and security. True Divided Lite doors have engineered stiles and rails that virtually eliminates warping.*



6 LITE TDL ARCH TOP

Traditional Privacy Glass Options:




Clear Bevel
Privacy Rating: 1

Baroque
Privacy Rating: 2

Gluechip Bevel
Privacy Rating: 3

Gluechip
Privacy Rating: 4



Water
Privacy Rating: 5

Hammered
Privacy Rating: 6

Reeded
Privacy Rating: 7

Granite
Privacy Rating: 8

MAHOGANY WOOD DOORS



3/4 6LT TDL Low-E Beveled Glass



1 LT Low-E



3/4 6LT TDL Arch Top Low-E



Craftsman TDL 6LT



3LT Contemporary



5LT Contemporary



6LT Contemporary



7 Pnl Contemporary



CUSTOMIZE YOUR OPTIONS.
DESIGN YOUR DREAM DOOR.

FIBERGLASS SDL OPTIONS

Ogee Profile

- 7/8” White
- 7/8” Onyx
- 7/8” Fir Grain Tan
- 7/8” Wood Grain Tan
- 1-1/4” White
- 1-1/4” Onyx
- 1-1/4” Fir Grain Tan
- 1-1/4” Wood Grain Tan

Putty Profile

- 7/8” White
- 7/8” Onyx
- 1-1/4” White
- 1-1/4” Onyx
- 3-1/2” White
- 5” White

Wood SDL

- 7/8” Fir Ogee
- 1-1/4” Fir Ogee
- 1-1/4” Fir Square
- 3-1/2” Fir Square

Personalize Your Door With A Custom SDL Pattern.





Antique Brass


Antique Nickel


Bright Brass


Flat Black


Oil-Rubbed Bronze


Polished Chrome


Satin Brass


Satin Nickel


Stainless Steel


White Primed


Zinc Brass

			Ball Bearing	NRP	Spring
US2D	Zinc	X		X	X
US3	Bright Brass	X		X	X
US5	Antique Brass	X		X	X
US10B	Oil-Rubbed Bronze	X	X	X	X
US15	Satin Nickel	X	X	X	X
US15A	Antique Nickel	X		X	
US26	Polished Chrome	X		X	X
USP	Flat Black	X	X	X	X
USS	Stainless Steel	X		X	

6/8 Hinge Locations

-1st Hinge 6-7/16”
-2nd Hinge 37-5/8”
-3rd Hinge 68-13/16”

-Lock Location 43-11/16”
-Deadbolt 5-1/2” OC

8/0 Hinge Locations

-1st Hinge 6-7/16”
-2nd Hinge 32-9/16”
-3rd Hinge 58-11/16”
-4th Hinge 84-13/16”

-Lock Location 59-11/16”
-Deadbolt 5-1/2” OC


Works with a wide variety of standard hardware, including electronic deadbolts.

Use of multi-point locks has been limited due to high cost, difficult installation and operation, and the limitations of dedicated handleset hardware required for each lock offering. Not so with PanoLock+.

An innovative system of adapters lets Panolock+ work with a wide variety of off-the-shelf hardware (both standard and smart locks). Brands include Schalge, Kwikset, and more.

A. Tapered bolt, unlike other locks that tend to catch, Panolock+'s tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike. Rollers lower operationg force, allowing the tapered bolt to gently snug the door panel against the weatherstrip.



Adjustable Strike Plate Finishes

Black

Stainless Steel

Faceplate Finishes

Bronze Anodized

Brushed Clear Anodized

Sizes: 6/8 & 8/0

PANOLOCK™

POWERED BY ENDURA DOOR COMPONENTS MADE IN THE USA

Easy to live with.

A simple turn of the deadbolt operates both tapered bolts smoothly and the handle-set operates the handleset latch. Three points of secure contact. PanoLock+ is easy to live with, even after years of use.

Easy to work with.

PanoLock+ is flexible. Handing and swing can be set in the shop, reducing SKUs.


- No dedicated hardware required
- No need for dedicated panels
- No difficult installation
- No expensive templates

Tested and proven.

PanoLock+ has been extensively tested and proven to perform, even in severe conditions. PanoLock+ withstood winds up to 200 mph in structural testing.


- Operating torque/force tested as low as 2 in/lbs with selected handle sets
- Durability cycle testing passes 100,000 cycles
- Air filtration and exfiltration testes to A2
- Water infiltration and exfiltration tested DP60 with Z-articulating cap sill
- Impact/dorced entry resistance tested grade 40





PanoLock+ Square Adapter





PanoLock+ can work with a thumb press, lever, or knob.

S - FRAME

The S-Frame is a low-profile frame that provides a modern look without sacrificing durability and reliability.

Privacy Glass Options

*Special order



Pure


Rainglass


Zenith



Chinchilla


Frosted


Oceana

Frame Size Options


22”x 36”


22” x 48”


20” x 64”
22” x 64”


22”x 15 1/4”
20”x 15 1/4”


7”x 64”


8”x 48”




Features & Benefits

1. Available in white or tan
2. Injection molded offers a smooth texture
3. Extruded vinyl S-frame has a woodgrain texture
4. Dry applied sealant eliminates squeeze out
5. Idealseal dry sealant prevents dirt adhesion
6. Built to resist warping



Exterior Door Polyfiber Frames

Plastpro's Polyfiber (PF) Door Frames are an innovative new alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood, but requires less maintenance and has a longer life span. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood jambs with no added hassles. When a fiberglass door is used together with a PF Frame, they create an enhanced, impenetrable entryway.



Primed



Fir Grain




Woodgrain

STANDARD DOOR FRAMES

Primed FJ

Factory-primed finger-jointed wood for exterior use. Designed to be painted. Cost-effective option. Not naturally rot resistant. Proper sealing and maintenance required.



Primed FJ

HDM WeatherJamb

Harris Door and Millwork exterior-grade weather jamb. Designed to manage moisture and protect the opening in exposed conditions.

Fir

Stain-grade softwood with straight grain. Suitable for exterior applications when properly finished and maintained.



Fir

Mahogany

Premium stain-grade hardwood with natural resistance to moisture and decay. Ideal for high-end exterior doors.



Mahogany

Frame Depths & Heights

Frames are available in standard depths to match common wall thicknesses. Some options are only available in select sizes. Multiple height options are available for standard and oversized exterior doors.



Finishing & Maintenance

All exterior wood frames must be properly sealed on all sides before installation. Regular inspection and maintenance of paint or stain are required, especially in exposed conditions.

WeatherJamb BY HARRIS

STANDARD SIZING CHART

Inswing Door Systems

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
Single Door Unit	2'0"	25 1/2" x 82"	26 1/4" x 82 1/2"	28" x 83 1/4"
	2'4"	29 1/2" x 82"	30 1/4" x 82 1/2"	32" x 83 1/4"
	2'6"	31 1/2" x 82"	32 1/4" x 82 1/2"	34" x 83 1/4"
	2'8"	33 1/2" x 82"	34 1/4" x 82 1/2"	36" x 83 1/4"
	2'10"	35 1/2" x 82"	36 1/4" x 82 1/2"	38" x 83 1/4"
	3'0"	37 1/2" x 82"	38 1/4" x 82 1/2"	40" x 83 1/4"
	3'6"	43 1/2" x 82"	44 1/4" x 82 1/2"	46" x 83 1/4"
Double Door Unit	4'0"	49 7/8" x 82"	50 5/8" x 82 1/2"	52 3/8" x 83 1/4"
	4'8"	57 7/8" x 82"	58 5/8" x 82 1/2"	60 3/8" x 83 1/4"
	5'0"	61 7/8" x 82"	62 5/8" x 82 1/2"	64 3/8" x 83 1/4"
	5'4"	65 7/8" x 82"	66 5/8" x 82 1/2"	68 3/8" x 83 1/4"
	5'8"	69 7/8" x 82"	70 5/8" x 82 1/2"	72 3/8" x 83 1/4"
	6'0"	73 7/8" x 82"	74 5/8" x 82 1/2"	76 3/8" x 83 1/4"
Patio Door Unit	5'0"	62 7/8" x 82"	63 5/8" x 82 1/2"	65 3/8" x 83 1/4"
	5'4"	66 7/8" x 82"	67 5/8" x 82 1/2"	69 3/8" x 83 1/4"
	5'8"	70 7/8" x 82"	71 5/8" x 82 1/2"	73 3/8" x 83 1/4"
	6'0"	74 7/8" x 82"	75 5/8" x 82 1/2"	77 3/8" x 83 1/4"

Outswing Door Systems

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
Single Door Unit	2'0"	25 1/2" x 81 1/4"	26 1/4" x 81 3/4"	28 1/2" x 83 3/4"
	2'4"	29 1/2" x 81 1/4"	30 1/4" x 81 3/4"	32 1/2" x 83 3/4"
	2'6"	31 1/2" x 81 1/4"	32 1/4" x 81 3/4"	34 1/2" x 83 3/4"
	2'8"	33 1/2" x 81 1/4"	34 1/4" x 81 3/4"	36 1/2" x 83 3/4"
	2'10"	35 1/2" x 81 1/4"	36 1/4" x 81 3/4"	38 1/2" x 83 3/4"
	3'0"	37 1/2" x 81 1/4"	38 1/4" x 81 3/4"	40 1/2" x 83 3/4"
	3'6"	43 1/2" x 81 1/4"	44 1/4" x 81 3/4"	46 1/2" x 83 3/4"
Double Door Unit	4'0"	49 7/8" x 81 1/4"	50 5/8" x 81 3/4"	52 7/8" x 83 3/4"
	4'8"	57 7/8" x 81 1/4"	58 5/8" x 81 3/4"	60 7/8" x 83 3/4"
	5'0"	61 7/8" x 81 1/4"	62 5/8" x 81 3/4"	64 7/8" x 83 3/4"
	5'4"	65 7/8" x 81 1/4"	66 5/8" x 81 3/4"	68 7/8" x 83 3/4"
	5'8"	69 7/8" x 81 1/4"	70 5/8" x 81 3/4"	72 7/8" x 83 3/4"
	6'0"	73 7/8" x 81 1/4"	74 5/8" x 81 3/4"	76 7/8" x 83 3/4"
Patio Door Unit	5'0"	62 7/8" x 81 1/4"	63 5/8" x 81 3/4"	65 7/8" x 83 3/4"
	5'4"	66 7/8" x 81 1/4"	67 5/8" x 81 3/4"	69 7/8" x 83 3/4"
	5'8"	70 7/8" x 81 1/4"	71 5/8" x 81 3/4"	73 7/8" x 83 3/4"
	6'0"	74 7/8" x 81 1/4"	75 5/8" x 81 3/4"	77 7/8" x 83 1/4"

Door & Sidelites With Continuous Sill System- Inswing With Back to Back Mulls

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/(1) 10" Sidelite	3'0"	49" x 82"	49 3/4" x 82 1/2"	51 1/2" x 83 1/4"
W/(1) 12" Sidelite	3'0"	51" x 82"	51 3/4" x 82 1/2"	53 1/2" x 83 1/4"
W/(1) 14" Sidelite	3'0"	53" x 82"	53 3/4" x 82 1/2"	55 1/2" x 83 1/4"
W/(2) 10" Sidelite	3'0"	60 1/2" x 82"	61 1/4" x 82 1/2"	63" x 83 1/4"
W/(2) 12" Sidelite	3'0"	64 1/2" x 82"	65 1/4" x 82 1/2"	67" x 83 1/4"
W/(2) 14" Sidelite	3'0"	68 1/2" x 82"	69 1/4" x 82 1/2"	71" x 83 1/4"

Door & Sidelites With Continuous Sill System- Outswing With Back to Back Mulls

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/(1) 10" Sidelite	3'0"	49" x 81 1/4"	49 3/4" x 81 3/4"	52" x 82 3/4"
W/(1) 12" Sidelite	3'0"	51" x 81 1/4"	51 3/4" x 81 3/4"	54" x 82 3/4"
W/(1) 14" Sidelite	3'0"	53" x 81 1/4"	53 3/4" x 81 3/4"	56" x 82 3/4"
W/(2) 10" Sidelite	3'0"	60 1/2" x 81 1/4"	61 1/4" x 81 3/4"	63 1/2" x 82 3/4"
W/(2) 12" Sidelite	3'0"	64 1/2" x 81 1/4"	65 1/4" x 81 3/4"	67 1/2" x 82 3/4"
W/(2) 14" Sidelite	3'0"	68 1/2" x 81 1/4"	69 1/4" x 81 3/4"	71 1/2" x 82 3/4"

** Handicap Sill: Deduct 1" from height*

** Narrow Mull Post: Deduct 1/2" per mull*

HARRIS
Door and Millwork

Check Out
Our Website



Contact Us

5786 HWY 129 N SUITE A
PENDERGRASS, GA 30567
PHONE: (706) 693-0060
FAX: (706) 693-0874

Follow Us

Facebook: Harris Door & Millwork
Instagram: @harrisdoorandmillwork
LinkedIn: www.linkedin.com/company/harrisdm/

V1225