

3404 Balusters
& 4097 Box Newel

TABLE OF CONTENTS

Quick Reference Guide 2-3

Handcrafted Forged Iron 3-22

- Forged Iron Finish Options 4
- Forged Iron Collections 5-20
  - Palermo 5-6
  - Hollow Knee-Wall Balusters 7
  - Extra Large 8
  - Sicily. 9-10
  - Milan 11-12
  - Vicenza 13-14
  - Marsala 15-16
  - Florence. 17-18
  - Forma 19-20

Iron Components 21-22

Euro-Slim Tubes 23-24

Cable and Aluminum Railings 25-40
- Flex Cable 25-28
- 102 Series 29-30
- 224 Series 31-32
- 200 Surface Mount 33-34
- 250 Surface Mount 35-36
- 200 Fascia Mount 37-38
- 250 Rail Components 39-40

Open Rise Stair Systems 41-42

Spiral Stairways 43

Hardwood Collections 44-66

Box Newels 45-52
- Stain Grade Box Newels 45-46
- Primed Box Newels. 45-38
- Design Your Own Box Newels 49-50
- Box Newel Accessories 51-52

- Sierra 53-54
- Williamsburg 55
- Jefferson. 56
- 1800s 57-58
- Carolina. 59-60
- Hampton 61-62
- Colonial. 63-64
- Craftsman 65-66

Custom Products 67-70

Fittings & Components 71-79
- Fittings. 71-72
- Handrail and Shoerails 73
- Wall Rails, Rail Accessories and Rosettes 74
- Treads and Risers 75-76
- Starting Steps 77
- False Tread Kits, Mouldings, Brackets and Skirtboard 78
- Accessories & Hardware. 79

Stair Part Terms Illustrated & Defined. 81-82

Architecturally Correct Stairways 83-84
- Over-the-Post Take-off Guide 83
- Post-to-Post Take-off Guide 84

Index 85-88

*GEAR**Scan** is a patent pending sales tool by Crown Heritage. For more information contact your local Crown Heritage Representation.*

GEARScan

PALERMO COLLECTION
Pages 5-6

XL HOLLOW BALUSTERS
Page 8

SICILY COLLECTION
Pages 9-10

MILAN COLLECTION
Page 11



WOOD BALUSTERS


SIERRA COLLECTION
Page 53

WILLIAMSBURG COLLECTION
Page 55

JEFFERSON COLLECTION
Page 56

1800s COLLECTION
Page 57

CAROLINA COLLECTION
Page 59



NEWELS

SIERRA COLLECTION
Page 54

WILLIAMSBURG COLLECTION
Page 55

JEFFERSON COLLECTION
Page 56

1800s COLLECTION
Page 58

CAROLINA COLLECTION
Page 60

HAMPTON COLLECTION
Page 62

COLONIAL COLLECTION
Page 64



VICENZA COLLECTION

Pages 13-14

MARSALA COLLECTION

Page 15

ROMA COLLECTION

Page 16

FLORENCE COLLECTION

Pages 17-18

FORMA COLLECTION

Page 19-20



HAMPTON COLLECTION


Page 61

COLONIAL COLLECTION

Page 63

CRAFTSMAN COLLECTION

Page 65



CRAFTSMAN COLLECTION

Page 66

STAIN GRADE AND PRIMED BOX NEWELS

Page 45-47



HANDCRAFTED
IRON BALUSTERS



Pictured here with Satin Nickel balusters 3700, 3701 and 4086 newel.

HANDCRAFTED IRON BALUSTERS

Available in nominal sizes of 12mm = 1/2”, 14mm = 9/16”, 19mm = 3/4” and 30mm = 1-3/16”

Satin Black



Satin Nickel



Rubbed Copper



Oil Rubbed Bronze



Ash Gray




AVAILABLE IN FIVE COLOR FINISHES

PALERMO COLLECTION



1101 (Solid)
3101 (Hollow)
12mm



1102 (Solid)
3102 (Hollow)
12mm



1103 (Solid)
12mm

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
1101	●			
3101	●	●	●	●
1102	●			
3102	●	●	●	●
1103	●			
1121	●			
3121	●	●	●	●
1122	●			
3122	●	●	●	●
1190	●			

Note: *Not all images are to scale.* | *All dimensions in inches unless specified.*

3/4" is included in the overall height for the pin tops on the balusters.

Newels



1121 (Solid)
3121 (Hollow)
12mm



1122 (Solid)
3122 (Hollow)
12mm



1190
(Solid)
30mm



1190
Newel
detail



Pictured here with balusters 3101 and 3102.




36" Iron Balusters


For your convenience 3101, 3102, 3121, 3122 and 3700 profiles are also available in 36" lengths. Ideal for balconies... just unwrap, install and go! Available in Satin Black.

GEARScan
400059


KNEE WALL BALUSTERS




3101-30 (Hollow)
12mm



3102-30 (Hollow)
12mm



3121-30 (Hollow)
12mm



3122-30 (Hollow)
12mm


30" balusters are designed with tighter dimensions *specifically* for knee walls.

30" balusters are perfect for creating great visual style and alignment in a knee wall installation, while 44" balusters complement traditional landing heights.

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
3101	●			
3102	●		●	
3121	●		●	
3122	●		●	

GEARScan
400058

EXTRA LARGE HOLLOW BALUSTERS



2101 (Hollow) 19mm | 2102 (Hollow) 19mm | 2121 (Hollow) 19mm | 2122 (Hollow) 19mm | 2700 (Hollow) 19mm | 2701 (Hollow) 19mm | 2702 (Hollow) 19mm | 2708 (Hollow) 19mm


Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
2101	●		●	
2102	●		●	
2121	●		●	
2122	●		●	
2700	●		●	
2701	●		●	
2702	●		●	
2708	●		●	

GEARScan 400057

SICILY COLLECTION




4700 (Hollow)
14mm




3404 (Hollow)
12mm



1700 (Solid)
3700 (Hollow)
12mm



1701 (Solid)
3701 (Hollow)
12mm



1702 (Solid)
3702 (Hollow)
12mm


Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze	Ash Gray
4700	●		●		
3404	●				
1700	●				
3700	●	●	●	●	●
1701	●				
3701	●	●	●	●	
1702	●				
3702	●	●	●	●	

Note: *Not all images are to scale.* | *All dimensions in inches unless specified.*

3/4" is included in the overall height for the pin tops on the balusters.



1707 (Solid)
14mm



3708 (Hollow)
12mm



Pictured here with 3701 & 3702 balusters.

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
1707	●			
3708	●		●	●


GEARScan 400062

MILAN COLLECTION






1000 (Solid)
14mm




1001 (Solid)
14mm



1002 (Solid)
14mm

Newels



1090 (Solid)
30mm

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
1000	●		●	
1001	●		●	
1002	●		●	
1090	●			

Note: *Not all images are to scale. | All dimensions in inches unless specified. 3/4" is included in the overall height for the pin tops on the balusters.*



GEARScan
400086

VICENZA COLLECTION





3301 (Hollow)
12mm



3302 (Hollow)
12mm



3321 (Hollow)
12mm



3322 (Hollow)
12mm

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
3301	●			
3302	●			
3321	●			
3322	●			

Note: *Not all images are to scale. | All dimensions in inches unless specified.*


3/4" is included in the overall height for the pin tops on the balusters.



Pictured here with 1301 & 1302 balusters and 3821 & 3811 shoes.

GEARScan
400088

MARSALA COLLECTION



3060 (Hollow)
14mm

3501 (Hollow)
14mm

3502 (Hollow)
14mm

3531 (Hollow)
14mm



Pictured here with 1501 & 1502 balusters and 6210 handrail.

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
3060	●		●	●
3501	●		●	●
3502	●		●	●
3531	●		●	●

ROMA COLLECTION

Note: *Not all images are to scale.* | *All dimensions in inches unless specified.*

3/4" is included in the overall height for the pin tops on the balusters.



3201 (Hollow)
14mm



3202 (Hollow)
14mm



Pictured here with 3201, 3202 balusters and 6210 handrail.

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
3201	●			
3202	●			

GEARScan 400060

FLORENCE COLLECTION







1060 (Solid)
14mm



1061 (Solid)
14mm



1062 (Solid)
14mm




1068 (Solid)
14mm

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
1060	●		●	
1061	●		●	
1062	●		●	
1068	●			

ROUND BALUSTERS

Note: *Not all images are to scale.* | *All dimensions in inches unless specified.*

3/4" is included in the overall height for the pin tops on the balusters.



3600 (Hollow)
12mm
Smooth Round




1070 (Solid)
12mm
Hammered
Round



1071 (Solid)
12mm
Hammered Round



1072 (Solid)
12mm
Hammered Round



1074 (Solid)
16mm
Hammered Round




Item Number	Satin Black
3600	●
1070	●
1071	●
1072	●
1074	●

Hammered Round Balusters

NOTE: 1070, 1071, 1072 and 1074 are hammered.



FORMA COLLECTION



3401 (Hollow)
12mm


3402 (Hollow)
12mm

3406 (Hollow)
12mm

3407 (Hollow)
12mm

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Oil Rubbed Bronze
3401	●			
3402	●			
3406	●			
3407	●			
3408	●			
3409	●			
3410	●			
3790	●			

Newels



3408 (Hollow)
12mm

3409 (Hollow)
12mm

3410 (Hollow)
12mm

3790 (Hollow)
30mm



Pictured here with 3700 & 3409 balusters.

GEARScan
400089

IRON COMPONENTS

Shoes



3811
(12mm)

3812
(14mm)

2811
(19mm)



3816
(12mm)
FB/RC

3817
(14mm)
FB/RC



3821
(12mm)

3822
(14mm)

2821
(19mm)



3910
(12mm)



3911
(12mm)

Sraight Bar Accessories



1866
(12mm)



3831
(12mm)
FB/RC/RB

3832
(14mm)
FB/RC

Newel Hardware



1843
Newel
installation
hardware.



1844
(30mm)



3844
(30mm)
Low Profile
Newel Shoe

Hardware

3037
2-Pack Epoxy tips
for 3039



3039
Epoxy Refill
Used with 3038 gun
(Includes 2 tips)



3038
Epoxy Gun



3137
6-Pack Epoxy Tips
Use with 3139



3139
15 Minute Epoxy
Works in standard
caulking gun
(Tips not included)

GEARScan
400064



Pictured with 3410 and 3911
Low Profile baluster shoe



EURO-SLIM TUBES

HOLLOW ROUND TUBES FEATURE A THIN PROFILE FOR AN ELEGANT FINISH

BLACK
(ITEM #9058BK)


STAINLESS
(ITEM #9058SS)

Pictured here with 4000 newel 4113 intermediate post and 6002 handrail.

CONTEMPORARY TOUCH TO A TRADITIONAL DESIGN







FLEX CLASSIC SERIES

INSIDE MOUNT SYSTEM



FITTINGS & TOOLS

Available in level spans or stairways. Each section requires at least one tension fitting. All fittings available in single or 10 packs.



Level Tension End
(#3058)



Level Non-Tension
(#3059)



Stair Tension
(#3056)



Stair
Non-Tension
End
(#3057)



Cable Cutters
(#3068)



Cable Spools available in:
100' (#4909100)
500' (#4909500)

Note: Cable fittings not shown at actual size.

FLEX FX SERIES

INSIDE MOUNT SYSTEM



FITTINGS & TOOLS

Use for level or stair applications.
Each section requires at least one tension fitting.
All fittings are available in single or 10 packs.



Tension Fitting
(#9558)



Non-Tension Fitting
(#9559)



Cable Cutters
(#3068)



Cable Spools available in:
100' (#4909100)
500' (#4909500)

Installation Kit
(#3053FLX)
Includes:
Release Keys (#3066)
(Also Sold Seperately)
Wrenches
Drill Bits

CABLE-102 SERIES

OUTSIDE MOUNT SYSTEM



3” THREADED STUD COMPLETELY CONCEALED INSIDE THE POST



- Budget friendly option
- Traditional stud system design
- All caps are included in kit
- Includes stud bushing to speed installation
- Cable kit lengths available in 5’, 10’ ,15’, 20’ 30’, 40’ and 50’.



102 EXPRESS MOUNT OPTION




End Bracket
(#490102XEBK)
20pk



Intermediate Bracket
(#490102XIBK)
10pk



Corner Bracket
(#490102XCBK)
10pk



Drilling Template
(#4900912)

102 / 224 Installation Kit
(#3053-224)
Includes:
Cut-off Wheel
Cable Gripping Tool
Release Keys (#3066)
(Also Sold Seperately)
Wrenches
Drill Bits

- Retrofits on new or existing wood posts, both level and stair applications
- Save Time- Brackets install on the exterior face of the post, no drilling through posts required
- Save Money- Ability to turn a single corner post with a continous run cuts down number of cable kits
- Patent pending design backed by a Limited Lifetime Warranty

CABLE-224 SERIES

OUTSIDE MOUNT SYSTEM





CABLE DESIGNED SPECIFICALLY FOR 2-3/8" METAL POST



- Low-profile end caps
- Simple tensioning using only a hex key
- Kit includes washers for both wood and metal installations
- Cable kit lengths available in 5', 10', 15', 20', 30', 40', 50' and 60'

102 / 224
Installation Kit
(#3053-224)
Includes:
Cut-off Wheel
Cable Gripping Tool
Release Keys
(#3066)
(Also Sold Seperately)
Wrenches
Drill Bits



ALUMINUM SURFACE MOUNT SYSTEMS


OVER THE POST





ALUMINUM OPTIONS


Aluminum is stocked in black, silver, bronze and white







200 Handrail
Over-the-Post
(Available in 14' and 10' sections depending on color)




Surface Mount
Base Plate Trim Kit
(#0120)
Optional kit to cover base plate





400 Handrail
Over-the-Post
Allows for adding a custom decking board as top



DID YOU KNOW?

A 200 profile rail can be attached to a wood post using an end cap (#0112).




ALUMINUM-250 SURFACE MOUNT
POST TO POST






RAIL PROFILES



250 Handrail
Post-to-Post
(Available in 20’ sections)


Aluminum is stocked in black only.

Silver, Bronze and White are special order





Connector Block (#0118)
Attach a 250 rail to post.



Aluminum fascia mount stocked in black only



200 Handrail Over-the-Post
(Available in 14' and 10' sections depending on color)



400 Handrail Over-the-Post
Allows for adding a custom decking board as top



Fascia Bracket (#0415)
Required for fascia installation



Double Post Corner
Fascia Bracket (#0423)
Required for fascia installation



ALUMINUM-200 FASCIA MOUNT
OVER THE POST



STAIR COMPONENTS FOR 250 RAILING



Connector Block - Stairs
(#011812)

Attach a 250 rail to post. 12” block to easily cut angles. Makes up to 10 connections.



Post Fitting
(#0412)

Continuous run over intermediate post using a 250 rail.



Post Cap
(#0410)









OPEN RISE
STAIR SYSTEM

CONFIGURATION OPTIONS



COLOR OPTIONS




TREAD OPTIONS






Post Fitting
(Item# 0421)
For attaching a wood handrail continuous over posts.


Check with local building codes concerning open rise stairs. Some systems may require thicker treads



Paris



Seattle



Tokyo

SPIRAL STAIRWAYS

Crown Heritage Spirals are designed to your specifications and completely assembled at the factory with a custom formed handrail, then re-packaged for easy assembly at the job site. Crown Heritage Spiral Stairs provide an easier installation and a more appealing look than typical kit stairs. Choose from 20 models. See all models and options at www.crownheritage.com.



Model D100



Model D105



Model D154

WOOD COLLECTIONS

Nothing compares to the natural beauty and timeless appeal of a wood balustrade. From traditional turned newel designs to handcrafted box newels, Crown Heritage offers what you need for your beautiful stair.



Pictured here with 9015 baluster, 4102 newel and 6002 handrail

STAIN GRADE BOX NEWELS



4077



4177




4076



4176



4091




4191

4074 – 3-1/4″

PRIMED BOX NEWELS



4076



4082



4083

4091



4092



4093



4097



4098





4083 newel with
1061 and 1062 balusters

Interchangeable Newel Cap System

Most box newels come with two interchangeable caps.



Bevel Cap



Square Cap


Box Newel Details

Hollow Bottom Newels	Installation Blocks	Sleeve	Two caps
Product #			
4082	Included	Order Separate	Included
4083	Included	Order Separate	Included
4091	Included	Included	Included
4092	Included	Included	Included
4093	Included	Included	Included
4097	Included	Order Separate	Included
4098	Included	Included	Included
4191	Included	Included	Included

GEARScan
400065

PRIMED BOX NEWELS


4" PRIMED BOX NEWELS



4094† | 4094F | 4094NS Standard Oak Trim | 4094NSF

ALL 4094 / 4095 NEWELS HAVE SOLID BOTTOMS

5" PRIMED BOX NEWELS



4095 | 4095F | 4095NS Standard Oak Trim | 4095NSF





Pictured with 5360 balusters and 6310 handrail.

design your own dyo

NEWEL POSTS

NCT (NO CAP OR TRIM) BOX NEWELS

4094NCT
(4″ Post)
ALSO AVAILABLE IN
RED OAK AND
WHITE OAK



4094FNCT
(4″ Post)

4094CNCT
(4″ Post)

4095NCT
(5″ Post)
ALSO AVAILABLE IN
RED OAK AND
WHITE OAK



4095FNCT
(5″ Post)

4095CNCT
(5″ Post)

STAIN GRADE CAP AND TRIM OPTIONS

4094 / 4095 trim kit species options to be used with NCT newels available in plain, fluted or craftsman.



4094CCT (4″ Post)
or 4095CCT (5″ Post)
Craftsman Cap and Trim
Available in Red Oak,
White Oak
or Poplar



4094CT (4″ Post)
or 4095CT (5″ Post)
Peaked Cap and Trim
Available in Red Oak,
White Oak, Beech
or Maple



4094RCT (4″ Post)
or 4095RCT (5″ Post)
Raised Cap and Trim
Available in Red Oak,
White Oak
or Poplar





Pictured here with 5360 balusters and 4094CNCT newel post with 4094CCT cap and trim.

Crown® Heritage

design your own NEWEL POSTS

dyo

BOX NEWEL ACCESSORIES

STAIN GRADE BASE SLEEVES



4076B Sleeve
Fits 4076/77




4082B Sleeve
Fits 4082/83/97

PRIMED BASE SLEEVES




4076B Sleeve
Fits 4076



4082B Sleeve
Fits 4082/4083



4094B Sleeve
Fits 4094



4095B Sleeve
Fits 4095


HARDWARE



3094 assembly is required when a floor is hollow and no joist is available.

3074 is required for joist installations. This 12" lag screw ensures a stronger bond with the joist.

Warning: Standard 10" lag screws are not long enough to provide as secure a bond with the floor joist.



A = Hollow Bottom Box Newel
B = Sleeve
C = Installation Block
D = Finish Floor
E = Sub-floor
F = Starting Newel Attachment Kit
G = 12" Lag Screw

7-1/4" LANDING TREAD



8097 Landing Tread

BOX NEWEL FITTINGS*



721991 Starting Cap



722191 Quarter Turn



722091 Tandem Cap

*FITS WITH 6210 HANDRAIL AND 4091 BOX NEWELS



Pictured with 4091 newel, 5370 balusters, 6210 handrail and box newel fittings.

SIERRA COLLECTION

CROWN SYSTEM® 3 LENGTH SYSTEM






HANDRAILS–NOT PLOWED

6010 6100 6210 6310



This collection is most commonly paired with these not-plowed and plowed handrail profile options.

PIN TOP BALUSTERS




HANDRAILS–PLOWED

6310P 6210P 6310P



SQUARE TOP BALUSTERS






Pictured with 2013 balusters and 3242 newel.


Over-the-Post Newels – With Pin Top

All dimensions in inches.


3″



3209 (43″)
Rake Newel




3214 (48″)
Universal Newel




3215 (58″)
Intermediate Newel

3 1/2″



3314 (48″)
Universal Newel



3315 (56″)
Intermediate Newel


Post-to-Post Newels – With Ball Top

All dimensions in inches.


3″




3240 (48″)
Universal Newel



3242 (54″)
Universal Newel



3245 (58″)
Second-floor
Landing Newel




3246 (58″)
Intermediate Newel


3 1/2″



3340 (48″)
Universal Newel



3342 (56″)
Universal Newel



3345 (56″)
Second-floor
Landing Newel

GEARScan
400067

WILLIAMSBURG COLLECTION

Handrails–Not Plowed

6310 6519 6210



Handrails–Plowed

6310P 6519P 6210P



This collection is most commonly paired with these not-plowed and plowed handrail profile options.




All dimensions in inches.

Pin Top Balusters – 1¾"


9015 Crown System*

PLAIN FLUTE ROPE



9005 Crown System

PLAIN FLUTE ROPE





All dimensions in inches.

Over-the-Post Newels – 3½" With Pin Top

PLAIN FLUTE ROPE



23 1/4" – 9012
19 1/2" – 9025

16 1/4" – 9012
(34" to 38" Rake Handrail)
28" – 9025
(either 30" or 34" Rake Handrail)

9012 (48") Universal Newel
9025 (56") Intermediate Newel

PLAIN



(34" Rake Handrail)

9013 (40 1/2") Volute Newel
Dowel is removable.

PLAIN FLUTE ROPE



(34" to 36" Rake Handrail)

9043 (56") Universal Newel

PLAIN



9048 (72") Intermediate & Second-floor Landing Newel

GEARScan
400068

JEFFERSON COLLECTION

Handrails–Not Plowed


6310 6519 6210





Pin Top Balusters – 1¾" Over-the-Post Newels – With Pin Top

8515 Crown System*



3½"



15" – 8510 (30" to 33" Rake Handrail)
20" – 8514 (34" to 38" Rake Handrail)
28" – 8525 (Either 30" or 34" Rake Handrail)

8510 (43") Universal Newel
8514 (48") Universal Newel
8525 (56") Intermediate Newel




8513 (41") Volute Newel
Dowel is removable.

3"




8512 (43") Rake Newel


Post-to-Post Newels – 3½" With Spade Top



8542 (56") Universal Newel



8545 (56") Second-floor Landing Newel



8547 (58") Intermediate Newel



8515 Balusters & 8542 Newel

Jefferson Post-to-Post

GEARScan 400071

1800s COLLECTION



Handrails-Not Plowed

6310 6519 6210




This collection is most commonly paired with these not-plowed and plowed handrail profile options.

Pin Top Balusters

1815 Crown System* 1 3/4"

PLAIN REED OCTAG.






1825 Crown System 2 1/4"

PLAIN





Handrails-Plowed

6310P 6519P 6210P




Square Top Balusters - 1 3/4"

1805 Crown System

PLAIN REED OCTAG.







Pictured with 1815 Balusters

Over-the-Post Newels – With Pin Top

All dimensions in inches.

3 1/2"



4810 (43") Universal Newel
4814 (48") Universal Newel
4825 (56") Intermediate Newel



4813 (40 1/2") Volute Newel
Dowel is removable.

3"




4812 (43") Rake Newel

Post-to-Post Newels – 3 1/2" With Urn Top


All dimensions in inches.



4842 (56") Universal Newel



4845 (56")
Second-floor
Landing Newel



4866 (58")
Intermediate Newel

GEARScan
400069

CAROLINA COLLECTION

CROWN SYSTEM® 3 LENGTH SYSTEM





HANDRAILS–NOT PLOWED

6310 6519 6210



This collection is most commonly paired with these not-plowed and plowed handrail profile options.

PIN TOP BALUSTERS – 1¾"

2015 3-length System

PLAIN FLUTE TWIST OCTAG.



2016 Crown System*

PLAIN FLUTE TWIST



HANDRAILS–PLOWED


6310P 6519P 6210P



SQUARE TOP BALUSTERS – 1¾"

2005 3-length System

PLAIN FLUTE TWIST OCTAG.



2006 Crown System

PLAIN FLUTE TWIST






Pictured with 2016 fluted balusters and 4091 newel.


Over-the-Post Newels – With Pin Top

All dimensions in inches.

$3\frac{1}{2}$"




3010 (43") Universal Newel
3014 (48") Universal Newel
3015 (56") Intermediate Newel
3018 (72") Winder Newel



3013 (41") Volute Newel
Dowel is removable.


3"




3012 (43") Rake Newel

Post-to-Post Newels – $3\frac{1}{2}$" With Acorn Top


All dimensions in inches.



3040 (48") Universal Newel
3042 (56") Universal Newel
3055 (72") Winder Newel



3045 (58")
Second-floor
Landing Newel



3046 (72") Winder Newel
3047 (58") Intermediate Newel

GEARScan
400070

HAMPTON COLLECTION

CROWN SYSTEM® 3 LENGTH SYSTEM





Handrails–Not Plowed

6310 6210 6519








This collection is most commonly paired with these not-plowed and plowed handrail profile options.

Pin Top Balusters

5200 3-length System 1 1/4" 5300 3-length System 1 3/4" 5301 Crown System* 1 3/4"





Hampton Over-the-Post


Handrails–Plowed

6310P 6519P 6210P



Square Top Balusters

5005 3-length System 1 3/4" 5006 3-length System 1 3/4" 5007 1 5/8" 5106 Crown System 1 3/4" 5205 1 1/4"



Over-the-Post Newels – With Pin Top

All dimensions in inches.

3 1/2"

PLAIN OCTAG.



1
27
VARIES
15" – 4270
20" – 4274
28" – 4275
44" – 4278

4270 (43") Universal Newel
4274 (48") Universal Newel
4275 (56") Intermediate Newel
4278 (72") Winder Newel

PLAIN



1
32 (34" Rake Handrail)
8

4272 (41") Volute Newel
Dowel is removable.

3"

PLAIN ONLY



27
16

4212 (43") Rake Newel

Post-to-Post Newels – With Ball Top

All dimensions in inches.

3 1/2"

PLAIN OCTAG.



VARIES 3 1/2" – 4500, 4502
5 1/2" – 4664, 4665
VARIES 5" – 4500, 4664, 4665
6 1/2" – 4502
VARIES 23" – 4500
17 1/2" – 4502, 4664, 4665
VARIES 16 1/2" – 4500 (30" to 33" Rake Handrail)
28 1/2" – 4502 (34" to 38" Rake Handrail)
20" – 4664 (30" to 38" Rake Handrail)
28" – 4665 (30" to 38" Rake Handrail)

4500 (48") Universal Newel
4502 (56") Universal Newel
4664 (48") Universal Newel (4 1/2" square)
4665 (56") Universal Newel (4 1/2" square)

4664 and 4665 are available in PLAIN only.

PLAIN



3 1/2
VARIES 11" – 4503, 4507
14 1/2" – 4505, 4508
17 1/2
VARIES 24" – 4503 (30" to 38" Rake Handrail)
36 1/2" – 4505 (30" to 38" Rake Handrail)
16" – 4507 (30" to 38" Rake Handrail)
22 1/2" – 4508 (30" to 38" Rake Handrail)

4503 (56") Second-floor Landing Newel
4505 (72") Intermediate Newel
4507 (48") Second-floor Landing Newel
4508 (58") Intermediate Newel

PLAIN



2 1/2
VARIES 45 1/2" – 4004 (30" to 33" Rake Handrail)
53 1/2" – 4005 (30" to 38" Rake Handrail)
69 1/2" – 4006 (30" to 38" Rake Handrail)



Ball Top Spade Top

4004 (48") Universal Newel
4005 (56") Intermediate Newel
4006 (72") Winder Newel

4004, 4005 and 4006 are availabe in Mushroom, Ball and Spade Top.

GEARScan
400072

COLONIAL COLLECTION

CROWN SYSTEM® 3 LENGTH SYSTEM





HANDRAILS–NOT PLOWED

6210



6010



6100



6715




This collection is most commonly paired with these not-plowed and plowed handrail profile options.

PIN TOP BALUSTERS – 1¼"

5090
1" Baluster

PLAIN (ROUND)



5015[4]
3-length System

PLAIN



5010
1½" Baluster

PLAIN



5016[4]
1¼" Baluster

PLAIN



5891
1¼" Baluster

PLAIN



5892
1¼" Baluster

PLAIN



5894
1¼" Baluster

PLAIN



HANDRAILS–PLOWED


6010P



SQUARE TOP BALUSTERS – 1¼"


5067[5]
3-length System

PLAIN




5068[5]
Crown System*

PLAIN




5141[6]
3-length System

PLAIN



5142[6]
Crown System

PLAIN





5142 Balusters & 4040 Newel

Colonial Post-to-Post

[4]5015 and 5016 have matching profiles.
[5]5067 and 5068 have matching profiles.
[6]5141 and 5142 have matching profiles.

Over-the-Post Newels – With Pin Top

All dimensions in inches.

3″ | 2 1/4″ | 2 3/4″

Use with 4010:




See pages 63, 64



4010 (43″) Universal Newel

Pre-Bored for hardware.






4014 (48″) Universal Newel
4015 (58″) Intermediate Newel
4018 (72″) Winder Newel




4011 (43″) Volute or Turnout Newel

Dowel is removable.




4013 (43″) Rake Newel



4050 (43″) Universal Newel Round Bottom

Dowel is removable.



4060 (43″) Universal Newel Round Bottom

Dowel is removable.

Post-to-Post Newels

**Note: Mushroom top newels standard on Colonial Collection.*

All dimensions in inches.

3″





4040 (48″) Universal Newels
4042 (54″) Universal Newels
4055 (72″) Universal Newels



4041 (48″) Second-floor Landing Newel
4045 (58″) Universal Newels
4046 (72″) Intermediate Newels
4047 (54″) Intermediate Newels

3″





4180 (48″) Universal Newel
4182 (56″) Intermediate Newel
4195 (72″) Winder Newel





4181 (48″) Universal Newel
4185 (56″) Second-floor Landing Newel
4186 (58″) Intermediate Newel

GEARScan
400073

CRAFTSMAN COLLECTION

Handrails-Not Plowed


6002


6602


6840

Handrails-Plowed



6000P
1 1/4"


6001P
1 3/4"


This collection is most commonly paired with these not-plowed and plowed handrail profile options.

Balusters


5060
1 1/4" Baluster




5360
1 3/4" Baluster




5061–Eased Edge
1 1/4" Baluster




5361–Eased Edge
1 3/4" Baluster




5070
1 1/4" Baluster



5370
1 3/4" Baluster



5380
1 3/4" Baluster




Detail of eased edge baluster bottom




4086 Newel


Profiled Newels

3" Newels




4086 (43")
4087 (59.5")
4088 (67")

3 1/4" Newels



4118 * (48") Universal
4119 * (56") Intermediate

3 1/2" Newels




4100 (48") Universal
4101 (56") Intermediate

* Both the 4118 and 4119 are round newels.


Plain Newels

3" Newels




4300 (43") Universal
4301 (48") Intermediate
4302 (58") Intermediate

3½" Newels



4000 (48") Universal
4001 (56") Intermediate


4" Newels




4002 (48") Universal
4003 (56") Intermediate

Pintop Newels


3½" Newels




4113 (48") Universal
4114 (56") Intermediate
(Both newels are square tappered)




4115 (48") Universal
4116 (56") Intermediate




4102 (48") Universal
4103 (56") Intermediate



4131 (56") Universal
4431 (56") 4½" sq.



4007 (48") Universal
4008 (56") Intermediate



4108 (48") Universal
4109 (56") Intermediate



4108 and 4109 Newel Panel

GEARScan
400074

CRAFTSMAN WORKSHOP



CUSTOM STAIRPARTS







TURNINGS

Whether it is a historical part or your own unique design, Crown Heritage can manufacture newels and balusters to your specifications with our Locatelli Copy Lathe.

BOX NEWELS

Small or large, short or tall - it's your design! Custom caps, panels or flutes.




CURVED BALCONY RAIL AND LANDING TREAD

Provide us a detailed template or drawings showing your desired radius.



FITTINGS

Custom volute or turnout sizes and custom angles on goosenecks or turns.



TREADS AND STEPS

Double or single return treads, curved, radius end, and pie treads. Custom double or single end steps, custom radius or stacked steps.




CONCEPT GALLERY

Get inspired by one of these unique designs! Choose one of these custom designs or create your own. Custom design may require a short lead time.

Craftsman Style


1


2



3
Item# 4108



4
Item# 4007


5


6

Turned Newels


7


8


11


12


9


10


15


16


17


13


14


18


19


20

FITTINGS & COMPONENTS

Caps & Easings



7008
7208
4" Coped End



7009/7109
7209/7309
7509
4" Returned End



7010/7110
7210/7310
7510
7710/7810
Starting Easing



7011/7111
7211/7311
7511
7711/7811
90° Level
Quarter Turn



7011S–LH
7111S–LH
7211S–LH
7311S–LH
4 3/4" Offset Rail



7011S–RH
7111S–RH
7211S–RH
7311S–RH
4 3/4" Offset Rail



7012/7112
7212/7312
7512
7712/7812
60° Up Easing



7013/7113
7213/7313
7513
7713/7813
Over Easing

GEARScan 400075

Volutes & Turnouts



7030/7130
7230/7330
7530
Left-hand Volute



7035/7135
7235/7335
7535
Right-hand Volute



703090
723090
733090
90° Left-hand
Volute

703590
723590
733590
90° Right-hand
Volute



7031/7231
Left-hand
Rising Volute



7036/7236
Right-hand
Rising Volute



7040/7140
7240/7340
7540
Left-hand Turnout

GEARScan 400076

Goosenecks



7050
7250
7550
Left-hand
2 pc. Riser
No Cap



7055
7255
7555
Right-hand
2 pc. Riser
No Cap



7060
7260
7160
7360
7560
Left-hand
2 pc. Riser
With Cap



7065
7265
7165
7365
7565
Right-hand
2 pc. Riser
With Cap



7071
7171
7271
7371
7571
Left-hand
2 pc. Riser
No Cap



7076
7176
7276
7376
7576
Right-hand
2 pc. Riser
No Cap



7081
7181
7281
7381
7581
Left-hand
2 pc. Riser
With Cap



7086
7186
7286
7386
7586
Right-hand
2 pc. Riser
With Cap

GEARScan 400077

All dimensions in inches.




7014/7114
7214/7314
7514
90° Up Easing



7015
7215/7315
7515
Starting Easing
Returned End




7016
7216/7316
7516
Over Easing
Returned End



7019/7119
7219/7319
7519
7719/7819
Opening Cap



7020/7120
7220/7320
7520
7720/7820
Tandem Cap



7021/7121
7221/7321
7521
7721/7821
90° Level
Quarter Turn Cap



702135
712135
722135
732135
135° Level Cap



7022
Straight Coped End



7045/7145
7245/7345
7545
Right-hand Turnout



7041/7141
7241/7341
7541
Left-hand Turnout




7046/7146
7246/7346
7546
Right-hand Turnout




7032
Vertical Volute


How to Match Fittings and Rail Styles




7000 Series
Fittings *match*
6010
Rail Profile




7100 Series
Fittings *match*
6100
Rail Profile




7200 Series
Fittings *match*
6210
Rail Profile




7300 Series
Fittings *match*
6310
Rail Profile



7500 Series
Fittings *match*
6519
Rail Profile



7700 Series
Fittings *match*
6715
Rail Profile



7800 Series
Fittings *match*
6840
Rail Profile



7089
7189
7289
7389
7589
2 pc. Riser
With Cap



70902
71902
72902
73902
75902
Left-hand
2 pc. Riser
5 1/2" Offset
To Center of Rail



70952
71952
72952
73952
75952
Right-hand
2 pc. Riser
5 1/2" Offset
To Center of Rail




70912
72912
73912
75912
Left-hand
2 pc. Riser
With Cap
5 1/2" Offset
To Center of Rail



70922
72922
73922
75922
Right-hand
2 pc. Riser
With Cap
5 1/2" Offset
To Center of Rail



7097
7197
7297
7397
7597
2 pc. Riser
With Cap




7099
7199
7299
7399
7599
7799
7899
2 pc. Riser
No Cap

HANDRAILS


All dimensions in inches.

6000P




6004 Fillet included.

6001P




6450 Fillet included.


6002



6602




6602P



6004 Fillet included.

6840




6840P




6004 Fillet included.

6010




6010P




6004 Fillet included.

6210




6210P




6450 Fillet included.

6310



6310P



6450 Fillet included.

6100



6519



6519P



6715





6010B
7-piece
Bending mould
included with rail



6210B
8-piece
Bending mould
included with rail




6310B
10-piece
Bending mould
included with rail




6840B
8-piece
Bending mould
included with rail

SHOERAILS & FILLETS






6004 Fillet
6008 Shoerail






6450 Fillet
6009 Shoerail






6050 Fillet






6004 Fillet
6045 Shoerail





6450 Fillet
6006 Shoerail






6450 Fillet
6245 Shoerail


GEARScan
400080

Wall Rail & Fittings


6203



6040



6042



7023 Quarter Turn



7024 Starting Easing



7025 Over Easing



7005 Quarter Turn



7006 Starting Easing



7007 Over Easing



Wall Rail Brackets



3028
Satin Black



3028
Rubbed Copper



3028
Satin Nickel



3028
Oil Rubbed Bronze



3128
Satin Black



3002
Wall Rail Bracket
Available in Brass, Black, Nickel, and Bronze



3027
Brass



3027
Bronze



3027
Black



3027
Nickel



3027
Dull Chrome



3027
Bright Chrome

Rosettes



7026
Round Rosette
$4^{3}/_{4}$″ Diameter



7027
Oval Rosette
$4^{7}/_{16}$″ x $6^{1}/_{2}$″




7027SQ
Square Corner Rosette
$4^{7}/_{16}$″ x $6^{1}/_{2}$″



7037
Oval Rosette
4″ x $5^{1}/_{2}$″

Treads



8070
Plain Tread
1 1/32" x 11 1/2"

8170
Plain Tread
1 1/32" x 10 1/2"


MDF
1 1/8" x 11 1/4"



Mitered Return
Tread Reversible

8070MR
Plain Tread
1 1/32" x 11 1/2"

8170MR
Plain Tread
1 1/32" x 10 1/2"



8070DMR
Double Mitered Returned Treads:
Overall width of tread does not include mitered returns.

Square Eased Edge Treads



8070SQ
Plain Tread
1 1/32" x 11 1/2"



8070SQMR
Mitered Return
Tread Reversible
1 1/32" x 11 1/2"

Specialty Treads



8080RTD15
Return Nosing
(Sold Separately)

8070RTD
Retro Tread



8080SQRTD15
Return Nosing
(Sold Separately)


8070SQRTD
RetroCraft Tread

8370
Thick Tread
3" x 11 1/2"



8070HMR
Hybrid Tread
1 1/32" x 11 1/2"

Available in
48" lengths.





Pictured:
RetroCraft Tread

GEARScan
400082

Tread Blanks



Nosed One Edge
8070-20
1 1/32" x 20" Deep
48" and 60" Widths

Nosed Two Edge
8070W34
1 1/32" x 34" Deep
48", 54" and 60" Widths

8070W24
1 1/32" x 24" Deep
60" and 72" Widths

8070W20
1 1/32" x 20" Deep
84" Width



Square Edge
8070W26
1 1/32" x 26"
48", 60" and 84" Widths

8070-48
1 1/32" x 48" x 48"

Risers



8075
Riser
3/4" x 7 1/2"

8078
Riser
3/4" x 8"



8075 MDF
Riser
3/4" x 8"

Oak Lineal Riser—Solid Oak edge-glued, fingerjointed panel

Landing Tread



Landing Tread
8090
3/4" x 3 1/4"
8091
3/4" x 5 1/4"
8097
3/4" x 7 1/4"



8091SQ
Landing Tread
3/4" x 5 1/4"



8091-38
Landing Tread
3/8" x 5 1/4"

8091SQ-38
Landing Tread
3/8" x 5 1/4"



8091B16
Bending Landing Tread
3/4" x 5 1/4" x 16'

Model	Description	Size	Red Oak	Cherry	Hickory	Maple	MDF	Poplar	White Oak	Yellow Pine
8070	Plain	1-1-32" x 11-1/2"								
		36"	X			X				
		42"	X		X	X	X	X	X	
		48"	X	X	X	X	X	X	X	X
		54"	X						X	
		60"	X	X	X	X	X	X	X	X
		72"	X			X			X	
		96"	X			X			X	
		144"	X							
		192"	X							
8070DMR	Double Return	1-1-32" x 11-1/2"								
		48"	X							
		54"	X							
8070MR	Single Return	1-1-32" x 11-1/2"								
		42"	X		X	X			X	
		48"	X	X	X	X		X	X	X
		54"	X						X	
		60"	X	X	X	X		X	X	X
		72"	X							
8070SQ	Square Edge Tread									
		48"	X						X	
		60"	X						X	
8070SQMR	Sq. Edge Tread Mitered Return									
		48"	X						X	
		60"	X						X	
8075 Riser		3/4" x 7-1/2"								
		36"	X			X				
		42"	X		X	X	X	X	X	
		48"	X	X	X	X	X	X	X	
		54"	X							
		60"	X	X	X	X	X	X	X	
		72"	X							
		96"	X							
		144"	X							
		192"	X							
Skirtboard										
		12'	X			X		X	X	
		16'	X			X		X	X	
8070	Solid Pine C & BTR Stepping	1" x 11-1/4"								
		36"								X
		42"								X
		48"								X
		144"								X
		192"								X

All dimensions in inches.


Starting steps are shipped with cove and shoe moulding. Single Bullnose Starting Steps are reversible and can be cut for shorter lengths.

Tread Thickness / Riser Codes


80XX = 1-1/32" Stain grade Tread / 7" Stain grade Riser | 88XX = 1-1/32" Stain grade Tread / 8" Paint grade Riser | 89XX = 13/16" Stain grade Tread / 8" Paint grade Riser

Use With Volute and Turnouts


8210 and 8215 should be used only with an Over-the-Post system. Any volute or turnout may be used.




8215
Bow Front



8215





8210
Bow Front



8210

Use 8010 and 8015 with 6010, 6100 and 6210 turnouts or volutes.








8010 / 8810 / 8910



8015 / 8815
8915


Variable Starting Step:
Allows 2½" to be trimmed off each end to achieve 49" - 54" opening.




8017 / 8817
8917


Use With Square Top & Box Newels and 90° Starting Fittings

Use 8040 and 8060 when placing any Post-to-Post starting newel at second riser. Use 8440, 8460, 8640 and 8660 when the starting fitting utilizes a 90° up easing. Use 8440 and 8460 with 6010 and 6210 or 6100 volutes. Use 8640 and 8660 with 6210, 6310 and 6519 turnouts or volutes.







8040 / 8840 / 8940 - 48" & 60"
8440 - 48"
8640 - 48"





8060 - 48" only
8460 - 60" only
8660 - 60" only



Use 8310 and 8315 with 6210, 6310 and 6519 turnouts or standard volutes and all climbing volutes.









8310




8315

Use With Box Newels—Use 8030, 8050 and 8030SQ with Box Newels.








8030 / 8830
8930



8050 / 8850
8950






8030SQ

GEARScan
400081


False Tread Kits

All dimensions in inches.

8079
Open False Tread Kit
For open tread right-hand or left-hand applications.
Also can be used in closed tread applications.




8076
Riser




Open Treads

Tread kits include 8076 Risers which also can be purchased separately.




8076
Riser


8172
Closed Tread Kit



Closed Treads


8179SQ
Square Edge
False Tread Cap





8071
Right-hand and Left-hand False Tread Cap Only
Note: *Picture shown is a left-hand*

8011
6¼" Radius
False Step



Note: *Product is reversible*



8012
Radius Cove
and Shoe Set.
Comes with 8011.

Nosing, Mouldings & Brackets



8085
Shoe Moulding
½" x ¾"




8095
Cove Moulding
⅝" x ¹³⁄₁₆"




8080
1¹⁄₁₆" x 1¼"
Tread Nosing
13" piece or lineal available.



8066
1¾" x 1¹⁄₁₆"
Tread Nosing
with Cove



7028
Plain Bracket




7029
Scroll Bracket

Skirtboards



8073
Primed MDF
Profiled
Skirtboard
¾" x 11¼" x 16'






40012
Skirtboard
¾" x 11¼" x 12'

40016
Skirtboard
¾" x 11¼" x 16'

Oak Skirtboard—Oak Veneer on one face,
solid Oak edge-glued, fingerjointed panel substrate
Maple Skirtboard—Maple Veneer on one face,
solid Maple edge-glued, fingerjointed panel substrate
White Oak—Solid White Oak edge-glued, fingerjointed panel

GEARScan
400083




2027
Dowel Pin



3001
Rail Bolt
Oak and Poplar
Plugs Included


3032
Rail Bolt Driver
Drill attachment for driving rail bolts into newels, fittings, walls and handrails.




3004
Newel Mounting Kit




3005
Keylock Fasteners



3087
Mini-lock Fasteners



3006
Newel Mounting Plate
(For 3" to 3½" Newels)



3009* – 3"
3019 – 3½"
Post Anchor
*Hemlock 3¼"



3000-6
1" Wood Plugs
6-Pack

3025
25-Pack




3024
½" Tapered Plugs
25pk or 100pk
For Flush Mount Installations




3026
½" Button Plugs
50/Pack




4099
Newel Drop
2¾" x 1¾"




3008
SureTite™
Newel Post Fastener
Red Oak, White Oak and Maple Plugs Included




3070
Newel Post
Fastener




3072
Starting Newel
Attachment Kit*



3073
Newel Post
Fastening Kit




3075
Flush Mount Kit
For flush mounting handrails to newels.




3076-20 / 3076-50
Dowel Screws
Fully-threaded dowel screws for attaching balusters to treads. Available in packs of 20 or 50.

3088
Dowel Driver
Drives the 3076 dowel screw.



3078
Rail/Post Fastener
Fastens newels to risers and handrails to newels.
(1 bolt per package)



3092
Rail Bolt Wrench
A versatile tool: Locates holes and pilot holes on handrails and rail drops, starts and tightens hex nut on rail bolt, tightens ½" hex nuts, drives 5/16" rail bolts.

GEARScan
400085



Pictured here with 8071 False Tread Cap, the 3700 baluster and the 3811 shoe

STAIR PART TERMS
ILLUSTRATED AND DEFINED





1. Universal Newel (5" Top Block)

Choose this newel for a starting newel or first floor newel. Choose a 48" when your rake is less than 33" and 54" or 56" when your rake height is 34" or larger. This newel can also be used on a balcony when 5" block is desired.

2. Universal Pin Top Newel w/ Starting Easing (xx10)

Typically, a 48" newel is used in this scenario.

3. Crown System Wood Baluster

When using two balusters per tread, use 35" and 39". When using three balusters per tread, use 35", 37-1/2" and 44" (42" for 1-1/4"). These balusters are designed to be cut from the top when installed.

4. Three Length Wood Baluster

For 34" or 35" rake heights: use a 34" and 38" baluster when using two balusters per tread. When using three balusters per tread, use 34", 38" and 42". For 35" to 38" rake heights: use a 38" and 42" baluster when using two balusters per tread. When using three balusters per tread, use 38" and two 42".

5. Second Floor Landing Newel (11" Top Block)

Second floor or balcony where fittings will not be used.

6. Intermediate Landing Newel (14-1/2" Top Block)

Use at landings where the stair continues up another flight of stairs and fittings are not being used.

7. Rosette

Used when the rail terminates into a wall. Available in various design including oval, round and square edge.

8. Universal Newel (5" Top Block) with Gooseneck (xx99)

Typically, a 54" or 56" newel is used in this scenario.

9. Half Newel

Can be used instead of rosettes when the rail terminates into the wall.

10. Iron Balusters

Available in hollow or solid. Profiles may vary and are available in 44". Select profiles available in 36" for balconies.

11. Box Newels

An alternative to traditional turned post.

12. Box Newel with gooseneck (xx99)

Box newels can be used on landings. A fitting allows the railing to hit above the trim.

13. Single Return Tread

Use when one side of the stair is open. Tread is reversable.

14. Double Return Tread

Use when both sides of the stair is open.





15. Riser

The vertical component of a stair that supports the tread.

16. Double End Starting Step

Also available in single end.

17. Volute Newel with Volute (Pictured: xx30)

Volute newels include a dowel for installation. Most installations require 42” balusters under a volute.

18. Universal Pin Top Newel with Turnout (Pictured: XX45)

A 43” newel can be used on a starting step under a volute or turnout.

19. Intermediate Pin Top Newel with Quarter Turn Gooseneck Cap and Easing (Pictured: xx65)

Fitting allows the railing to continue up another flight of stairs.

20. Intermediate Pin Top Newel with Tandem Cap Gooseneck (xx89)

Fitting allows the railing to continue straight at the landing.

21. Tandem Cap (xx20)

Fittings allows the railing to continue straight over a post.

22. Quarter Turn with Cap (xx21)

Fitting allows the railing to turn 90 degrees over a post.

23. Cable

A modern balustrade option.


24. “S” Turn Fitting (Pictured: xx11SRH)

Fitting allows the railing to turn around a wall.

25. Kneewall

A framed wall that covers the treads and risers. Balusters or cable can be installed on a kneewall. Balusters will be shorter than standard stair installations. Select iron profiles available in 30” specifically for kneewall installations.

DESIGN YOUR OWN STAIR ONLINE



The following information will help you begin installation of an Over-the-Post Stair System, which is only for interior use. This list will allow the flexibility to comply with most building codes related to baluster spacing and handrail height. Always consult your local building codes before starting installation.

1. **Starting Step:** To be used with volute and turnout fittings. Length is determined from outside finished wall to outside finished wall. *(see page 77)*
2. **Treads:** Excluding the starting step, choose one tread for each step. Open-sided stairs require mitered return treads. Treads are available mitered on one side or both sides. For open-on-one-side stairs, add 1 1/8" to the measured length between the finished walls and order the next longest standard length of tread. *(see page 75)*
3. **Risers:** The required number of risers will be one more than the number of treads chosen in No. 2. Do not choose a riser for the starting step. *(see page 76)*
4. **Skirtboards:** Skirtboards are used on both sides of the stairs, regardless of whether they are open or enclosed. Allow 13" per tread and round up to either 12' or 16' length. (Note, Crown Heritage Skirtboards are only available in 12' and 16' lengths) *(see page 78)*
5. **Landing Tread:** Choose enough landing tread for all landings and balconies. 5 1/4" landing tread is used with 3 1/2" newels. 3 1/4" landing tread may be used with 3" newels. *(page 76)*
6. **Cove Moulding:** Choose enough footage to go under all landing tread and tread nosing, including tread returns. *(page 78)*
7. **Starting Fitting:** Choose from volute, turnout or starting easing. *(pages 71-72)*
8. **Starting Newel:** Choose either a volute newel or the shortest universal newel for the first floor. *(pages 53-66)*
9. **Intermediate Newel:** Choose the 56" intermediate landing newel for two-rise applications where the newel will drape two rises. Choose the 72" newel if more than two rises are being draped. If the intermediate newel will not be draped, but is face mounted, the 48" newel may be used. *(pages 53-66)*
10. **Balcony Newel:** Choose the shortest universal newel for flush mount installations or the 48" length when the newel will be draped or mounted below the floor surface. *(pages 53-66)*
11. **Level Run:** A universal newel should be used at least every eight feet of balcony run. At the corner of the balcony, use a quarter-turn cap over each newel. The 43" universal newel may be used for flush mounts. The 48" universal newel should be used if a draped installation is desired. *(pages 53-66)*
12. **Half Newel or Rosette:** For the best installation, choose a half newel, which matches the other newels on the job. Alternately, choose a round rosette for all level rail connections and an oval rosette for all angle rail connections. *(page 74)*
13. **Hardware:** For a sturdy installation, choose the patented Newel Mounting Kit #3072. Choose the appropriate newel mounting hardware for each newel post. *(pages 79)*
14. **Balusters for Volutes and Turnouts:** Four or six 1 1/4" balusters and four or five 1 3/4" balusters are required under the volute. Turnouts require two 1 1/4" and one 1 3/4" balusters. For 30" rake heights use 38" or 37 1/2" balusters under the volute and use a 42" or 44" baluster under turnouts. For 34" rake heights, use a 42" baluster under volutes and turnouts. When using 1 1/4" balusters, choose the 42" baluster. When using 1 3/4" balusters, choose the 44" baluster.
Warning: Rake heights over 35" may result in the balusters not being long enough. *(pages 53-66)*
15. **Balusters for Starting Easing With Cap:** Use one 38" or 39" baluster under a starting easing if your rake height is 30". Use a 42" baluster if your rake rail height is 34". *(pages 53-66)*
16. **Rake Balusters for 34" Rake Heights (3-length System):** When using **two** balusters per tread, use the 34" baluster as the first baluster and the 38" baluster as the second baluster. When using **three** balusters on a tread, use the 34" baluster as the first baluster, a 38" second baluster and a 42" third baluster on the tread. The 38" and 42" balusters will require the bottom of the baluster to be trimmed. *(page 53-66)*
17. **Rake Balusters for 34" Rake Heights (the Crown System):** When using **two** balusters per tread, use the 35" baluster as the first baluster and the 39" baluster as the second baluster. When using 1 1/4" balusters, choose the 35", 37" and 42" balusters unless you have chosen the 5016—then use the 36", 39" and 42" balusters. When using 1 3/4" balusters, choose the 35", 37" and 44" balusters. The Crown System balusters are designed to be trimmed at the top of the balusters. *(page 53-66)*
18. **Fittings for Landings:** Choose the correct fitting for each newel. Half newels require an opening cap, which will be cut on the job. *(pages 71-72)*
19. **Handrail:** Choose the appropriate lineal footage of handrail. 13" per step is the average length needed. Our handrail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. *(page 73)*
20. **Shoerail:** If shoerail is desired, then choose the appropriate lineal footage. 13" per step is the average length needed. Our shoerail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. *(page 73)*
21. **Fillet:** Fillet is shipped **tacked into** all plowed handrails and shoerails. *(page 73)*
22. **Wood Plug:** A 1" wood plug is needed for each hole bored in the newel. *(page 79)*
23. **Dowel Screw:** Where the screw method of installation is being used, choose one dowel screw for each baluster except for those balusters being used in a shoerail. This is a recommended, but optional, method of installation. *(page 79)*
24. **Bracket:** If desired, choose one bracket for each tread. *(page 78)*

Post-to-Post Take-off Guide

The following information will help you begin installation of a Post-to-Post Stair System, which is only for interior use. This list will allow the flexibility to comply with most building codes related to baluster spacing and handrail height. Always consult your local building codes before starting installation.

1. **Treads:** Excluding the starting step, choose one tread for each step. Open-sided stairs require mitered return treads. Treads are available mitered on one side or both sides. For open-on-one-side stairs, add 1 1/8" to the measured length between the finished walls and order the next longest standard length of tread. *(pages 75)*
2. **Risers:** The required number of risers will be one more than the number of treads chosen in No. 2. Do not choose a riser for the starting step. *(page 76)*
3. **Skirtboards:** Skirtboards are used on both sides of the stairs, regardless of whether they are open or enclosed. Allow 13" per tread and round up to either 12' or 16' length. (Note, Crown Heritage skirtboards are only available in 12' and 16' lengths). *(page 78)*
4. **Landing Tread:** Choose enough landing tread for all landings and balconies. 5 1/4" landing tread is used with 3 1/2" newels. 3 1/4" landing tread may be used with 3" newels. *(page 76)*
5. **Cove Moulding:** Choose enough footage to go under all landing tread and tread nosing, including tread returns. *(page 78)*
6. **Starting Newel:** Choose the 48" universal newel, if available, for 30" rake rail heights and the 54" or 56" lengths for 34" rake rail heights. *(pages 53-66)*
7. **Intermediate Newel:** Choose the appropriate intermediate landing newel with a 14 1/2" top block when not using a fitting and a 5" top block. *(pages 53-66)*
8. **Second-floor Newel:** Choose the appropriate second-floor landing newel with an 11" top block if fittings are not being used. If fittings are being used, choose a 5" top block universal newel. *(pages 53-66)*
9. **Balcony Newel:** Choose the shortest universal newel for flush mount installations or the 48" length when the newel will be draped or mounted below the floor surface. *(pages 53-66)*
10. **Half Newel or Rosette:** For the best installation, choose a half newel, which matches the other newels on the job. Alternately, choose a round rosette for all level rail connections and an oval rosette for all angle rail connections. *(page 74)*
11. **Hardware:** Choose the appropriate newel mounting hardware for each newel post. *(pages 79)*
12. **Rake Balusters for 34" Rake Heights (3-length System):** When using **two** balusters per tread, use the 34" baluster as the first baluster and the 38" baluster as the second baluster. When using **three** balusters on a tread, use the 34" baluster as the first baluster, a 38" second baluster and a 42" third baluster on the tread. The 38" and 42" balusters will require the bottom of the baluster to be trimmed. *(page 53-66)*
13. **Rake Balusters for 34" Rake Heights (the Crown System):** When using **two** balusters per tread, use the 35" baluster as the first baluster and the 39" baluster as the second baluster. When using 1 1/4" balusters, choose the 35", 37", and 42" balusters unless you have chosen the 5016—then use the 36", 39" and 42" balusters. When using 1 3/4" balusters, choose the 35", 37" and 44" balusters. The Crown System balusters are designed to be trimmed at the top of the balusters. *(page 53-66)*
14. **Handrail:** Choose the appropriate lineal footage of handrail. 13" per step is the average length needed. Our handrail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. *(page 73)*
15. **Shoerail:** If shoerail is desired, then choose the appropriate lineal footage. 13" per step is the average length needed. Our shoerail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. *(page 73)*
16. **Fillet:** Fillet is shipped **tacked into** all plowed handrails and shoerails. *(page 73)*
17. **Wood Plug:** A 1" wood plug is needed for each hole bored in the newel. *(page 79)*
18. **Dowel Screw:** Where the screw method of installation is being used, choose one dowel screw for each baluster, except for those balusters being used in a shoerail. This is a recommended, but optional, method of installation. *(page 79)*
19. **Bracket:** If desired, choose one bracket for each tread. *(page 78)*
20. **Handrail Hardware:** Choose a #3078 Rail and Post Fastener or a #3075 Flush Mount Kit for each newel. *(page 74)*



Downloading our CAD drawings is easy.

Please note: Crown Heritage is committed to lead the industry with style. To support this commitment, product line improvements, changes and additions are a regular occurrence. Before making your final purchasing decision, please consult your Crown Heritage sales person or contact a customer service representative at 1-800-745-5931 for up to date information on species, colors and availability.

Iron Balusters & Newels

pg.	Model	Description	Size	Ash Gray	Satin Nickel	Rubbed Bronze	Rubbed Copper	Satin Black		
11	1000	Hammered Plain Baluster	14 x 44				X	X		
11	1001	Hammered 1 Basket Baluster	14 x 44				X	X		
11	1002	Hammered 2 Basket Baluster	14 x 44				X	X		
17	1060	Hammered Plain Baluster	14 x 44				X	X		
17	1061	Hammered 1 Knuckle Baluster	14 x 44				X	X		
17	1062	Hammered 2 Knuckle Baluster	14 x 44				X	X		
17	1068	Ham'd Plain w/Scroll Baluster	14 x 44					X		
18	1070	Hammered Round Bar Baluster	12 x 44					X		
18	1071	Ham'd Round 1 Knuckle Baluste	12 x 44					X		
18	1072	Ham'd Round 2 Knuckle Baluste	12 x 44					X		
18	1074	Large Ham'd Round Bar Baluste	16 x 44					X		
11	1090	Hammered Plain Newel	30 x 48					X		
5	1101	1 Twist Baluster	12 x 44					X		
5	1102	2 Twist Baluster	12 x 44					X		
5	1103	22" Twist Baluster	12 x 44					X		
6	1121	Twist 1 Basket Baluster	12 x 44					X		
6	1122	Twist 2 Basket Baluster	12 x 44					X		
6	1190	Twist Newel	30 x 48					X		
9	1700	Plain Square Bar Baluster	12 x 44					X		
9	1701	Plain Square Bar 1 Knuckle Bal	12 x 44					X		
9	1702	Plain Square Bar 2 Knuckle Bal	12 x 44					X		
9	1707	Plain Squiggle Baluster	14 x 44					X		
8	2101	Hollow 1 Twist Baluster	19 x 44				X	X		
8	2102	Hollow 2 Twist Baluster	19 x 44				X	X		
8	2121	Hollow Twist 1 Basket Baluster	19 x 44				X	X		
8	2122	Hollow Twist 2 Basket Baluster	19 x 44				X	X		
8	2700	Plain Square Bar Baluster	19 x 44				X	X		
8	2701	1 Knuckle Baluster	19 x 44				X	X		
8	2702	2 Knuckle Baluster	19 x 44				X	X		
8	2708	Hollow Balustr w/ Large Scroll	19 x 44				X	X		
15	3060	Hollow Hammrd Plain Baluster	14 x 44			X	X	X		
6	3101	1 Twist Baluster	12 x 36					X		
7	3101	1 Twist Baluster	12 x 30				X	X		
5	3101	1 Twist Baluster	12 x 44		X	X	X	X		
6	3102	2 Twist Baluster	12 x 36					X		
7	3102	2 Twist Baluster	12 x 30				X	X		
5	3102	2 Twist Baluster	12 x 44		X	X	X	X		
6	3121	Twist 1 Basket Baluster	12 x 36					X		
7	3121	Twist 1 Basket Baluster	12 x 30				X	X		
6	3121	Twist 1 Basket Baluster	12 x 44		X	X	X	X		
6	3122	Twist 2 Basket Baluster	12 x 36					X		
7	3122	Twist 2 Basket Baluster	12 x 30				X	X		
6	3122	Twist 2 Basket Baluster	12 x 44		X	X	X	X		
16	3201	Hollow Feather Baluster	14 x 44					X		
16	3202	Hollow Split Feather Baluster	14 x 44					X		
13	3301	Hollow 1 Ribbon Baluster	12 x 44					X		
13	3302	Hollow 2 Ribbon Baluster	12 x 44					X		
13	3321	1 Basket 2 Riibbons Baluster	12 x 44					X		
13	3322	1 Ribbon 2 Baskets Baluster	12 x 44					X		
19	3401	1 Ring Baluster	12 x 44					X		
19	3402	Double Ring Baluster	12 x 44					X		
9	3404	Double Bar Baluster	12 x 44					X		
19	3406	1 Diamond Baluster	12 x 44					X		

Iron Balusters & Newels

pg.	Model	Description	Size	Ash Gray	Satin Nickel	Rubbed Bronze	Rubbed Copper	Satin Black		
20	3408	Oval Baluster	12 x 44					X		
20	3409	Rectangle Baluster	12 x 44					X		
20	3410	Marquis Baluster	12 x 44					X		
15	3501	Hollow Spoon 1 Knuckle Balustr	14 x 44			X	X	X		
15	3502	Hollow Spoon 2 Knuckle Balustr	14 x 44			X	X	X		
15	3531	Hollow Spoon w/ Basket Balustr	14 x 44			X	X	X		
18	3600	Plain Round Bar Baluster	12 x 44					X		
9	3700	Plain Square Bar Baluster	12 x 36					X		
9	3700	Plain Square Bar Baluster	12 x 44	X	X	X	X	X		
9	3701	Plain Baluster w/ 1 Knuckle	12 x 44	X	X	X	X	X		
9	3702	Plain Baluster w/ 2 Knuckles	12 x 44	X	X	X	X	X		
10	3708	Plain Baluster w/ Large Scroll	12 x 44			X	X	X		
20	3790	Plain Hollow Newel	30 x 48					X		
9	4700	Plain Square Bar Baluster	14 x 44				X	X		

Rails and Fillets

pg.	Model	Description	Beech	Hickory	Maple	Poplar	Red Oak	White Oak	Yellow Pine	
73	6000P	Handrail Plwd w//fillet 1-1/4"			X		X	X		
73	6001P	Handrail Plwd w//fillet 1-3/4"			X		X	X		
73	6002	Handrail 1-5/8 x 2-13/16"			X		X	X		
73	6006	Shoerail Plwd w/fillet 1-3/4"	X		X	X	X			
73	6008	Shoerail Plwd w/fillet 1-1/4"					X			
73	6009	Shoerail Plwd w/fillet 1-3/4"					X			
73	6010	Handrail FJ 2-1/4 x 2-3/8"	X				X	X	X	
73	6010B	Handrail Bending w/ Mould 7 pc					X	X		
73	6010P	Handrail FJ Plowed	X			X	X		X	
73	6010SC	Handrail Solid Cap	X		X	X	X	X		
73	6010SCP	Handrail Plowed Solid Cap			X		X			
73	6010ST	Handrail Solid Top	X	X				X		
73	6010STP	Handrail Plowed Solid Top	X					X		
74	6040	Wallrail 1-3/4 x 1-5/8"	X			X	X	X		
74	6042	Wallrail 2-1/4 x 1-9/32"	X		X		X			
73	6100S	Handrail Solid					X			
73	6106	Shoerail Plwd w/fillet 1-1/4"	X							
73	6203	Handrail 1-5/8 x 5-1/2"					X			
73	6206	Shoerail Plwd w/fillet 1-5/8"	X							
73	6210	Handrail FJ 2-5/8 x 2-3/8"					X		X	
73	6210B	Handrail Bending w/Bendg Mou					X	X		
73	6210P	Handrail FJ Plwd w/fill 1-3/4"				X	X		X	
73	6210SC	Handrail Solid Cap	X		X	X	X	X		
73	6210SCP	Handrail Plw Solid Cap w/fill	X		X		X			
73	6210ST	Handrail Solid Top		X				X		
73	6210STP	Handrail Plowed Solid Top						X		
73	6245	Shoerail Plwd w/fillet 1-3/4"					X			
73	6310	Handrail 2-5/8 x 2-1/4"					X			
73	6310B	Handrail Bending w/Bendg Mou					X			
73	6310S	Handrail Solid			X		X			
73	6310SP	Handrail Plowed Solid			X		X			
73	6310ST	Handrail Solid Top						X		
73	6310STP	Handrail Plowed Solid Top						X		
73	6519ST	Handrail Solid Top			X		X			
73	6519STP	Handrail Plowed Solid Top	X		X		X			
73	6602	Handrail 1-5/8 x 2-1/4"			X	X	X	X		
73	6715	Handrail Solid Top					X	X		
73	6840	Handrail Solid Top			X	X	X	X		
73	6840P	Handrail Plowed Solid Top					X	X		

Suffixes Used

8	Octagonal	LH	Left Hand
B	Ball Top for Newels	MR	Mitered Return
B	Bending for Rail	NCT	No Cap and Trim
B	Base	P	Plowed
BM	Bending Mold	R	Rope
C	Colonial Ball Top	RH	Right Hand
DMR	Double Miter Return	R	Ring Top
D	Reed	S	Spade Top for Newels, 3 Layer Solid for Handrail
F	Flute	SC	Solid Cap Engineered for Rail
H	Half	ST	Solid Top Rail
LH	Left Hand	T	Twist

** All Hemlock Newels are 3-1/4" square and Hemlock Balusters are either 1-1/4" or 1-5/8" square.*

Wood Newels

pg.	Model	Description	Size	Beech	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
60	3010	Univrsl Newel	3.5 x 43			X	X		X		
60	30108	Univrsl Newel Oct	3.5 x 43						X		
60	3010F	Univrsl Newel Flute	3.5 x 43			X	X		X		
60	3010T	Univrsl Newel Twist	3.5 x 43			X	X		X		
60	3012	Rake Newel	3 x 43			X	X		X		
60	3013	Volute Newel	3.5 x 43			X			X		
60	30138	Volute Newel Oct	3.5 x 43						X		
60	3013F	Volute Newel Flute	3.5 x 43			X	X		X		
60	3013T	Volute Newel Twist	3.5 x 43			X	X		X		
60	3014	Univrsl Newel	3.5 x 48			X	X		X	X	
60	30148	Univrsl Newel Oct	3.5 x 48						X		
60	3014F	Univrsl Newel Flute	3.5 x 48			X	X		X		
60	3014T	Univrsl Newel Twist	3.5 x 48			X	X		X		
60	3015	2nd Floor Lndg Newel	3.5 x 56			X			X		
60	30158	2nd Floor Lndg Newel Oct	3.5 x 56						X		
60	3015F	2nd Floor Lndg Newel Flute	3.5 x 56				X		X		
60	3015T	2nd Floor Lndg Newel Twist	3.5 x 56				X		X		
60	3018	Winder Newel	3.5 x 72			X	X		X		
60	30188	Winder Newel Oct	3.5 x 72						X		
60	3018F	Winder Newel Flute	3.5 x 72			X	X		X		
60	3018T	Winder Newel Twist	3.5 x 72			X	X		X		
60	3040	Univrsl Newel	3.5 x 48			X	X		X		
60	30408	Univrsl Newel Oct	3.5 x 48						X		
60	3040F	Univrsl Newel Flute	3.5 x 48			X	X		X		
60	3040T	Univrsl Newel Twist	3.5 x 48			X	X		X		
60	3042	Univrsl Newel	3.5 x 56			X	X		X		
60	30428	Univrsl Newel Oct	3.5 x 56						X		
60	3042F	Univrsl Newel Flute	3.5 x 56				X		X		
60	3042T	Univrsl Newel Twist	3.5 x 56				X		X		
60	3045	2nd Floor Lndg Newel	3.5 x 58			X	X		X		
60	30458	2nd Floor Lndg Newel Oct	3.5 x 58						X		
60	3045F	2nd Floor Lndg Newel Flute	3.5 x 58				X		X		
60	3045T	2nd Floor Lndg Newel Twist	3.5 x 58			X	X		X		
60	3046	Intermediate Newel	3.5 x 72						X		
60	30468	Intermediate Newel Oct	3.5 x 72						X		
60	3046F	Intermediate Newel Flute	3.5 x 72				X		X		
60	3046T	Intermediate Newel Twist	3.5 x 72				X		X		
60	3047	Intermediate Newel	3.5 x 58			X	X		X		
60	30478	Intermediate Newel Oct	3.5 x 58						X		
60	3047F	Intermediate Newel Flute	3.5 x 58			X	X		X		
60	3047T	Intermediate Newel Twist	3.5 x 58			X	X		X		
60	3055	Winder Newel	3.5 x 72			X			X		
60	30558	Winder Newel Oct	3.5 x 72						X		
60	3055F	Winder Newel Flute	3.5 x 72				X		X		
60	3055T	Winder Newel Twist	3.5 x 72				X		X		
54	3209	Rake Newel	3 x 43			X	X		X		
54	3214	Universal Newel	3 x 48			X	X		X		
54	3215	2nd Floor Lndng Newel	3 x 58			X	X		X		
54	3240	Universal Newel	3 x 48			X	X		X		
54	3242	Universal Newel	3 x 54			X	X		X		
54	3245	2nd Floor Lndng Ball Top Newel	3 x 58			X	X		X		
54	3246	Intermediate Newel	3 x 58			X	X		X		
54	3314	Universal Newel	3.5 x 48			X	X		X		
54	3315	2nd Floor Lndng Newel	3.5 x 56			X	X		X		
54	3340	Universal Newel	3.5 x 48			X	X		X		
54	3342	Universal Newel	3.5 x 56			X	X		X		
54	3345	2nd Floor Lndng Ball Top Newel	3.5 x 56			X	X		X		
66	4000	S4S Newel	3.5 x 48	X		X	X		X	X	
66	4001	S4S Newel	3.5 x 56	X		X	X	X	X	X	
66	4002	4 X 4 S4S Newel	4 x 48				X		X	X	
66	4003	4 X 4 S4S Newel	4 x 56				X	X	X	X	
62	4004	Hampton Mushrm Top Newel	3.5 x 48	X		X	X		X		
62	4004B	Hampton Ball Top Newel	3.5 x 48			X	X		X		
62	4004S	Hampton Spade Top Newel	3.5 x 48			X	X		X		
62	4005	Hampton Mushrm Top Newel	3.5 x 56	X		X	X		X		
62	4005B	Hampton Ball Top Newel	3.5 x 56	X		X	X		X		
62	4005S	Hampton Spade Top Newel	3.5 x 56	X		X	X		X		
62	4006	Hampton Mushrm Top Newel	3.5 x 72	X		X			X		
62	4006B	Hampton Ball Top Newel	3.5 x 72	X		X	X		X		
62	4006S	Hampton Spade Top Newel	3.5 x 72	X		X	X		X		
66	4007	Univrsl Newel w/ Panel	3.5 x 48						X	X	
66	4008	Intermediate Newel w/ Panel	3.5 x 56						X	X	
64	4010	Univrsl Newel	3 x 43	X		X	X		X		
64	4011	Volute / Turnout	3 x 43	X		X	X		X		
64	4013	Rake Newel	3 x 43	X		X	X		X	X	
64	4014	Univrsl Lndg Newel	3 x 48	X		X	X		X	X	
64	4015	2nd Floor Lndg Newel	3 x 58	X		X	X		X		
64	4018	Winder Newel	3 x 72	X					X		

Wood Newels

pg.	Model	Description	Size	Beech	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
64	4040	Univrsl Mushrm Top Newel	3 x 48	X		X	X	X	X	X	X
64	4040B	Univrsl Ball Top Newel	3 x 48	X		X	X	X	X		
64	4041	Knee Wall Mushrm Top Newel	3 x 48			X			X		
64	4041B	Knee Wall Ball Top Newel	3 x 48			X			X		
64	4042	Univrsl Mushrm Top Newel	3 x 54	X		X	X	X	X		
64	4042B	Univrsl Ball Top Newel	3 x 54	X		X	X	X	X		
64	4045	2nd Floor Lndg Mush Top Newe	3 x 58	X		X	X	X	X		
64	4045B	2nd Floor Lndg Ball Top Newel	3 x 58	X		X	X	X	X		
64	4046	Intermediate Mushrm Top Newe	3 x 72	X		X	X		X		
64	4046B	Intermediate Ball Top Newel	3 x 72	X		X	X		X		
64	4047	Intermediate Mushrm Top Newe	3 x 54	X		X	X		X		
64	4047B	Intermediate Ball Top Newel	3 x 54	X		X	X		X		
64	4050	Starting Newel	2.25 x 43	X		X	X		X		
64	4055	Winder Mushrm Top Newel	3 x 72	X		X	X		X		
64	4055B	Winder Ball Top Newel	3 x 72	X		X	X		X		
64	4060	Starting Newel	2.75 x 43	X		X	X		X		
45	4076	Box Newel	3.5 x 58	X	X	X	X	X	X	X	X
45	4077	Box Newel 3.5 with Bevel Cap	3.5 x 56			X			X	X	
46	4082	Flute Box Newel	4.25 x 56.5			X			X		
46	4083	Panel Box Newel	4.25 x 56.5						X		
65	4086	Starting Newel	3 x 43.5	X					X		
65	4087	2nd Floor Lndg Newel	3 x 60	X					X		
65	4088	2nd Floor Lndg Newel	3 x 68.5	X					X		
45	4091	Box Newel	6.25 x 55	X	X	X	X	X	X	X	X
46	4092	Flute Box Newel	7.5 x 56			X		X	X		
46	4093	Panel Box Newel	7.5 x 56			X		X	X		
47	4094	Primed Box Newel	4 x 58				X	X			
47	4094F	Primed Box Newel - Flute	4 x 58					X			
49	4094FNCT	Flute Prm Box Newel NoCap&T	4 x 58					X			
49	4094NCT	Primed Box Newel No Cap & Tri	4 x 58					X	X	X	
47	4094NS	Primed Box Newel - No Stain	4 x 58					X			
47	4094NSF	Prime Box Newel-No Stain&Flut	4 x 58					X			
47	4095	Primed Box Newel	5 x 58				X	X			
47	4095F	Primed Box Newel - Flute	5 x 58					X			
49	4095FNCT	Flute Prm Box Newel NoCap&T	5 x 58					X			
49	4095NCT	Primed Box Newel No Cap & Tri	5 x 58					X	X	X	
47	4095NS	Primed Box Newel - No Stain	5 x 58					X			
47	4095NSF	Prime Box Newel-No Stain&Flut	5 x 58					X			
46	4097	Recess Panel Box Newel	4.25 x 56.5			X	X	X	X	X	
46	4098	Recess Panel Box Newel	7.5 x 56.5			X	X	X	X	X	
65	4100	Newel S4S	3.5 x 48			X			X	X	
65	4101	Newel S4S	3.5 x 56			X			X	X	
66	4102	Newel S4S	3.5 x 48			X			X	X	
66	4103	Newel S4S	3.5 x 56			X			X	X	
66	4108	Univrsl Newel w/ Panel	3.5 x 48						X	X	
66	4109	Intermediate Newel w/ Panel	3.5 x 56						X	X	
66	4113	Univrsl Sq. Taper Newel	3.5 x 48					X	X	X	
66	4114	Intermediate Sq. Taper Newel	3.5 x 56						X		
66	4115	Univrsl Newel	3.5 x 48						X		
66	4116	Intermediate Newel	3.5 x 56						X		
45	4176	Box Newel	5 x 58						X		
45	4177	Box Newel	5 x 58						X		
65	4118	Univrsl Round Newel	3.25 x 48						X	X	
65	4119	Intermediate Round Newel	3.25 x 56						X	X	
66	4131	Profiled Univrsl Newel	3.5 x 48						X		
66	4431	4.5 Square Newel	3.5 x 48						X		
64	4180	Univrsl Mushrm Top Newel	3 x 48			X	X		X		
64	4180B	Univrsl Ball Top Newel	3 x 48	X		X	X		X		
64	4181	Knee Wall Mushrm Top Newel	3 x 48			X	X		X		
64	4181B	Knee Wall Ball Top Newel	3 x 48	X		X	X		X		
64	4182	Univrsl Mushrm Top Newel	3 x 56			X	X		X		
64	4182B	Univrsl Ball Top Newel	3 x 56	X		X	X		X		
64	4185	2nd Floor Lndg Newel	3 x 56			X	X		X		
64	4185B	2nd Floor Lndg Ball Top Newel	3 x 56	X		X	X		X		
64	4186	Winder Mushrm Newel	3 x 58			X	X		X		
64	4186B	Winder Ball Top Newel	3 x 58	X		X	X		X		
45	4191	Box Newel	8 x 56			X			X		
64	4195	Winder Mushroom Newel	3 x 72			X	X		X		
64	4195B	Winder Ball Top Newel	3 x 72	X		X	X		X		
62	4212	Rake Newel	3 x 43			X			X		
62	4270	Univrsl Hampton Newel	3.5 x 43			X	X		X		
62	42708	Univrsl Hampton Newel Oct	3.5 x 43						X		
62	4272	Volute Hampton Newel	3.5 x 41			X			X		
62	42728	Volute Hampton Newel Oct	3.5 x 41						X		
62	4274	Univrsl Hampton Newel	3 x 48			X	X		X		
62	4274	Univrsl Hampton Newel	3.5 x 48							X	
62	42748	Univrsl Hampton Newel Oct	3.5 x 48						X		
62	4275	Univrsl Lndg Hampton Newel	3.5 x 56			X	X		X		

All dimensions in inches.

Please note: Crown Heritage is committed to lead the industry with style. To support this commitment, product line improvements, changes and additions are a regular occurrence. Before making your final purchasing decision, please consult your Crown Heritage sales person or contact a customer service representative at 1-800-745-5931 for up to date information on species, colors and availability.

Wood Newels

pg.	Model	Description	Size	Beech	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
62	42758	Univrsl Lndg Hampton Newel O	3.5 x 56					X			
62	4278	Univrsl Lndg Hampton Newel	3.5 x 72			X			X		
62	42788	Univrsl Lndg Hampton Newel O	3.5 x 72						X		
66	4300	S4S Newel	3 x 43			X	X		X		
66	4301	S4S Newel	3 x 48		X	X	X		X	X	
66	4302	S4S Newel	3 x 58			X	X	X	X	X	
62	4500	Univrsl Hampton Newel	3.5 x 48		X	X	X		X	X	
62	45008	Univrsl Hampton Newel Oct	3.5 x 48						X		
62	4502	Univrsl Hampton Newel	3.5 x 56			X	X		X		
62	45028	Univrsl Hampton Newel Oct	3.5 x 56						X		
62	4503	2nd Floor Lndg Hampton Newel	3.5 x 56	X		X	X	X			
62	45038	2nd Floor Lndg Hamptn Newl O	3.5 x 56						X		
62	4505	Winder Hampton Newel	3.5 x 72				X		X		
62	45058	Winder Hampton Newel Oct	3.5 x 72						X		
62	4507	2nd Floor Lndg Hamptn Newel	3.5 x 48				X		X		
62	45078	2nd Floor Lndg Hamptn Newl O	3.5 x 48						X		
62	4508	Intermediate Hampton Newel	3.5 x 58	X			X	X	X		
62	45088	Intermediate Hamptn Newel Oct	3.5 x 58						X		
62	4664	Univrsl Hampton Newel	4.5 x 48						X		
62	4665	Univrsl Hampton Newel	4.5 x 56						X		
58	4810	Univrsl Newel	3.5 x 43						X		
58	48108	Univrsl Newel Oct	3.5 x 43						X		
58	4810D	Univrsl Newel Reed	3.5 x 43						X		
58	4812	Rake Newel	3 x 43						X		
58	4813	Volute Newel	3.5 x 48						X		
58	48138	Volute Newel Oct	3.5 x 48						X		
58	4813D	Volute Newel Reed	3.5 x 48						X		
58	4814	Univrsl Newel	3.5 x 48						X		
58	48148	Univrsl Newel Oct	3.5 x 48						X		
58	4814D	Univrsl Newel Reed	3.5 x 48						X		
58	4825	Landing Newel	3.5 x 56						X		
58	48258	Landing Newel Oct	3.5 x 56						X		
58	4825D	Landing Newel Reed	3.5 x 56						X		
58	4842	Univrsl Newel	3.5 x 56						X		
58	48428	Univrsl Newel Oct	3.5 x 56						X		
58	4842D	Univrsl Newel Reed	3.5 x 56						X		
58	4845	2nd Floor Lndg Newel	3.5 x 56						X		
58	48458	2nd Floor Lndg Newel Oct	3.5 x 56						X		
58	4845D	2nd Floor Lndg Newel Reed	3.5 x 56						X		
58	4866	Intermediate Newel	3.5 x 58						X		
58	48668	Intermediate Newel Oct	3.5 x 58						X		
58	4866D	Intermediate Newel Reed	3.5 x 58						X		
56	8510	Univrsl Newel Plain	3.5 x 43						X		
56	85108	Univrsl Newel Oct	3.5 x 43						X		
56	8510F	Univrsl Newel Flute	3.5 x 43						X		
56	8510R	Univrsl Newel Rope	3.5 x 43						X		
56	8512	Rake Newel	3 x 43						X		
56	8513	Volute Newel Plain	3.5 x 43						X		
56	85138	Volute Newel Oct	3.5 x 43						X		
56	8513F	Volute Newel Flute	3.5 x 43						X		
56	8513R	Volute Newel Rope	3.5 x 43						X		
56	8514	Univrsl Newel Plain	3.5 x 48						X		
56	85148	Univrsl Newel Oct	3.5 x 48						X		
56	8514F	Univrsl Newel Flute	3.5 x 48						X		
56	8514R	Univrsl Newel Rope	3.5 x 48						X		
56	8525	Landing Newel Plain	3.5 x 56						X		
56	85258	Landing Newel Oct	3.5 x 56						X		
56	8525F	Landing Newel Flute	3.5 x 56						X		
56	8525R	Landing Newel Rope	3.5 x 56						X		
56	8542	Univrsl Newel Plain	3.5 x 56						X		
56	85428	Univrsl Newel Oct	3.5 x 56						X		
56	8542F	Univrsl Newel Flute	3.5 x 56						X		
56	8542R	Univrsl Newel Rope	3.5 x 56						X		
56	8545	2nd Floor Lndg Newel Plain	3.5 x 56						X		
56	85458	2nd Floor Lndg Newel Oct	3.5 x 56						X		
56	8545F	2nd Floor Lndg Newel Flute	3.5 x 56						X		
56	8545R	2nd Floor Lndg Newel Rope	3.5 x 56						X		
56	8547	Intermediate Newel Plain	3.5 x 58						X		
56	85478	Intermediate Newel Oct	3.5 x 58						X		
56	8547F	Intermediate Newel Flute	3.5 x 58						X		
56	8547R	Intermediate Newel Rope	3.5 x 58						X		
55	9012	W'burg Univrsl Newel Plain	3.5 x 48						X		
55	9012F	W'burg Univrsl Newel Flute	3.5 x 48						X		
55	9012R	W'burg Univrsl Newel Rope	3.5 x 48						X		
55	9013	W'burg Volute Newel Plain	3.5 x 48						X		
55	9013F	W'burg Volute Newel Flute	3.5 x 48						X		
55	9013R	W'burg Volute Newel Rope	3.5 x 48						X		
55	9025	W'burg Lndg Newel Plain	3.5 x 56						X		

Wood Balusters

pg.	Model	Description	Size	Beech	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
55	9025F	W'burg Lndg Newel Flute	3.5 x 56							X	
55	9025R	W'burg Lndg Newel Rope	3.5 x 56						X		
55	9043	W'burg Univrsl Newel Plain	3.5 x 56						X		
55	9043F	W'burg Univrsl Newel Flute	3.5 x 56						X		
57	1805	1800's Balustr Sq Top Plain	1.75 x 35				X		X		
57	1805	1800's Balustr Sq Top Plain	1.75 x 37.5				X		X		
57	1805	1800's Balustr Sq Top Plain	1.75 x 39				X		X		
57	1805	1800's Balustr Sq Top Plain	1.75 x 44				X		X		
57	18058	1800's Balustr Sq Top Oct	1.75 x 35				X		X		
57	18058	1800's Balustr Sq Top Oct	1.75 x 37.5				X		X		
57	18058	1800's Balustr Sq Top Oct	1.75 x 39				X		X		
57	18058	1800's Balustr Sq Top Oct	1.75 x 44				X		X		
57	1805D	1800's Balustr Sq Top Reed	1.75 x 35				X		X		
57	1805D	1800's Balustr Sq Top Reed	1.75 x 37.5				X		X		
57	1805D	1800's Balustr Sq Top Reed	1.75 x 39				X		X		
57	1805D	1800's Balustr Sq Top Reed	1.75 x 44				X		X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 35				X	X	X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 37.5				X	X	X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 39				X	X	X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 44				X	X	X		
57	18158	1800's Balustr Pin Top Oct	1.75 x 35				X		X		
57	18158	1800's Balustr Pin Top Oct	1.75 x 37.5				X		X		
57	18158	1800's Balustr Pin Top Oct	1.75 x 39				X		X		
57	18158	1800's Balustr Pin Top Oct	1.75 x 44				X		X		
57	1825	1800's Balustr Pin Top Plain	2.25 x 35					X			
57	1825	1800's Balustr Pin Top Plain	2.25 x 37.5					X			
57	1825	1800's Balustr Pin Top Plain	2.25 x 39					X			
57	1825	1800's Balustr Pin Top Plain	2.25 x 44					X			
59	2005	Carolina Balustr Sq Top Plain	1.75 x 34					X	X		
59	2005	Carolina Balustr Sq Top Plain	1.75 x 38					X	X		
59	2005	Carolina Balustr Sq Top Plain	1.75 x 42					X	X		
59	2005F	Carolina Balustr Sq Top Fluted	1.75 x 34						X		
59	2005F	Carolina Balustr Sq Top Fluted	1.75 x 38						X		
59	2005F	Carolina Balustr Sq Top Fluted	1.75 x 42						X		
59	20058	Carolina Balustr Sq Top Oct	1.75 x 34						X		
59	20058	Carolina Balustr Sq Top Oct	1.75 x 38						X		
59	20058	Carolina Balustr Sq Top Oct	1.75 x 42						X		
59	2005T	Carolina Balustr Sq Top Twist	1.75 x 34						X		
59	2005T	Carolina Balustr Sq Top Twist	1.75 x 38						X		
59	2005T	Carolina Balustr Sq Top Twist	1.75 x 42						X		
59	2006	Carolina Balustr Sq Top Plain	1.75 x 35			X	X		X		
59	2006	Carolina Balustr Sq Top Plain	1.75 x 37.5			X	X		X		
59	2006	Carolina Balustr Sq Top Plain	1.75 x 39			X	X		X		
59	2006	Carolina Balustr Sq Top Plain	1.75 x 44			X	X		X		
59	2006F	Carolina Balustr Sq Top Flute	1.75 x 35			X	X		X		
59	2006F	Carolina Balustr Sq Top Flute	1.75 x 37.5			X	X		X		
59	2006F	Carolina Balustr Sq Top Flute	1.75 x 39			X	X		X		
59	2006F	Carolina Balustr Sq Top Flute	1.75 x 44			X	X		X		
59	2006T	Carolina Balustr Sq Top Twist	1.75 x 35				X		X		
59	2006T	Carolina Balustr Sq Top Twist	1.75 x 37.5				X		X		
59	2006T	Carolina Balustr Sq Top Twist	1.75 x 39				X		X		
59	2006T	Carolina Balustr Sq Top Twist	1.75 x 44				X		X		
53	2011	Sierra Balustr Pin Top Plain	1.25 x 34			X	X	X	X		
53	2011	Sierra Balustr Pin Top Plain	1.25 x 38			X	X	X	X		
53	2011	Sierra Balustr Pin Top Plain	1.25 x 42			X	X	X	X		
53	2013	Sierra Balustr Pin Top Plain	1.25 x 35			X	X	X	X		
53	2013	Sierra Balustr Pin Top Plain	1.25 x 37.5			X	X	X	X		
53	2013	Sierra Balustr Pin Top Plain	1.25 x 39			X	X	X	X		
53	2013	Sierra Balustr Pin Top Plain	1.25 x 42			X	X	X	X		
59	2015	Carolina Balustr Pin Top Plain	1.75 x 34					X	X		
59	2015	Carolina Balustr Pin Top Plain	1.75 x 38					X	X		
59	2015	Carolina Balustr Pin Top Plain	1.75 x 42					X	X		
59	2015F	Carolina Balustr Pin Top Fluted	1.75 x 42						X		
59	20158	Carolina Balustr Pin Top Oct	1.75 x 34						X		
59	20158	Carolina Balustr Pin Top Oct	1.75 x 38						X		
59	20158	Carolina Balustr Pin Top Oct	1.75 x 42						X		
59	2015T	Carolina Balustr Pin Top Twist	1.75 x 34	X					X		
59	2015T	Carolina Balustr Pin Top Twist	1.75 x 38	X					X		
59	2015T	Carolina Balustr Pin Top Twist	1.75 x 42	X					X		
59	2016	Carolina Balustr Pin Top Plain	1.75 x 35			X	X	X	X		
59	2016	Carolina Balustr Pin Top Plain	1.75 x 37.5			X	X	X	X		
59	2016	Carolina Balustr Pin Top Plain	1.75 x 39			X	X	X	X		
59	2016	Carolina Balustr Pin Top Plain	1.75 x 44			X	X	X	X		
59	2016T	Carolina Balustr Pin Top Twist	1.75 x 35			X	X		X		
59	2016T	Carolina Balustr Pin Top Twist	1.75 x 37.5			X	X		X		
59	2016T	Carolina Balustr Pin Top Twist	1.75 x 39			X	X		X		
59	2016T	Carolina Balustr Pin Top Twist	1.75 x 44			X	X		X		
59	2016F	Carolina Balustr Pin Top Fluted	1.75 x 35			X	X		X		

** All Hemlock Newels are 3-1/4" square and Hemlock Balusters are either 1-1/4" or 1-5/8" square.*

Wood Balusters

pg.	Model	Description	Size	Beech	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
59	2016F	Carolina Balustr Pin Top Fluted	1.75 x 37.5			X	X		X		
59	2016F	Carolina Balustr Pin Top Fluted	1.75 x 39			X	X		X		
59	2016F	Carolina Balustr Pin Top Fluted	1.75 x 42			X	X		X		
53	2025	Sierra Balustr Sq Top Plain	1.25 x 35			X	X	X	X		
53	2025	Sierra Balustr Sq Top Plain	1.25 x 37.5			X	X	X	X		
53	2025	Sierra Balustr Sq Top Plain	1.25 x 39			X	X	X	X		
53	2025	Sierra Balustr Sq Top Plain	1.25 x 42			X	X	X	X		
53	2105	Sierra Balustr Sq Top Plain	1.75 x 35					X	X		
53	2105	Sierra Balustr Sq Top Plain	1.75 x 37.5					X	X		
53	2105	Sierra Balustr Sq Top Plain	1.75 x 39					X	X		
53	2105	Sierra Balustr Sq Top Plain	1.75 x 44					X	X		
53	2111	Sierra Balustr Pin Top Plain	1.75 x 34			X		X	X		
53	2111	Sierra Balustr Pin Top Plain	1.75 x 38			X		X	X		
53	2111	Sierra Balustr Pin Top Plain	1.75 x 42			X		X	X		
53	2115	Sierra Balustr Pin Top Plain	1.75 x 35			X	X	X	X		
53	2115	Sierra Balustr Pin Top Plain	1.75 x 37.5			X	X	X	X		
53	2115	Sierra Balustr Pin Top Plain	1.75 x 39			X	X	X	X		
53	2115	Sierra Balustr Pin Top Plain	1.75 x 44			X	X	X	X		
61	5005	Hampton Balstr Sq Top	1.75 x 34					X	X		
61	5005	Hampton Balstr Sq Top	1.75 x 38					X	X		
61	5005	Hampton Balstr Sq Top	1.75 x 42					X	X		
61	50058	Hampton Balstr Sq Top Oct	1.75 x 34						X		
61	50058	Hampton Balstr Sq Top Oct	1.75 x 38						X		
61	50058	Hampton Balstr Sq Top Oct	1.75 x 42						X		
61	5006	Hampton Balstr Sq Top	1.75 x 31			X	X	X	X		
61	5006	Hampton Balstr Sq Top	1.75 X 36	X		X	X	X	X		
61	5006	Hampton Balstr Sq Top	1.75 x 42	X		X	X	X	X		
61	5007	Hampton Balstr Sq Top 1-5/8"	1.625 x 36					X			
61	5007	Hampton Balstr Sq Top 1-5/8"	1.625 x 42					X			
63	5010	Classic Balustr Tapered	1.50 x 36	X				X	X		
63	5010	Classic Balustr Tapered	1.50 x 39	X				X	X		
63	5010	Classic Balustr Tapered	1.50 x 42	X				X	X		
63	5015	Colonial Balstr Pin Top	1.25 x 34	X			X	X	X		
63	5015	Colonial Balstr Pin Top	1.25 x 38	X			X	X	X		
63	5015	Colonial Balstr Pin Top	1.25 x 42	X			X	X	X		
63	5016	Colonial Balstr Pin Top	1.25 x 31	X		X	X	X	X		
63	5016	Colonial Balstr Pin Top	1.25 x 34	X		X	X	X	X		
63	5016	Colonial Balstr Pin Top	1.25 x 36	X		X	X	X	X		
63	5016	Colonial Balstr Pin Top	1.25 x 39	X		X	X	X	X		
63	5016	Colonial Balstr Pin Top	1.25 x 42	X		X	X	X	X		
63	5016	Colonial Balstr Pin Top	1.25 x 45					X			
65	5060	Contemporary Balstr S4S Squar	1.25 x 36	X		X	X	X	X	X	
65	5060	Contemporary Balstr S4S Squar	1.25 x 42	X		X	X	X	X	X	
65	5061	Contemporary Balstr S4S Squar	1.25 x 36			X			X		
65	5061	Contemporary Balstr S4S Squar	1.25 x 42			X			X		
63	5067	Colonial Balstr Sq Top	1.25 x 34					X	X		
63	5067	Colonial Balstr Sq Top	1.25 x 38					X	X		
63	5067	Colonial Balstr Sq Top	1.25 x 42					X	X		
63	5068	Colonial Balstr Sq Top	1.25 x 31			X			X		
63	5068	Colonial Balstr Sq Top	1.25 x 35	X		X			X		
63	5068	Colonial Balstr Sq Top	1.25 x 37.5	X		X			X		
63	5068	Colonial Balstr Sq Top	1.25 x 39	X		X			X		
63	5068	Colonial Balstr Sq Top	1.25 x 42	X		X			X		
65	5070	Balstr Square Top	1.25 x 35				X	X	X		
65	5070	Balstr Square Top	1.25 x 37.5				X	X	X		
65	5070	Balstr Square Top	1.25 x 39				X	X	X		
65	5070	Balstr Square Top	1.25 x 42				X	X	X		
63	5090	Colonial Round Balstr	1 x 36					X			
63	5090	Colonial Round Balstr	1 x 42					X			
61	5106	Hampton Balstr Sq Top	1.75 x 35			X			X		
61	5106	Hampton Balstr Sq Top	1.75 x 37.5			X			X		
61	5106	Hampton Balstr Sq Top	1.75 x 39			X			X		
61	5106	Hampton Balstr Sq Top	1.75 x 44			X			X		
63	5141	Colonial Balstr Sq Top	1.25 x 34	X			X	X	X		
63	5141	Colonial Balstr Sq Top	1.25 x 38	X			X	X	X		
63	5141	Colonial Balstr Sq Top	1.25 x 42	X			X	X	X		
63	5142	Colonial Balstr Sq Top	1.25 x 31			X		X	X		
63	5142	Colonial Balstr Sq Top	1.25 x 35	X		X		X	X		
63	5142	Colonial Balstr Sq Top	1.25 x 37.5	X		X		X	X		
63	5142	Colonial Balstr Sq Top	1.25 x 39	X		X		X	X		
63	5142	Colonial Balstr Sq Top	1.25 x 42	X		X		X	X		
61	5200	Colonial Balstr Pin Top	1.25 x 34					X	X		
61	5200	Colonial Balstr Pin Top	1.25 x 38					X	X		
61	5200	Colonial Balstr Pin Top	1.25 x 42					X	X		
61	5205	Hampton Balstr Sq Top	1.25 x 36	X		X		X	X		
61	5205	Hampton Balstr Sq Top	1.25 x 42	X		X		X	X		
61	5300	Hampton Balstr Pin Top	1.75 x 34					X	X		
61	5300	Hampton Balstr Pin Top	1.75 x 38					X	X		

Wood Balusters

pg.	Model	Description	Size	Beech	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
61	5300	Hampton Balstr Pin Top	1.75 x 42					X	X		
61	53008	Hampton Balstr Pin Top Oct	1.75 x 34	X					X		
61	53008	Hampton Balstr Pin Top Oct	1.75 x 38	X					X		
61	53008	Hampton Balstr Pin Top Oct	1.75 x 42	X					X		
61	5301	Hampton Balstr Pin Top	1.75 x 35			X	X	X	X		
61	5301	Hampton Balstr Pin Top	1.75 x 37.5			X	X	X	X		
61	5301	Hampton Balstr Pin Top	1.75 x 39			X	X	X	X		
61	5301	Hampton Balstr Pin Top	1.75 x 44			X	X	X	X		
65	5360	Contemporary Balstr S4S Squar	1.75 X 36			X	X	X	X	X	
65	5360	Contemporary Balstr S4S Squar	1.75 x 42			X	X	X	X	X	
65	5361	Contemporary Balstr S4S Squar	1.75 X 36			X			X		
65	5361	Contemporary Balstr S4S Squar	1.75 x 42			X			X		
65	5370	Balstr Square Top	1.75 x 35				X	X	X		
65	5370	Balstr Square Top	1.75 x 37.5				X	X	X		
65	5370	Balstr Square Top	1.75 x 39				X	X	X		
65	5370	Balstr Square Top	1.75 x 44				X	X	X		
65	5380	Balstr Pin Top	1.75 x 35				X	X	X		
65	5380	Balstr Pin Top	1.75 x 37.5				X	X	X		
65	5380	Balstr Pin Top	1.75 x 39				X	X	X		
65	5380	Balstr Pin Top	1.75 x 44				X	X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 34	X				X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 36	X				X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 39	X				X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 42	X				X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 34	X				X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 36	X				X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 39	X				X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 42	X				X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 34	X				X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 36	X				X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 39	X				X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 42	X				X	X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 35				X		X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 37.5				X		X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 39				X		X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 44				X		X		
56	85158	Jefferson Balstr Pin Top Oct	1.75 x 35						X		
56	85158	Jefferson Balstr Pin Top Oct	1.75 x 37.5						X		
56	85158	Jefferson Balstr Pin Top Oct	1.75 x 39						X		
56	85158	Jefferson Balstr Pin Top Oct	1.75 x 44						X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 35				X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 37.5				X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 39				X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 44				X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 35				X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 37.5				X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 39				X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 44				X		X		
55	9005	W'burg Balstr Sq Top Plain	1.75 x 35				X		X		
55	9005	W'burg Balstr Sq Top Plain	1.75 x 37.5				X		X		
55	9005	W'burg Balstr Sq Top Plain	1.75 x 39				X		X		
55	9005	W'burg Balstr Sq Top Plain	1.75 x 44				X		X		
55	9005F	W'burg Balstr Sq Top Flute	1.75 x 35				X		X		
55	9005F	W'burg Balstr Sq Top Flute	1.75 x 37.5				X		X		
55	9005F	W'burg Balstr Sq Top Flute	1.75 x 39				X		X		
55	9005F	W'burg Balstr Sq Top Flute	1.75 x 44				X		X		
55	9005R	W'burg Balstr Sq Top Rope	1.75 x 35				X		X		
55	9005R	W'burg Balstr Sq Top Rope	1.75 x 37.5				X		X		
55	9005R	W'burg Balstr Sq Top Rope	1.75 x 39				X		X		
55	9005R	W'burg Balstr Sq Top Rope	1.75 x 44				X		X		
55	9015	W'burg Balstr Pin Top Plain	1.75 x 35				X		X		
55	9015	W'burg Balstr Pin Top Plain	1.75 x 37.5				X		X		
55	9015	W'burg Balstr Pin Top Plain	1.75 x 39				X		X		
55	9015	W'burg Balstr Pin Top Plain	1.75 x 44				X		X		
55	9015F	W'burg Balstr Pin Top Flute	1.75 x 35				X		X		
55	9015F	W'burg Balstr Pin Top Flute	1.75 x 37.5				X		X		
55	9015F	W'burg Balstr Pin Top Flute	1.75 x 39				X		X		
55	9015F	W'burg Balstr Pin Top Flute	1.75 x 44				X		X		
55	9015R	W'burg Balstr Pin Top Rope	1.75 x 35				X		X		
55	9015R	W'burg Balstr Pin Top Rope	1.75 x 37.5				X		X		
55	9015R	W'burg Balstr Pin Top Rope	1.75 x 39				X		X		
55	9015R	W'burg Balstr Pin Top Rope	1.75 x 44				X		X		