THERMA-TRU®
DOORS

FIBERGLASS & STEEL CATALOG



MANIFEST YOUR OUTER HOME


927



Manifest your outer home.

America's #1 fiberglass entry door.[1]

Thanks to decades of material science expertise, Therma-Tru® doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel and assembled in America.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.

TABLE OF CONTENTS

2	Introduction
30	Patio, Storm & Vent
36	Classic Craft®
100	Fiber-Classic® & Smooth-Star®
115	Flush-Glazed Designs
208	Steel
232	Fire Doors
236	Pulse®
250	Finish Options
257	Door System Components
272	Special Quote Program
273	3'6" Width Options Chart
274	7'0" & 6'6" Height Options Charts
276	Product Details
278	Index
291	Trade Resources

[1]Based on 2024 market data.











THERMA-TRU® DOORS | ASSEMBLED IN AMERICA

America's #1 fiberglass entry door.[1]

Proudly assembled in America.

Therma-Tru offers the #1 fiberglass entry door[1] on the market, assembled right here in America. As your trusted domestic partner, we're committed to providing the right door for every project, supported by best-in-class lead times.

PROUDLY LOCAL

A DOMESTIC PARTNER YOU CAN COUNT ON

Our domestic supply chain allows us to deliver consistent products and offer best-in-class lead times. When combined with our nationwide network of fabricators, distributors and local support specialists, Therma-Tru helps keep your projects on track.





COMPLETE SOLUTIONS

THE RIGHT DOOR FOR ANY PROJECT, BACKED BY DECADES OF EXPERTISE

We have the doors your customers want — versatile, on-trend styles rooted in American craftsmanship — and the tools you need to find the perfect fit for your project.

PROVEN PERFORMANCE

CONFIDENCE IN EVERY DOOR, IN EVERY REGION

Built on reliability and backed by comprehensive warranties, our product portfolio is tested beyond the strictest national standards for total compliance.

[1]Based on 2024 market data.
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

The only door you'll ever need.™

PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru® complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. Our complete door systems are proudly Assembled in America and backed with comprehensive, industry-leading warranties.



Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system **provides unmatched performance** when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

1 FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency[1] and superior sound dampening.

2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for **more than 150 years**.

3 WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers **4X more insulation** than a wood door.[2]

5 SILL, SWEEP & CORNER PADS

When the door is closed, an enhanced seal provides elevated protection against water infiltration.

6 SILL PAN







[1]Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.
[2]Comparison of R-values of fiberglass to wood doors (both without glass).
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind.**

1 COMPOSITE DOOR FRAME

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.[1]

2 MULTI-POINT LOCKING SYSTEM

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

3 FIBERGLASS DOORS

Fiberglass entry doors are tough, providing **30% more protection** against forced entry than steel.[2]





Learn more about a Therma-Tru complete door system.

[1]Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
[2]Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

A Therma-Tru® entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

1 FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.

2 PRE-FINISHED PRISMAGUARD® DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.

3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.



Tru-Defense: The Ultimate Protection

A Therma-Tru® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to $2,500 should an issue arise.[1]





DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.[2] Look for the (✜) icon.

How to choose a Tru-Defense® system:

1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB







2 CHOOSE YOUR COMPONENTS

Door Frame

Composite Adjustable Sill

Bottom Sweep (Inswing Only)

Hinges (Any)

Corner Seal Pads (Inswing Only)

Weatherstrip (Any)

Astragal (Double Doors)

Rain Guard (Outswing Only)

3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

Multi-Point Locking System (MPLS)

Sill Pan

Tru-Defense Warranty Rider

LEVELS OF REIMBURSEMENT		
System Includes	**Reimbursement Eligibility**	**Reimbursement Eligibility with a Certified Installer**
Latch & Deadbolt (No Sill Pan)[3]	$250	$500
Latch & Deadbolt with Sill Pan[3]	$500	$1,000
MPLS (No Sill Pan)	$1,000	$2,000
MPLS with Sill Pan	$1,250	$2,500

[1]If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.
[2]The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.
[3]Latch and deadbolt must meet Therma-Tru specifications.
Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

DID YOU KNOW?

On average, a home is burglarized in the U.S. every 4 minutes.[1]

More than half of home burglaries occur during the daytime.[1]

THERMA-TRU® COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.[2]

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.

Scan to see our products put to the test.



Therma-Tru Wood Jamb | Therma-Tru Composite Jamb

[1]Source: FBI Crime Data Explorer.
[2]Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
[3]Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.



MATERIAL MYTHS

Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.[2]
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.[2]
- Wood doors and steel doors may weaken over time with exposure to the elements.

THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.[3]

Features durable construction that can withstand impact by absorbing and deflecting the force.[3]

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS


- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.





Pendulum Impact Test

Energy-Efficient Options for Every Home



Therma-Tru has options to meet ENERGY STAR® requirements in all 50 states.


ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).


Year-round comfort, no matter the weather.

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in gold starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.

ENERGY STAR PARTNER

Scan to view qualifying products.

[1]Varies by region. Contact your mortgage lender for details.

Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®





Four-piece design includes two interchangeable frame covers and a two-piece base frame.

Advanta lite frame clear and privacy glass includes options that meet ENERGY STAR® requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS


Reeded (XK)

Satin Etch (XE)

Chord (XC)


Chinchilla (XJ)

Rainglass (XR)


Granite (XN)

Low-E

LIFETIME LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse Fiberglass

10 YEAR LIMITED WARRANTY
Profiles, Traditions, Pulse Steel


Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and limited warranties and exclusions.

NEW

¾-Lite Flush-Glazed Shaker-Style Doors and Sidelites

FOR FIBER-CLASSIC® AND SMOOTH-STAR® DOORS





Discover the full portfolio of Fiber-Classic and Smooth-Star Shaker-style doors and sidelites—crafted to complement nearly every home style.

Capture the beautiful simplicity of Shaker style with 3/4-lite 1-panel doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance.

AVAILABLE DOORS AND SIDELITES



S7500*
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM7500*
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S7500SL
12" x 6'8"
14" x 6'8"

FCM7500SL
12" x 6'8"
14" x 6'8"



S87500*
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM87500*
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

E Elevated 10" Bottom Rail
*Can be used with full lite sidelites.

FLAT-PROFILE SDL BARS

Smooth
(28.6 mm / 1.125 in.)

Grained
(28.6 mm / 1.125 in.)



TRU-ADVANTAGES

1. **On-Trend Styles:** These doors are thoughtfully designed to coordinate with a variety of architectural and decorative elements, including Craftsman, Coastal and other popular design influences.
2. **Advanced Protection:** Composite edge stiles with Tru-Guard® composite technology work together with composite top and bottom rails and durable fiberglass door skins for extra protection from water absorption, rot, mold and wood-ingesting insects on all six sides of the door.
3. **Low Maintenance:** Durable, long-lasting fiberglass skins won't warp, rot, dent or rust, and require very little maintenance.

AVAILABLE GLASS SHAPES AND SDL PATTERNS

AVAILABLE GLASS OPTIONS

Satin Etch (XE)



Chord (XC)



Rainglass (XR)



Chinchilla (XJ)



Granite (XN)

Low-E

THERMA-TRU DOORS | Veris™

Open to possibilities.

Veris embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

VERIS™

- Pivot Doors
- Hinged Doors
- Folding Doors
- Sliding Doors



NEW MODERN GRAIN

Designed to harmonize with your home and enhance your way of living, new Veris™ Modern Grain entryway systems blend the best of both worlds — sleek glass and aluminum with warm, true-to-wood Walnut-grained fiberglass panels.



Experience Veris.

Scan the QR code to view the complete Veris catalog.

Explore options and see it in your home with our visualizer at **veriscollection.com.**

THERMA-TRU
THRIVE™









[1]Comparison of fiberglass to wood doors (both without glass).
[2]Brand Index, 2025 *Green Builder* magazine.

Together, let's make a world of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru® Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

HELPING TAKE CARE OF OUR PLANET

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Therma-Tru is proud to be **recognized as the 2025 Brand Leader[2]** by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.

BEING A GOOD NEIGHBOR

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.

Awards

Veris entryway systems have been recognized by *Green Builder* as a cutting-edge solution that enhances energy efficiency, resilience and sustainability in homes; and by *Architizer* for quality, performance and design impact.


Veris Modern Grain entryway systems received recognition as a winner of the 2025 Product Innovation Awards, published by *Architectural Products*, for outstanding innovation.




We are proud to be an official corporate partner of Yellowstone Forever's sustainability initiative to help ensure that Yellowstone National Park remains for generations. We're proud to provide fiberglass entryways for Yellowstone Park employee housing.

Where style meets serenity.

Today's design trends invite you to create a relaxing retreat that reflects your home's unique style. Whether you're drawn to nostalgic charm, timeless elegance or laid-back luxury, we offer the products that will help turn your home into a haven.







MODERN HARMONY

NOSTALGIC | INDUSTRIAL | ORGANIC

Retro styles meet nature-inspired influences as Modern homes lean into lighter hues, warm wood grains and mixed textures.

FEATURED PRODUCTS:

Classic Craft Walnut Grain Door – CCW8905; Low-E Glass Direct Set Sidelite, Finish – Rustic Clay







BALANCED BLEND

CRAFTED | TEXTURAL | WELCOMING

The new Casual aesthetic features trend-forward colors and finishes in perfect harmony with elevated-but-comfortable details like vertical textures and eased edges.

FEATURED PRODUCTS:

Smooth-Star Flush-Glazed Door - S82103; Clear Glass with SDLs, Finish - Onyx







WELL TAILORED

DECORATIVE | TRANSITIONAL | REFINED

Traditional homes blend European-inspired elements with tailored details, including mixed wood grains and a moody color palette, for a fresh take on Old World style.

FEATURED PRODUCTS:

Classic Craft Mahogany Grain Door - CCM8306CAL, CCM8306CAR; Low-E Glass with SDLs, Finish - Driftwood

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

LIFETIME
LIMITED WARRANTY
Transferable




Fir Grain



Walnut Grain



Mahogany Grain



Canvas







Fiber-Classic® & Smooth-Star® Collections

Pages 100–201

LIFETIME LIMITED WARRANTY

The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.



Mahogany Collection™



Oak Collection™

Smooth-Star®

Steel

Pages 208–231

Bring style and affordability together to create very attractive results with our steel doors.

10 YEAR LIMITED WARRANTY
Door & Glass

5 YEAR LIMITED WARRANTY
Door

10 YEAR LIMITED WARRANTY
Glass



Profiles™



Traditions

Pulse®

Pages 236–249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.

LIFETIME LIMITED WARRANTY
Fiberglass

10 YEAR LIMITED WARRANTY
Steel



Ari



Línea



Echo

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Left Page: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

Glass Options

DECORATIVE & SPECIALTY GLASS

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



ENERGY STAR PARTNER

Contributes to an energy-efficient home.

TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, flush-glazed designs and Impact-rated options.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Right Page: Smooth-Star, Clear Glass with SDLs, Door – S6042, Finish – Alpine

PRIVACY & TEXTURED GLASS

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.

Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.

1 2 3 4 5 6 7 8 9 10

Clear Opaque





LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀) icon.

DIVIDED LITES

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.


Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles and Traditions.

Flush-Glazed Glass

for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, flush-glazed glass is perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( ) icons.





STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



[1]Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.
[2]Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven
Left Page Bottom: Smooth-Star, Internal Blinds, Doors – S2600
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S83400XN, Sidelites – S85225XNSL, Finish – Peregrine



DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency[1] and superior sound dampening.

Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.

11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.[1]

Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).[2] (ASTM-E330)


Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.[1]

2 Use the icons to find available Therma-Tru® product options in this catalog.




+



= **WBDR Option**

Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)

Structural Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option



+



= **HVHZ Option**

Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.[1]

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

[1]Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.




IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.[1]



Doors

Feature a built-in 24-gauge steel plate.



Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Flush-Glazed Glass

Offers clean style and an increased daylight opening.



Glass

Features special laminated glass construction.



Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

OTHER CONSIDERATIONS

Fire Doors
See pages 232–235.

Noise Reduction Doors
See page 197.

E Elevated 10" Bottom Rail
Look for the (E) symbol.

Hinged Patio Door Systems

Simply beautiful, any way you see it.


Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns and let fresh air into the home.



A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.

1. Multi-Point Locking System (Recommended)
2. Bottom Sweep
3. Sill
4. Hinges
5. Corner Seal Pads (Inswing Only)
6. Sill Pan (Recommended)
7. Frame Components



VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

8. Multi-Point Locking System (Included)
9. Removable Screens

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T



19050T

Classic Craft, starting on page 96.


Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

Note: See page 277 for important product details that may help with your purchase decision.

Left Page: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

EZ-Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds — no cutting required.[1]

Universal sill plate designed for simple and secure fit.

[1]Adjusts quickly for 32"–36" doors. If less than 32", a hacksaw is required for one cut to each track.
[2]Based on average DIY skills and standard door application, widths 32"–36".
[3]Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.
Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.


Right Page: Classic Craft Fir Grain Door – CCA81166, Finish – Rustic Clay, Retractable Screen – Black






AVAILABLE SIZES

(Available for most inswing units.)



Single Door System
Widths: 32"–36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"–73"
Heights: 6'6", 6'8", 8'0"


Installation is quick and easy, taking approximately 30 minutes.[2]

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.[3]

White | Brown | Black

AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

LIFETIME LIMITED WARRANTY
Classic Craft
Transferable

LIFETIME LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse Fiberglass

10 YEAR LIMITED WARRANTY
Profiles, Traditions, Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

LIFETIME LIMITED WARRANTY

Classic Craft®


An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCM81519
Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR











Comprehensive warranties for peace of mind.

LIFETIME
LIMITED WARRANTY
Classic Craft
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

10 YEAR
LIMITED WARRANTY
Classic Craft Finish
Transferable

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at **thermatru.com/warranty**.



Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.

ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

DESIGNED WITH AUTHENTICITY


Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider[1] to welcome more natural light into the home.

TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

THERMA-TRU® DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



[1]Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.
[2]Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn
Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley
Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo

DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker[1] for added durability and better long-term performance.

TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.[1]

CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.[2]







True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain® TECHNOLOGY



FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.



WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Bottom: Classic Craft Walnut Grain, Door – CCW900L, Finish – Shale
Right Page: Classic Craft Fir Grain, Clear Glass with SDLs, Door – CCA230, Sidelites – CCA210SL



Decorative & Specialty Glass Designs

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

GLASS SHAPES

GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines 1 narrow reeded glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and 6 clear bevels.

GLASS SHAPES

GLASS PRIVACY RATING



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Augustine®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.


GLASS SHAPES

Corresponding sidelites feature
Granite glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.



Wrought Iron

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.


GLASS SHAPES

Corresponding sidelites feature
Hammered glass without wrought iron.

GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.



Wrought Iron

Continues on next page.

Decorative & Specialty Glass Designs *Continued*

Provincial™

A unique diamond-based motif features 1 double waterglass, 2 clear bevels and caming surrounded by a 3 gray baroque glass border. Provincial captivates with stunning clarity.

GLASS SHAPES

GLASS PRIVACY RATING





Black Nickel



Brushed Nickel


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with 1 seeded glass, 2 clear bevels, 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES

GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

GLASS SHAPES

GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES

GLASS PRIVACY RATING





Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

GLASS PRIVACY RATING

1 **7** 10

Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

GLASS PRIVACY RATING

1 **10**



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

GLASS PRIVACY RATING

1 **10**



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

GLASS PRIVACY RATING

1 **10**

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Right Page: Classic Craft Fir Grain, Rainglass, Door – CCA210XR, Finish – New Earth



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

GLASS PRIVACY RATING

1 **8** 10



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

GLASS PRIVACY RATING

1 **10**

Also Available:

Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.






Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the ( ) icon.



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the ( ) icon.



(107.95 mm / 4.25 in.)
Look for the (3) and (3) icons.



(139.70 mm / 5.5 in.)
Look for the (4) and (4) icons.



Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (5) and (5) icons.



(40.64 mm / 1.6 in.)
Look for the (6) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the ( ) icon.

Fir Grain

Canvas

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Top: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress
Right Page: Classic Craft Fir Grain, Reeded Glass with SDLs, Door – CCA2320XK, Sidelites – CCA2320XKSL, Finish – Rustic Clay

Flush-Glazed Sticking Profiles

Flush-glazed designs feature a seamless look with simple profile around the glass. Look for the ( ) and ( ) icons.



Detailed Sticking
Look for the ( ) icon.



Square Sticking (Fir Grain)
Look for the ( ) icon.



Square Sticking (Mahogany Grain)
Look for the ( ) icon.



Flush-Glazed Warranty Riders
for Construction & Installation, and Homeowners.
See page 115 for details.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf[1]



Classic Craft® Fir Grain 16-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

[1]Pairs with 3'6" wide doors.

Top: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf
Right Page: Classic Craft Mahogany Grain Door – CCR205, Finish – Raven; Clavos & Strap Hinges


Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





Full Lites



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

HOMEWARD™



Mahogany

CCR9925
3'0" x 6'8"



Mahogany

CCR9925SL
12" x 6'8"
14" x 6'8"



Canvas

CCV9925
3'0" x 6'8"



Canvas

CCV911SL
12" x 6'8"
14" x 6'8"

ARBORWATCH®



Mahogany

CCR1423
3'0" x 6'8"



Mahogany

CCR1423SL
12" x 6'8"
14" x 6'8"



Canvas

CCV1423
3'0" x 6'8"



Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"

AUGUSTINE®



Mahogany

CCR30027
3'0" x 6'8"



Mahogany

CCR3400XNSL
12" x 6'8"
14" x 6'8"



Canvas

CCV10027
3'0" x 6'8"



Canvas

CCV100XNSL
12" x 6'8"
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

BORRASSA®



Mahogany

CCR1528
3'0" x 6'8"



Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"



Canvas

CCV1528
3'0" x 6'8"



Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

PROVINCIAL™



Mahogany

CCR30028
3'0" x 6'8"



Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10028
3'0" x 6'8"



Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

LONGFORD™



Mahogany

CCR30023
3'0" x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10023
3'0" x 6'8"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

LUCERNA®



Mahogany

CCR10022
3'0" x 6'8"



Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10022
3'0" x 6'8"



Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

Full Lites

Continued

Fir Grain

Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

ZAHA



Mahogany

CCR1851
3'0" x 6'8"



Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"



Canvas


CCV1851
3'0" x 6'8"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"


PRIVACY & TEXTURED



Fir

CCA2300__
4
3'0" x 6'8"


CCA82300__
4 E
3'0" x 8'0"



Fir

CCA2310__
4
3'0" x 6'8"


CCA82310__
4 E
3'0" x 8'0"



Fir

CCA2320__
3
3'0" x 6'8"


CCA82320__
3 E
3'0" x 8'0"



Fir

CCA2330__
3
3'0" x 6'8"


CCA82330__
3 E
3'0" x 8'0"



Fir

CCA2340__
3
3'0" x 6'8"

CCA82340__
3 E
3'0" x 8'0"



Fir


CCA2380__
5
3'0" x 6'8"

CCA82380__
5 E
3'0" x 8'0"

*Not available with Reeded (XK) glass.
Note: See page 277 for important product details that may help with your purchase decision.

For transoms, see page 94.

Note: Product images show exterior side of door.



Fir

CCA2350__* 5
3'0" x 6'8"


CCA82350__* 5 E
3'0" x 8'0"



Fir

CCA2360__* 5
3'0" x 6'8"

CCA82360__* 5 E
3'0" x 8'0"



Fir

CCA2370__* 4
3'0" x 6'8"

CCA82370__* 4 E
3'0" x 8'0"



Fir

CCA4900__* 3
3'0" x 6'8"


CCA84900__* 3 E
3'0" x 8'0"



Fir

CCA4910L__* 3
3'0" x 6'8"

CCA4910R__* 3
3'0" x 6'8"



Fir

CCA84910L__* 3 E
3'0" x 8'0"


CCA84910R__* 3 E
3'0" x 8'0"



Fir

CCA4920L__* 5
3'0" x 6'8"

CCA4920R__* 5
3'0" x 6'8"



Fir

CCA84920L__* 5 E
3'0" x 8'0"

CCA84920R__* 5 E
3'0" x 8'0"



Fir

CCA4930__* 5
3'0" x 6'8"


CCA84930__* 5 E
3'0" x 8'0"



Fir

CCA4940__* 5
3'0" x 6'8"

CCA84940__* 5 E
3'0" x 8'0"



Fir


CCA2400__
3'0" x 6'8"

CCA82400__ E
3'0" x 8'0"

 Continues on next page.

Full Lites

Continued



Fir Grain

Key

- **Flush-Glazed Glass with Square Sticking (FG)**
- **Low-E Glass (LE)**
- **3 Simulated Divided Lites (SDLF3)**
- **4 Simulated Divided Lites (SDLF4)**
- **5 Simulated Divided Lites (SDLF5)**
- **E Elevated 10" Bottom Rail Options**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XK = Reeded
XJ = Chinchilla
XE = Satin Etch
XR = Rainglass
XC = Chord
XN = Granite

PRIVACY & TEXTURED



Fir

CCA2300__SL
12" x 6'8"
14" x 6'8"

CCA82300__SL
12" x 8'0"
14" x 8'0"



Fir

CCA2310__SL
12" x 6'8"
14" x 6'8"

CCA82310__SL
12" x 8'0"
14" x 8'0"



Fir

CCA2320__SL
12" x 6'8"
14" x 6'8"

CCA82320__SL
12" x 8'0"
14" x 8'0"



Fir

CCA2330__SL
12" x 6'8"
14" x 6'8"


CCA82330__SL
12" x 8'0"
14" x 8'0"



Fir

CCA2340__SL
12" x 6'8"
14" x 6'8"

CCA82340__SL
12" x 8'0"
14" x 8'0"



Fir

CCA2400__SL
12" x 6'8"
14" x 6'8"

CCA82400__SL
12" x 8'0"
14" x 8'0"


LOW-E



Fir

CCA2300
3'0" x 6'8"

CCA82300 E
3'0" x 8'0"



Fir

CCA2310
3'0" x 6'8"

CCA82310 E
3'0" x 8'0"



Fir

CCA2320
3'0" x 6'8"

CCA82320 E
3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.


For transoms, see page 94.

Note: Product images show exterior side of door.




Fir

CCA2330	CCA82330
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2340	CCA82340
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2380	CCA82380
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2350	CCA82350
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2360	CCA82360
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2370	CCA82370
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4900	CCA84900
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4910L	CCA4910R
3'0" x 6'8"	3'0" x 6'8"



Fir

CCA84910L	CCA84910R
3'0" x 8'0"	3'0" x 8'0"




Fir

CCA4920L	CCA4920R
3'0" x 6'8"	3'0" x 6'8"


 Continues on next page.

Full Lites

Continued



Fir Grain



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- 6 Simulated Divided Lites (SDLF6)
- E Elevated 10" Bottom Rail Options


LOW-E



Fir

CCA84920L
3'0" x 8'0"

CCA84920R
3'0" x 8'0"



Fir

CCA4930
3'0" x 6'8"

CCA84930
3'0" x 8'0"



Fir

CCA4940
3'0" x 6'8"

CCA84940
3'0" x 8'0"



Fir

CCA2400
3'0" x 6'8"

CCA82400
3'0" x 8'0"



Fir

CCA2300SL
12" x 6'8"
14" x 6'8"

CCA82300SL
12" x 8'0"
14" x 8'0"



Fir

CCA2310SL
12" x 6'8"
14" x 6'8"

CCA82310SL
12" x 8'0"
14" x 8'0"



Fir

CCA2320SL
12" x 6'8"
14" x 6'8"

CCA82320SL
12" x 8'0"
14" x 8'0"



Fir

CCA2330SL
12" x 6'8"
14" x 6'8"

CCA82330SL
12" x 8'0"
14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.


Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelite – CCA2400SL, Finish – Rustic Clay



Fir

CCA2340SL
12" x 6'8"
14" x 6'8"

CCA82340SL
12" x 8'0"
14" x 8'0"



Fir

CCA2400SL
12" x 6'8"
14" x 6'8"

CCA82400SL
12" x 8'0"
14" x 8'0"



Mahogany

CCR30020
3'0" x 6'8"



Mahogany

CCR2025SL
12" x 6'8"
14" x 6'8"



Mahogany

CCR3400SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10020
3'0" x 6'8"



Canvas

CCV950SL
12" x 6'8"
14" x 6'8"




Canvas

CCV100SL
12" x 6'8"
14" x 6'8"





3/4 Lites



Mahogany Grain

Canvas

Key


- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

HOMEWARD™



Mahogany

CCM2801 3'0" x 6'8"
CCM82801 3'0" x 8'0"



Mahogany

CCM9923 3'0" x 6'8"



Mahogany

CCR9925SL 12" x 6'8" 14" x 6'8"
CCR89925SL 12" x 8'0" 14" x 8'0"



Canvas

CCV9922 3'0" x 6'8"
CCV89922 3'0" x 8'0"



Canvas

CCV911SL 12" x 6'8" 14" x 6'8"
CCV8111SL 12" x 8'0" 14" x 8'0"

ARBORWATCH.



Mahogany

CCM81418 3'0" x 8'0"



Mahogany

CCM1419 3'0" x 6'8"



Mahogany

CCR1423SL 12" x 6'8" 14" x 6'8"
CCR81423SL 12" x 8'0" 14" x 8'0"



Canvas

CCV1418 3'0" x 6'8"
CCV81418 3'0" x 8'0"



Canvas

CCV1423SL 12" x 6'8" 14" x 6'8"
CCV81423SL 12" x 8'0" 14" x 8'0"

AUGUSTINE.



Mahogany

CCM805027 3'0" x 8'0"



Mahogany

CCM1485 3'0" x 6'8"

For transoms, see page 94.


Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM1495
3'0" x 6'8"



Mahogany

CCR3400XNSL 💧
12" x 6'8"
14" x 6'8"


CCR8000XNSL 💧
12" x 8'0"
14" x 8'0"



Canvas

CCV05027
3'0" x 6'8"

CCV805027
3'0" x 8'0"



Canvas

CCV100XNSL 💧
12" x 6'8"
14" x 6'8"

CCV8100XNSL 💧
12" x 8'0"
14" x 8'0"

BORRASSA.X



Mahogany

CCM81519
3'0" x 8'0"



Mahogany

CCM1475
3'0"x 6'8"



Mahogany

CCM1465
3'0" x 6'8"



Mahogany

CCR3400XHSL 💧
12" x 6'8"
14" x 6'8"

CCR8000XHSL 💧
12" x 8'0"
14" x 8'0"



Canvas

CCV1519
3'0" x 6'8"

CCV81519
3'0" x 8'0"



Canvas

CCV100XHSL 💧
12" x 6'8"
14" x 6'8"

CCV8100XHSL 💧
12" x 8'0"
14" x 8'0"

LONGFORD™




Mahogany

CCM892
3'0" x 8'0"



Mahogany

CCM203
3'0"x 6'8"




Mahogany

CCM303
3'0" x 6'8"

 Continues on next page.

3/4 Lites

Continued



Mahogany Grain

Canvas

Key

- **Flush-Glazed Glass with Detailed Sticking (FG)**
- **Flush-Glazed Glass with Square Sticking (FG)**
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- **Simulated Divided Lites (SDLF6)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

LONGFORD™



Mahogany

CCM3303SL
12"x 6'8"
14"x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"

CCR8007SL
12" x 8'0"
14" x 8'0"



Canvas

CCV05023
3'0" x 6'8"

CCV805023
3'0" x 8'0"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

CCV8103SL
12" x 8'0"
14" x 8'0"

LUCERNA®



Mahogany

CCM2802
3'0" x 6'8"

CCM82802
3'0" x 8'0"



Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"

CCR8102SL
12" x 8'0"
14" x 8'0"



Mahogany

CCM204
3'0"x 6'8"



Mahogany

CCM302
3'0"x 6'8"



Mahogany

CCM3302SL
12"x 6'8"
14"x 6'8"



Canvas

CCV05022
3'0" x 6'8"

CCV805022
3'0" x 8'0"



Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

CCV8102SL
12" x 8'0"
14" x 8'0"

*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.

For transoms, see page 94.

Note: Product images show exterior side of door.

PROVINCIAL™



Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"

CCR8008SL
12" x 8'0"
14" x 8'0"



Canvas

CCV05028
3'0" x 6'8"

CCV805028
3'0" x 8'0"



Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

CCV8108SL
12" x 8'0"
14" x 8'0"


ZAHA®



Mahogany

CCM2803
3'0" x 6'8"

CCM82803
3'0" x 8'0"



Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"

CCR81851SL
12" x 8'0"
14" x 8'0"



Mahogany

CCM1844
3'0"x 6'8"



Mahogany

CCM1842
3'0"x 6'8"



Mahogany


CCM1843SL
12"x 6'8"
14"x 6'8"



Canvas

CCV1843
3'0" x 6'8"

CCV81843
3'0" x 8'0"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"

CCV81851SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED



Mahogany

CCM2804__*
6
3'0" x 6'8"

CCM82804__*
6
3'0" x 8'0"



Mahogany

CCM2806__*
6
3'0" x 6'8"

CCM82806__*
6
3'0" x 8'0"



Mahogany

CCM2812__*
6
3'0" x 6'8"

CCM82815__*
6
3'0" x 8'0"



Mahogany


CCM2800__*
3'0" x 6'8"

CCM82800__*
3'0" x 8'0"

 Continues on next page.

3/4 Lites

Continued



Mahogany Grain

Canvas

Key

- **Flush-Glazed Glass with Detailed Sticking (FG)**
- **Flush-Glazed Glass with Square Sticking (FG)**
- **Low-E Glass (LE)**
- **Simulated Divided Lites (SDL)**
- **Simulated Divided Lites (SDLF6)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

PRIVACY & TEXTURED



Mahogany

CCM200XC
CCM200XN
3'0" x 6'8"



Mahogany

CCM300XC
CCM300XN
3'0" x 6'8"



Mahogany

CCR2025__SL
12" x 6'8"
14" x 6'8"

CCR82035__SL
12" x 8'0"
14" x 8'0"



Mahogany

CCR3400__SL
12" x 6'8"
14" x 6'8"

CCR8000__SL
12" x 8'0"
14" x 8'0"



Canvas

CCV05020XC
CCV05020XN
3'0"x 6'8"



Canvas

CCV950__SL
12" x 6'8"
14" x 6'8"

CCV8950__SL*
12" x 8'0"
14" x 8'0"



Canvas

CCV100__SL
12" x 6'8"
14" x 6'8"

CCV8100__SL*
12" x 8'0"
14" x 8'0"

LOW-E



Mahogany

CCM2804
3'0" x 6'8"

CCM82804
3'0" x 8'0"



Mahogany

CCM2806
3'0" x 6'8"

CCM82806
3'0" x 8'0"



Mahogany

CCM2812
3'0" x 6'8"

CCM82815
3'0" x 8'0"

*Not available with Satin Etch (XE) glass.
Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM2806, Finish – Acorn

For transoms, see page 94.

Note: Product images show exterior side of door.



Mahogany

CCM2800 | **CCM82800**
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR2025SL | **CCR82035SL**
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



Mahogany

CCR3400SL | **CCR8000SL**
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



Mahogany

CCM200
3'0" x 6'8"



Mahogany

CCM300
3'0" x 6'8"



Mahogany

CCM3300SL
12" x 6'8", 14" x 6'8"



Canvas

CCV05020 | **CCV805020**
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV950SL | **CCV8950SL**
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"




Canvas

CCV100SL | **CCV8100SL**
12" x 6'8", 14" x 6'8" | 12" x 8'0", 14" x 8'0"



2/3 Lites



Mahogany Grain

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

Optional Accessories



Clavos



Strap Hinge

HOMEWARD™



Mahogany

CCR9921 3'0" x 6'8" | CCR89921 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR9919 3'0" x 6'8" | CCR89919 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8" | CCR89918 3'0" x 8'0"



Mahogany

CCR822218 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV9919 3'0" x 6'8" | CCV89919 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8" | CCV89918 3'0" x 8'0"

ARBORWATCH®



Mahogany

CCR1417 3'0" x 6'8" | CCR81417 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1415 3'0" x 6'8" | CCR81415 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1414 3'0" x 6'8" | CCR81414 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

AUGUSTINE.X



Mahogany


CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1415
3'0" x 6'8"

CCV81415
3'0" x 8'0"



Canvas

CCV1414
3'0" x 6'8"

CCV81414
3'0" x 8'0"



Mahogany

CCR04027
3'0" x 6'8"

CCR804027
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20527
3'0" x 6'8"

CCR820527
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20027
3'0" x 6'8"

CCR820027
3'0" x 8'0"



Mahogany

CCR822227
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR04037
3'0" x 6'8"

CCR804037
3'0" x 8'0"
3'6" x 8'0"


AUGUSTINE

Continues on next page.



2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (W)

Optional Accessories



Clavos



Strap Hinge

AUGUSTINE.X



Mahogany

CCR20537 3'0" x 6'8" | CCR820537 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20037 3'0" x 6'8" | CCR820037 3'0" x 8'0"



Mahogany

CCR20537A 3'0" x 6'8" | CCR820537A 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20037A 3'0" x 6'8" | CCR820037A 3'0" x 8'0"



Canvas

CCV20527 3'0" x 6'8" | CCV820527 3'0" x 8'0"



Canvas

CCV22027 3'0" x 6'8" | CCV822027 3'0" x 8'0"



Canvas

CCV20537 3'0" x 6'8" | CCV820537 3'0" x 8'0"

BORRASSA.X



Mahogany

CCR1518 3'0" x 6'8" | CCR81518 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR1516 3'0" x 6'8" | CCR81516 3'0" x 8'0" 3'6" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR1515 3'0" x 6'8" | **CCR81515** 3'0" x 8'0"



Mahogany

CCR822215 3'0" x 8'0", 3'6" x 8'0"



Mahogany

CCR1514 3'0" x 6'8" | **CCR81514** 3'0" x 8'0", 3'6" x 8'0"



Mahogany

CCR1512 3'0" x 6'8" | **CCR81512** 3'0" x 8'0", 3'6" x 8'0"



Mahogany

CCR1511 3'0" x 6'8" | **CCR81511** 3'0" x 8'0"



Mahogany

CCR1512A 3'0" x 6'8" | **CCR81512A** 3'0" x 8'0", 3'6" x 8'0"



Mahogany

CCR1511A 3'0" x 6'8" | **CCR81511A** 3'0" x 8'0"



Canvas

CCV1516 3'0" x 6'8" | **CCV81516** 3'0" x 8'0"



Canvas

CCV1515 3'0" x 6'8" | **CCV81515** 3'0" x 8'0"



Canvas

CCV1512 3'0" x 6'8" | **CCV81512** 3'0" x 8'0"

PROVINCIAL™



Mahogany

CCR804028 3'0" x 8'0"




Mahogany

CCR820528 3'0" x 8'0"

2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

PROVINCIAL™



Mahogany
CCR820028
3'0" x 8'0"



Mahogany
CCR822228
3'0" x 8'0"



Canvas
CCV820528
3'0" x 8'0"



Canvas
CCV822028
3'0" x 8'0"

LONGFORD™



Mahogany
CCR04023 3'0" x 6'8" | CCR804023 3'0" x 8'0"



Mahogany
CCR20523 3'0" x 6'8" | CCR820523 3'0" x 8'0"



Mahogany
CCR20023 3'0" x 6'8" | CCR820023 3'0" x 8'0"



Mahogany
CCR822223
3'0" x 8'0"



Canvas
CCV20523 3'0" x 6'8" | CCV820523 3'0" x 8'0"



Canvas
CCV22023 3'0" x 6'8" | CCV822023 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

LUCERNA.



Mahogany

CCR04022 3'0" x 6'8" | CCR804022 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20522 3'0" x 6'8" | CCR820522 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR20022 3'0" x 6'8" | CCR820022 3'0" x 8'0"



Mahogany

CCR822222 3'0" x 8'0" 3'6" x 8'0"



Mahogany

CCR804032 3'0" x 8'0"




Mahogany

CCR820532 3'0" x 8'0"




Mahogany

CCR820032 3'0" x 8'0"



Mahogany

CCR820532A 3'0" x 8'0"



Mahogany

CCR820032A 3'0" x 8'0"

ZAHA.



Canvas

CCV20522 3'0" x 6'8" | CCV820522 3'0" x 8'0"



Canvas

CCV22022 3'0" x 6'8" | CCV822022 3'0" x 8'0"



Canvas

CCV820532 3'0" x 8'0"




Mahogany

CCR1841 3'0" x 6'8" | CCR81841 3'0" x 8'0"

ZAHA *Continues on next page.*

2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- **Flush-Glazed Glass with Square Sticking (FG)**
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XE = Satin Etch **XR = Rainglass**
XC = Chord **XN = Granite**

Optional Accessories



Clavos



Strap Hinge

ZAHA



Mahogany

CCR1839 3'0" x 6'8" | **CCR81839** 3'0" x 8'0"



Mahogany

CCR1838 3'0" x 6'8" | **CCR81838** 3'0" x 8'0"



Mahogany

CCR822238 3'0" x 8'0"



Mahogany

CCR81847 3'0" x 8'0"



Mahogany

CCR81846 3'0" x 8'0"



Mahogany

CCR81845 3'0" x 8'0"



Mahogany

CCR81846A 3'0" x 8'0"



Mahogany

CCR81845A 3'0" x 8'0"



Canvas

CCV1839 3'0" x 6'8" | **CCV81839** 3'0" x 8'0"



Canvas

CCV1838 3'0" x 6'8" | **CCV81838** 3'0" x 8'0"



Canvas

CCV81846 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

*Not available with Satin Etch (XE) or Rainglass (XR) glass.
Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED



Mahogany

CCR04020__* 3'0" x 6'8" | CCR804020__* 3'0" x 8'0"



Mahogany

CCR20520__* 3'0" x 6'8" | CCR820520__* 3'0" x 8'0"



Mahogany

CCR20020__* 3'0" x 6'8" | CCR820020__* 3'0" x 8'0"



Mahogany

CCR822220__* 3'0" x 8'0"



Mahogany

CCR804030__* 3'0" x 8'0"



Mahogany

CCR820530__* 3'0" x 8'0"



Mahogany

CCR820030__* 3'0" x 8'0"



Mahogany

CCR820530A__* 3'0" x 8'0"



Canvas

CCV20520__* 3'0" x 6'8" | CCV820520__* 3'0" x 8'0"



Canvas

CCV22020__* 3'0" x 6'8" | CCV822020__* 3'0" x 8'0"



Canvas

CCV820530__* 3'0" x 8'0"



Mahogany

CCM302L__ 3'0" x 6'8" | CCM302R__ 3'0" x 6'8"




Mahogany

CCM8302L__ 3'0" x 8'0" | CCM8302R__ 3'0" x 8'0"

2/3 Lites

Continued



Mahogany Grain

Key

- **Flush-Glazed Glass with Square Sticking (FG)**
- **Low-E Glass (LE)**
- **Simulated Divided Lites (SDLF6)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XE = Satin Etch
XR = Rainglass
XC = Chord
XN = Granite

PRIVACY & TEXTURED



Mahogany

CCM304L__ | CCM304R__
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8304L__ | CCM8304R__
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L__ | CCM303R__
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L__ | CCM8303R__
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL__ | CCM301CAR__
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL__ | CCM8301CAR__
3'0" x 8'0" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM305CAL__ | CCM305CAR__
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL__ | CCM8305CAR__
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL__ | CCM306CAR__
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL__ | CCM8306CAR__
3'0" x 8'0" | 3'0" x 8'0"

LOW-E



Mahogany

CCR04020
3'0" x 6'8"

CCR804020
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20520
3'0" x 6'8"

CCR820520
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20020
3'0" x 6'8"

CCR820020
3'0" x 8'0"



Mahogany

CCR822220
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR804030
3'0" x 8'0"



Mahogany

CCR820530
3'0" x 8'0"




Mahogany

CCR820030
3'0" x 8'0"

 Continues on next page.

2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- **Flush-Glazed Glass with Square Sticking (FG)**
- **Low-E Glass (LE)**
- **Simulated Divided Lites (SDLF6)**

LOW-E



Mahogany

CCR820530A
3'0" x 8'0"



Mahogany

CCR820030A
3'0" x 8'0"



Canvas

CCV20520
3'0" x 6'8"

CCV820520
3'0" x 8'0"



Canvas

CCV22020
3'0" x 6'8"

CCV822020
3'0" x 8'0"



Canvas

CCV820530
3'0" x 8'0"



Mahogany

CCM302L
3'0" x 6'8"

CCM302R
3'0" x 6'8"



Mahogany

CCM8302L
3'0" x 8'0"

CCM8302R
3'0" x 8'0"



Mahogany

CCM304L
3'0" x 6'8"

CCM304R
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM8304L
3'0" x 8'0"

CCM8304R
3'0" x 8'0"



Mahogany

CCM303L
3'0" x 6'8"

CCM303R
3'0" x 6'8"



Mahogany

CCM8303L
3'0" x 8'0"

CCM8303R
3'0" x 8'0"



Mahogany

CCM301CAL
3'0" x 6'8"

CCM301CAR
3'0" x 6'8"



Mahogany

CCM8301CAL
3'0" x 8'0"

CCM8301CAR
3'0" x 8'0"



Mahogany

CCM305CAL
3'0" x 6'8"

CCM305CAR
3'0" x 6'8"



Mahogany

CCM8305CAL
3'0" x 8'0"

CCM8305CAR
3'0" x 8'0"



Mahogany

CCM306CAL
3'0" x 6'8"

CCM306CAR
3'0" x 6'8"




Mahogany

CCM8306CAL
3'0" x 8'0"

CCM8306CAR
3'0" x 8'0"

1/2 Lites



Mahogany Grain

Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

XE = Satin Etch

HOMEWARD™



Mahogany


CCM9926
3'0" x 6'8"



Canvas

CCV9926
3'0" x 6'8"

ARBORWATCH®



Mahogany

CCM1424
3'0" x 6'8"



Canvas

CCV1424
3'0" x 6'8"

PROVINCIAL™



Canvas

CCV06028
3'0" x 6'8"

LONGFORD™



Mahogany

CCM603
3'0" x 6'8"



Canvas

CCV06023
3'0" x 6'8"

LUCERNA®



Mahogany

CCM612
3'0" x 6'8"



Canvas

CCV06022
3'0" x 6'8"

PRIVACY & TEXTURED



Mahogany

CCM600XE
3'0" x 6'8"



Canvas

CCV06020XE
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Finish – Chestnut

LOW-E



Mahogany

CCM600

3'0" x 6'8"




Canvas

CCV06020

3'0" x 6'8"



Craftsman



Fir Grain

Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.


XC = Chord **XR = Rainglass**
XJ = Chinchilla **XN = Granite**

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

HOMEWARD™



Fir

CCA231
3'0" x 6'8"

CCA8231
3'0" x 8'0"



Fir

CCA87132
3'6" x 8'0"



Fir

CCA211
3'0" x 6'8"

CCA8211
3'0" x 8'0"



Fir

CCA87112
3'6" x 8'0"



Fir

CCA3401SL
12" x 6'8"
14" x 6'8"

CCA3501SL
12" x 8'0"
14" x 8'0"



Fir

CCA211SL
12" x 6'8"
14" x 6'8"



Canvas

CCV931
3'0" x 6'8"



Canvas

CCV911
3'0" x 6'8"



Canvas

CCV911SL
12" x 6'8"
14" x 6'8"



Canvas

CCV9011SL
12" x 6'8"
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA9300
3'0" x 6'8"

CCA89300
3'0" x 8'0"



Fir

CCA87131
3'6" x 8'0"



Fir

CCA9100
3'0" x 6'8"

CCA89100
3'0" x 8'0"



Fir

CCA87111
3'6" x 8'0"



Fir

CCA1423SL
12" x 6'8"
14" x 6'8"

CCA81423SL
12" x 8'0"
14" x 8'0"



Fir

CCA9100SL
12" x 6'8"
14" x 6'8"



Canvas

CCV4300
3'0" x 6'8"



Canvas

CCV4100
3'0" x 6'8"



Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"



Canvas

CCV4100SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA220__
3'0" x 6'8"

CCA8220__
3'0" x 8'0"



Fir

CCA87200XR
3'6" x 8'0"



Fir

CCA230__
3'0" x 6'8"

CCA8230__
3'0" x 8'0"




Fir

CCA87300XR
3'6" x 8'0"

 Continues on next page.

Craftsman

Continued



Fir Grain

Canvas

Key

- **Flush-Glazed Glass with Detailed Sticking (FG)**
- **Flush-Glazed Glass with Square Sticking (FG)**
- **Low-E Glass (LE)**
- **Simulated Divided Lites (SDL)**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.


XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

PRIVACY & TEXTURED



Fir

CCA240__* | CCA8240__*
3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87400XR
3'6" x 8'0"



Fir

CCA260__* | CCA8260__*
3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA87600XR
3'6" x 8'0"



Fir

CCA210__* | CCA8210__*
3'0" x 6'8" | 3'0" x 8'0"




Fir

CCA87100XR
3'6" x 8'0"



Fir

CCA3450__SL* | CCA3560__SL*
12" x 6'8"
14" x 6'8"
12" x 8'0"
14" x 8'0"



Fir

CCA3400__SL* | CCA3500__SL*
12" x 6'8"
14" x 6'8"
12" x 8'0"
14" x 8'0"



Fir

CCA220__SL*
12" x 6'8"
14" x 6'8"



Fir

CCA210__SL*
12" x 6'8"
14" x 6'8"

*Not available with Satin Etch (XE) glass.
Note: See page 277 for important product details that may help with your purchase decision.

For transoms, see page 94.

Note: Product images show exterior side of door.



Canvas

CCV920__*
3'0" x 6'8"



Canvas

CCV930__*
3'0" x 6'8"



Canvas

CCV940__*
3'0" x 6'8"



Canvas

CCV960__*
3'0" x 6'8"



Canvas

CCV910__*
3'0" x 6'8"



Canvas

CCV950__SL
12" x 6'8"
14" x 6'8"

CCV8950__SL*
12" x 8'0"
14" x 8'0"



Canvas

CCV100__SL
12" x 6'8"
14" x 6'8"

CCV8100__SL*
12" x 8'0"
14" x 8'0"



Canvas

CCV920__SL*
12" x 6'8"
14" x 6'8"



Canvas

CCV910__SL*
12" x 6'8"
14" x 6'8"

LOW-E



Fir

CCA220
3'0" x 6'8"

CCA8220
3'0" x 8'0"



Fir

CCA87200
3'6" x 8'0"



Fir

CCA230
3'0" x 6'8"

CCA8230
3'0" x 8'0"



Fir

CCA87300
3'6" x 8'0"



Fir


CCA240
3'0" x 6'8"

CCA8240
3'0" x 8'0"

LOW-E GLASS *Continues on next page.*

Craftsman

Continued



Fir Grain

Canvas

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

LOW-E



Fir

CCA87400
3'6" x 8'0"



Fir

CCA260
3'0" x 6'8"

CCA8260
3'0" x 8'0"



Fir

CCA87600
3'6" x 8'0"



Fir

CCA210
3'0" x 6'8"

CCA8210
3'0" x 8'0"



Fir

CCA87100
3'6" x 8'0"



Fir

CCA3450SL
12" x 6'8"
14" x 6'8"

CCA3560SL
12" x 8'0"
14" x 8'0"



Fir

CCA3400SL
12" x 6'8"
14" x 6'8"

CCA3500SL
12" x 8'0"
14" x 8'0"



Fir

CCA220SL
12" x 6'8"
14" x 6'8"



Fir

CCA210SL
12" x 6'8"
14" x 6'8"



Canvas

CCV920
3'0" x 6'8"



Canvas

CCV930
3'0" x 6'8"



Canvas

CCV940
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Finish – Raven



Canvas

CCV960

3'0" x 6'8"



Canvas

CCV910

3'0" x 6'8"



Canvas

CCV950SL

12" x 6'8"
14" x 6'8"

CCV8950SL

12" x 8'0"
14" x 8'0"



Canvas

CCV100SL

12" x 6'8"
14" x 6'8"

CCV8100SL

12" x 8'0"
14" x 8'0"



Canvas

CCV9020SL

12" x 6'8"
14" x 6'8"




Canvas

CCV9010SL

12" x 6'8"
14" x 6'8"



Solid Panels



Fir Grain

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- WBDR Options
- Elevated 10" Bottom Rail Options



Fir

CCA1125 | 3'0" x 6'8"

CCA81125 E | 3'0" x 8'0"



Fir

CCA1149 | 3'0" x 6'8"

CCA81149 E | 3'0" x 8'0"



Fir

CCA1127 | 3'0" x 6'8"

CCA81127 E | 3'0" x 8'0"



Fir

CCA4905 | 3'0" x 6'8"


CCA84905 E | 3'0" x 8'0"



Fir

CCA4915L | 3'0" x 6'8"

CCA4915R | 3'0" x 6'8"



Fir

CCA84915L E | 3'0" x 8'0"

CCA84915R E | 3'0" x 8'0"



Fir

CCA4925L | 3'0" x 6'8"

CCA4925R | 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA84925L
3'0" x 8'0"

CCA84925R
3'0" x 8'0"



Fir

CCA4935
3'0" x 6'8"

CCA84935
3'0" x 8'0"



Fir

CCA4945
3'0" x 6'8"

CCA84945
3'0" x 8'0"



Fir

CCA1166
3'0" x 6'8"

CCA81166
3'0" x 8'0"



Fir

CCA1158
3'0" x 6'8"

CCA81158
3'0" x 8'0"




Fir

CCA1147
3'0" x 6'8"

CCA81147
3'0" x 8'0"

HOMEWARD™



Fir

CCA2420SL
12" x 6'8"
14" x 6'8"

CCA82420SL
12" x 8'0"
14" x 8'0"

ARBORWATCH®



Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

Fir

CCA2410SL
12"x 6'8"
14"x 6'8"

CCA82410SL
12" x 8'0"
14" x 8'0"



Fir

CCA1100
3'0" x 6'8"

CCA81100
3'0" x 8'0"



Fir

CCA1133
3'0" x 6'8"

CCA81133
3'0" x 8'0"



Fir

CCA1145
3'0" x 6'8"

CCA81145
3'0" x 8'0"



Fir

CCA1150
3'0" x 6'8"

CCA81150
3'0" x 8'0"

Solid Panels

Continued



Walnut Grain

Key

- **Low-E Glass (LE)**
- **WBDR Options**
- **E** **Elevated 10" Bottom Rail Options**



Walnut

CCW1000	CCW81000
6 E	6 E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW900L	CCW8900L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW900R	CCW8900R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW901L	CCW8901L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW901R	CCW8901R
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW902L	CCW8902L
6	6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale
Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Driftwood



Walnut

CCW902R	CCW8902R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW903	CCW8903
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW904L	CCW8904L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Walnut

CCW904R	CCW8904R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW905	CCW8905
E	E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW906L	CCW8906L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW906R	CCW8906R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW907L	CCW8907L
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW907R	CCW8907R
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

LOW-E




Direct Set

DRS2131SL	DRS82131SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Solid Panels

Continued



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100
3'0" x 6'8"
3'6" x 6'8"

CCR8100
3'0" x 8'0"
3'6" x 8'0"




Mahogany

CCM890
3'0" x 8'0"



Mahogany

CCR8222
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR100R
3'0" x 6'8"
3'6" x 6'8"

CCR8100R
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR8005A
3'0" x 8'0"



Mahogany

CCR205A
3'0" x 6'8"

CCR8205A
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR200A
3'0"x 6'8"

CCR8200A
3'0" x 8'0"



Mahogany

CCR8225
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR8005
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR040
3'0" x 6'8"

CCR8040
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR205
3'0" x 6'8"

CCR8205
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR200
3'0" x 6'8"

CCR8200
3'0" x 8'0"



Mahogany

CCM60
3'0" x 6'8"

HAMMERED



Mahogany

CCR2025XHSL 6
12" x 6'8"
14" x 6'8"

CCR82035XHSL 6
12" x 8'0"
14" x 8'0"



Canvas

CCV200
3'0" x 6'8"



Canvas

CCV205
3'0" x 6'8"


CCV8205
3'0" x 8'0"



Canvas

CCV220
3'0" x 6'8"

CCV8220
3'0" x 8'0"



Canvas

CCV831
3'0" x 8'0"



Canvas

CCV060
3'0" x 6'8"



Canvas

CCV050
3'0" x 6'8"

HAMMERED



Canvas

CCV950XHSL
12" x 6'8"
14" x 6'8"

CCV8950XHSL
12" x 8'0"
14" x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft® door systems.

HOMEWARD™



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

ARBORWATCH®



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

LONGFORD™



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

PROVINCIAL™



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

LUCERNA®



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

ZAHA®



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LOW-E



Grille Sticks Applied



Grille Sticks Applied



Grille Sticks Applied



19020T
✹
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
✹
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
✹
3'0" Door Only



19210T
✹
12" & 14"
Sidelite Only

Key

- ✹ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ⁘ Brushed Nickel Caming (1C)

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



Classic Craft® Hinged Patio Doors

A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.



GRAIN & TEXTURE OPTIONS



Fir Grain



Mahogany Grain



Canvas

GLASS OPTIONS



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

■ = Available	Classic Craft
Door Selections	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
Flush-Glazed Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Lip-Lite Glass Selections	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
Available Sizes	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
Additional Options	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
Impact-Rated Options	
Tru-Defense Eligible	■

AVAILABLE CONFIGURATIONS



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Left Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth

Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS





Fiber-Classic® & Smooth-Star®

Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door – FC115, Sidelite – FC115SL, Finish – Raven
Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Finish – New Earth
Right Page: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary









Grain Options



FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.

SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



[1]Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
[2]Comparison of fiberglass to wood doors (both without glass).

Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.[1] Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-¼" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood[2], Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

Additional Options

WBDR Options: Look for this icon to find door styles that can be configured for WBDR.[1]

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.[1]

Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

FLUSH-GLAZED OPTIONS

Look for these icons ( ) to find door styles with flush-glazed glass. See pages 116–129.

Warranties

LIFETIME LIMITED WARRANTY

Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.

Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners. See page 115 for more information.

Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See pages 8–9 for details.

■ = Available
▪ = Not Applicable
S = Stain
P = Paint

	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	▪	▪	■
Door Heights			
6'6"	▪	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	▪	▪	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



[1]Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. **In fact, only Therma-Tru offers vented sidelites with decorative glass.** Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens — available in bronze and white — are designed for worry-free use.

AVAILABLE SIZES

	Width	
Height	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.



AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)


Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets 1 clear curved bevels, 2 rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

PRIVACY RATING

1 — 7 — 10



Black Nickel




Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

PRIVACY RATING

1 — 7 — 10



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with 1 slump glass, 2 clear bevels, 3 clear artique glass and caming.

PRIVACY RATING

1 — 7 — 10



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

PRIVACY RATING

1 — 10



Wrought Iron

Maple Park®


With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.

PRIVACY RATING

1 — 6 — 10



Black Nickel



Brushed Nickel

Saratoga™


Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.

PRIVACY RATING

1 — 7 — 10



Black Nickel



Brushed Nickel

Continues on next page.

Texas Star

Beautifully crafted with 1 clear bevels, 2 curved bevels, 3 clear waterglass, 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

PRIVACY RATING

1 — 5 — 10



Black Nickel




Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.

PRIVACY RATING


1 — 6 — 10



Black Nickel



Brushed Nickel




Brass

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

PRIVACY RATING

1 — 10



Wrought Iron

[1]Brass caming not available for Impact-rated products.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

PRIVACY RATING

1 — 8 — 10



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its 1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

PRIVACY RATING

1 — 8 — 10



Black Nickel



Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

PRIVACY RATING

1 — 7 — 10


Note: The use of gray baroque glass varies based on glass size.



Black Nickel



Brushed Nickel



Brass[1]


Continues on next page.

Axis®

Simple and smart, Axis combines 1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.

PRIVACY RATING

1 — 7 — 10



Black Nickel

Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.

PRIVACY RATING

1 — 10



Black Nickel



Brushed Nickel




Brass

Latitude

Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.

PRIVACY RATING

1 — 2 — 10



Black Nickel



Brushed Nickel



Brass


[1]See your Therma-Tru seller for details on product availability.
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Echelon

Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

PRIVACY RATING

1 — 10



Black Nickel



Brushed Nickel




Brass

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

1. Single-Hand Operator
2. Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



REEDED
Privacy Rating: **7**

SATIN ETCH
Privacy Rating: **10**



CHORD
Privacy Rating: **10**



CHINCHILLA
Privacy Rating: **10**



RAINGLASS
Privacy Rating: **8**



GRANITE
Privacy Rating: **10**

Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

SIMULATED DIVIDED LITES (SDLs) WITH GRILLES BETWEEN GLASS (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the ( ) icons.



Shown with flat bronze GBGs (recommended).

SIMULATED DIVIDED LITES (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the ( ) icons.



GRILLES BETWEEN GLASS (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the ( ) icons.



FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the ( ) icon.



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, 3/4 Shaker, Clear Glass with SDLs, Door – S7512, Sidelites – S7512SL




SDL BAR OPTIONS

Grained Smooth




(28.6 mm / 1.125 in.)
Look for the ( ) icon.

Grained Smooth



(28.6 mm / 1.125 in.)
Look for the (1) icon.

Grained Smooth




(88.9 mm / 3.5 in.)
Look for the (2) icon.

Smooth SDL bars are color-matched to PrismaGuard® Alpine.


GBG BAR OPTIONS

Flat



(20 mm / 0.787 in.)

Contour



(18 mm / 0.708 in.)

GBG Color Options




White Almond[1] Bronze[1] Black Tan[2] Stone[2]

[1]Almond and Bronze GBGs available in flat bars only.
[2]Available in Special Quote Program.

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.





Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic® 4-Block Dentil Shelf[1]



Smooth-Star® 4-Block Dentil Shelf[1]



[1]Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
[2]Flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.
Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.


Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

Flush-Glazed Glass Designs

Flush-glazed glass feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%[2] — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



Flush-Glazed Glass



Lip-Lite Frame

See the difference.

Flush-glazed glass provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking
Look for the ( ) symbol.



Flush-Glazed Glass with Square Sticking
Look for the ( ) symbol.



Lip-Lite Frame

Warranty riders for peace of mind.

Flush-Glazed Riders

For Construction & Installation
Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners
Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish $300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Flush-Glazed Full Lites

Note: Product images show exterior side of door.



TRANSOMS


For transoms, see page 201.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Oak

FC1205_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1207_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2010_
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2050_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2050_SL
12" x 6'8"
14"x 6'8"



Oak

FC5700_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85700_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5710_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85710_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5720_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85720_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC691_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8691_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685L_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685L_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685R_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685R_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.
Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Oak

FC5700_SL
12" x 6'8"
14"x 6'8"



Oak

FC5710_SL
12" x 6'8"
14"x 6'8"



Oak

FC5720_SL
12" x 6'8"
14"x 6'8"



Smooth

S1205_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1207_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth

S2010_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth


S2050_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S5705_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


S85705_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5715_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85715_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5725_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85725_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2010_SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85226_SL
12" x 8'0"
14" x 8'0"




Smooth

S2000_SL-2C*
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S2000_SL-4C*
10"x 6'8"
12" x 6'8"
14"x 6'8"



Smooth

S5700_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85700_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5710_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


S85710_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5720_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85720_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S691_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8691_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Continues on next page.

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Smooth

S3400L_	S83400L_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3400R_	S83400R_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3300_	S83300_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3500L_	S83500L_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3500R_	S83500R_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S685L_	S8685L_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S685R_	S8685R_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3600L_	S83600L_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3600R_	S83600R_
2'6"x 6'8"	2'6"x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S5700_SL	S85227_SL
10"x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Smooth

S5710_SL	S85228_SL
10"x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Smooth

S5720_SL	S85229_SL
10"x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Oak

2000_
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000_
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

2000_SL
12" x 6'8"
14"x 6'8"



Smooth

S2000_
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8000_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000_SL
10"x 6'8"
12" x 6'8" (70")
14" x 6'8" (70")

S85225_SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS



Smooth

S2600
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82600
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1205SL
12" x 6'8" (70")
14" x 6'8" (70")




Mahogany

FCM1206SL
12" x 6'8" (70")
14" x 6'8" (70")



Mahogany

FCM1204SL
12" x 6'8" (70")
14" x 6'8" (70")




Mahogany

FCM2009SL
12" x 6'8" (70")
14" x 6'8" (70")



Oak

FC1205
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1206
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Oak

FC1207
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2010
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Oak

FC1204
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Oak

2050
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

8000-12
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

8000-18
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1205SL
12" x 6'8"
14"x 6'8"



Oak

FC1206SL
12" x 6'8"
14"x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Oak

FC1204SL
12" x 6'8"
14"x 6'8"



Oak


2050SL
12" x 6'8"
14"x 6'8"



Oak

2009
2'0"x 6'8"
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000-9
2'0"x 8'0"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

2009SL
12" x 6'8"
14"x 6'8"



Oak

FC5700
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85700
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5710
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85710
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5720
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC85720
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC691
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8691
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685L
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685L
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC685R
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

FC8685R
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5700SL
12" x 6'8"
14"x 6'8"



Oak

FC5710SL
12" x 6'8"
14"x 6'8"



Oak

FC5720SL
12" x 6'8"
14"x 6'8"



Smooth

S1205
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1206
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1207
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2010
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1204
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2050
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S8000-12

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8000-18

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5705

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85705

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5715

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85715

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5725

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85725

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1205SL

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S1206SL

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S1204SL

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S2010SL

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85226SL

12" x 8'0"
14" x 8'0"



Smooth

S2000SL-2C

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S2000SL-4C

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S2009

2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8000-9

2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2009SL

10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S5700

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85700

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5710

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85710

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5720

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85720

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S691

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8691

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3400L

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83400L

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- WBDR Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*



Smooth

S3400R
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83400R
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3300
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83300
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3500L
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83500L
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3500R
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83500R
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S685L
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8685L
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S685R
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8685R
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3600L
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83600L
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3600R
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83600R
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5700SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85227SL
12" x 8'0"
14" x 8'0"



Smooth

S5710SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85228SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS



Smooth

S5720SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")


S85229SL
12" x 8'0"
14" x 8'0"



Oak

2000
2'0"x 6'8"
2'6"x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000
2'0"x 8'0"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

2000SL
12" x 6'8"
14"x 6'8"



Smooth

S2000
2'0" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8000
2'0"x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85225SL
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded* **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 277 for important product details that may help with your purchase decision.

*Not available with Reeded (XK) glass.

Flush-Glazed 3/4 Lites

Note: Product images show exterior side of door.

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

FCM7540_* | FCM87540_*
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM7560_* | FCM87560_*
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM7512_* | FCM87512_*
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM7540_SL*
12" x 6'8"
14" x 6'8"



Mahogany

FCM7560_SL*
12" x 6'8"
14" x 6'8"



Mahogany

FCM7512_SL*
12" x 6'8"
14" x 6'8"



Smooth

S7540_* | S87540_*
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S7560_ | S87560_*
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S7512_* | S87512_*
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S7540_SL*
12" x 6'8"
14" x 6'8"



Smooth

S7560_SL*
12" x 6'8"
14" x 6'8"



Smooth

S7512_SL*
12" x 6'8"
14" x 6'8"



Smooth

S2103_ | S82103_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2104_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S82105_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82106_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2250_
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S82107_
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84886_SL
12" x 8'0"
14" x 8'0"

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

Simulated Divided Lites (SDLF2)

Vented Sidelite Options

WBDR Options

E Elevated 10" Bottom Rail Options

6'6" Height Available

PRIVACY & TEXTURED GLASS



Smooth

S2103_SL
12" x 6'8"
14"x 6'8"



Smooth

S2104_SL
12" x 6'8"
14"x 6'8"



Smooth

S2250_SL
12" x 6'8"
14"x 6'8"



Mahogany

FCM7500_ | FCM87500_
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0



Mahogany

FCM7500_SL
E
12" x 6'8"
14" x 6'8"



Smooth

S7500_ | S87500_
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0



Smooth

S7500_SL
E
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S2200_ | S82200_
2'6"x 6'8" | 2'6" x 8'0"
2'8"x 6'8" | 2'8" x 8'0"
2'10"x 6'8" | 2'10" x 8'0"
3'0"x 6'8" | 3'0" x 8'0"



Smooth

S8000_SL
12" x 8'0"
14" x 8'0"



Smooth

S2200_SL
12" x 6'8"
14"x 6'8"



Mahogany

FCM7540 | FCM87540
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

FCM7560 | FCM87560
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

FCM7512 | FCM87512
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

FCM7540SL
E
12" x 6'8"
14" x 6'8"



Mahogany

FCM7560SL
E
12" x 6'8"
14" x 6'8"



Mahogany

FCM7512SL
E
12" x 6'8"
14" x 6'8"



Smooth

S7540 | S87540
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S7560 | S87560
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S7512 | S87512
E
2'6"x 6'8" | 2'6"x 8'0"
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



Smooth

S7540SL
E
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

NEW



Smooth

S7560SL

12" x 6'8"
14" x 6'8"

NEW



Smooth

S7512SL

12" x 6'8"
14" x 6'8"



Smooth

S2103

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82103

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2104

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82104

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2105

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82105

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2250

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82250

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82106

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82107

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84886SL

12" x 8'0"
14" x 8'0"



Smooth

S2103SL

12" x 6'8"
14" x 6'8"



Smooth

S2104SL

12" x 6'8"
14" x 6'8"



Smooth

S92SL

12" x 6'8"
14" x 6'8"



Smooth

S1401

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81401

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Smooth

S1401SL

12" x 6'8"
14" x 6'8"

NEW

NEW



Mahogany

FCM7500

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM87500

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0

NEW



Mahogany

FCM7500SL

12" x 6'8"
14" x 6'8"

NEW

NEW



Smooth

S7500

2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S87500

2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0

NEW



Smooth

S7500SL

12" x 6'8"
14" x 6'8"

Flush-Glazed Glass with Detailed Sticking (FG)

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

E Elevated 10" Bottom Rail Options

Flush-Glazed 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S2200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82200
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8000SL
12" x 8'0"
14" x 8'0"



Smooth

S90SL
12" x 6'8"
14" x 6'8"



Smooth

S4200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S84200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S86200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS



Smooth

S9200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S89200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4200_SL E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84200_SL E
12" x 8'0"
14" x 8'0"



Smooth

S6200_SL E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86200_SL E
12" x 8'0"
14" x 8'0"



Smooth

S3200_ E
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(7'0")

S83200_ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3200_SL E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S83200_SL E
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S1350
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S2150
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S1409
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S4200 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84200 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6200 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86200 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9200 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S89200 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S4200SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84200SL
12" x 8'0"
14" x 8'0"



Smooth

S6200SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86200SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS



Smooth

S2100
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Smooth

S3200
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S83200
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3200SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S83200SL
12" x 8'0"
14" x 8'0"

Flush-Glazed Craftsman Lites


SARATOGA™



Mahogany

FCM6240
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM86240
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6201SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM86201SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM6240SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM86240SL
12" x 8'0"
14" x 8'0"



Smooth

S6240
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86240
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6201SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86201SL
12" x 8'0"
14" x 8'0"




Smooth

S6240SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86240SL
12" x 8'0"
14" x 8'0"


PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

FCM4812_*
2'8" x 6'8" (7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8" (7'0")


FCM84812_*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM4813_*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


FCM84813_*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM4814_*
2'8" x 6'8" (7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8" (7'0")

FCM84814_*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM4816_*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84816_*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2050_SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM84886_SL
12" x 8'0"
14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*



Mahogany

FCM4812_SL*	FCM84812_SL*
12" x 6'8"(7'0") 14" x 6'8"(7'0")	12" x 8'0" 14" x 8'0"



Smooth

S4812_*	S84812_*
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S4813_*	S84813_*
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S4814_*	S84814_*
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S4816_*	S84816_*
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S2010_SL	S84886_SL
10"x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	12" x 8'0" 14" x 8'0"



Smooth


S4812_SL*	S84812_SL*
12" x 6'8" (7'0") 14" x 6'8" (7'0")	12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS



Mahogany

FCM4810_*	FCM84810_*
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM2000_SL	FCM8000_SL
12" x 6'8" (7'0") 14" x 6'8" (7'0")	12" x 8'0" 14" x 8'0"



Mahogany

FCM4810_SL*	FCM84810_SL*
12" x 6'8" (7'0") 14" x 6'8" (7'0")	12" x 8'0" 14" x 8'0"



Smooth

S4810_*	S84810_*
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S2000_SL	S8000_SL
10"x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	12" x 8'0" 14" x 8'0"



Smooth


S4810_SL*	S84810_SL*
12" x 6'8"(7'0") 14" x 6'8"(7'0")	12" x 8'0" 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM4812	FCM84812
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM4813	FCM84813
E 2'8" x 6'8" (7'0") 2'10" x 6'8"(7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.
Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

FCM4814
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM4816
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84816
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2050SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

FCM84886SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM4812SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")


FCM84812SL
12" x 8'0"
14" x 8'0"



Smooth

S4812
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84812
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4813
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84813
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4814
2'8" x 6'8" (70")
2'10" x 6'8"(70")
3'0" x 6'8" (70")

S84814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4816
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84816
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2010SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84886SL
12" x 8'0"
14" x 8'0"



Smooth

S4812SL
12" x 6'8"(70")
14" x 6'8"(70")

S84812SL
12" x 8'0"
14" x 8'0"


CLEAR GLASS



Mahogany

FCM4810
2'8" x 6'8"(7'0")
2'10" x 6'8"(7'0")
3'0" x 6'8"(70")

FCM84810
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2000SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

FCM8000SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM4810SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

FCM84810SL
12" x 8'0"
14" x 8'0"



Smooth

S4810
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84810
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000SL
10"x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S8000SL
12" x 8'0"
14" x 8'0"



Smooth

S4810SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

S84810SL
12" x 8'0"
14" x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLFI)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

For Impact-rated lite frame, see page 27.



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.



Advanta® Lite Frame[1]

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the ( ) symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass[1]	■	
Clear & Specialty Glass[1]	■	■

[1]See your Therma-Tru seller for details on product availability.
*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey

Full Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.

BLACKSTONE®



Mahogany

FCM108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM871
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM310 E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM816
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM871SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM808SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81918SL
12" x 8'0"
14" x 8'0"



Oak

FC108 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81918P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC310 E
2'6" x 6'8" ♿ (7'0")*
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC816
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC108SL
10" x 6'8"*
12" x 6'8"
14" x 6'8"

81918PSL
12" x 8'0"
14" x 8'0"



Oak

FC808SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81918SL
12" x 8'0"
14" x 8'0"



Smooth

S6002 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85892
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S310
2'6" x 6'8" ♿ *
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6" x 6'8"

S816
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S6002SL
12" x 6'8"
14" x 6'8"

S85892SL
12" x 8'0"
14" x 8'0"



Smooth

S4570SL
10" x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S85927SL
12" x 8'0"
14" x 8'0"

No Stile Lines
Black Nickel Caming (1D)
Brushed Nickel Caming (1C)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options
WBDR Options
WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options
♿ 6'6" Height Available

CRYSTALLINE™



Mahogany

FCM16
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8114
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM668
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8114SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM18101SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81800SL
12" x 8'0"
14" x 8'0"



Oak

FC16
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81800P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC668
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC46SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"

81800PSL
12" x 8'0"
14" x 8'0"



Oak

18101SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81800SL
12" x 8'0"
14" x 8'0"



Smooth

S916
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S814
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S668
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

S815
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S916SL
12" x 6'8"
14"x 6'8"

S814SL
12" x 8'0"
14" x 8'0"



Smooth

S6130SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84586SL
12" x 8'0"
14" x 8'0"

SEDONA



Mahogany

FCM100
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM872
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM241
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM822
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM872SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM816SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81968SL
12" x 8'0"
14" x 8'0"



Oak

FC100
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81968P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC241
2'6"x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC822
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

FC100SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

81968PSL
12" x 8'0"
14" x 8'0"



Oak

FC816SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81968SL
12" x 8'0"
14" x 8'0"



Smooth

S139
E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S241
E
2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S139SL
12" x 6'8"
14"x 6'8"



Smooth

S604SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS. X



Mahogany

FCM113
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM873
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM369
E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM817
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM814SL
10"x 6'8"*
12" x 6'8" (70")
14" x 6'8" (70")

FCM81919SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM873SL
12" x 8'0"
14" x 8'0"



Oak

FC113
E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81919P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC369
E
2'6"x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC817
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC113SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"

81919PSL
12" x 8'0"
14" x 8'0"



Oak

FC814SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81919SL
12" x 8'0"
14" x 8'0"



Smooth

S6008
E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85893
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S369
E
2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

S817
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S6008SL
12" x 6'8"
14"x 6'8"

S85893SL
12" x 8'0"
14" x 8'0"



Smooth

S6134SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85931SL
12" x 8'0"
14" x 8'0"

No Stile Lines
Black Nickel Caming (1D)
Brushed Nickel Caming (1C)

Wrought Iron (1W)
Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options
WBDR Options
WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options
6'6" Height Available

MAPLE PARK®



Mahogany

FCM900
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Mahogany

FCM1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM812SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC900
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC900SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC812SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S6100
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S6100SL
12" x 6'8"
14"x 6'8"



Smooth

S6131SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SARATOGA™



Mahogany

FCM905
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Mahogany

FCM6093
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM815SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81986SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM893SL
12" x 8'0"
14" x 8'0"



Oak

FC905
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC6093
2'6"x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC905SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"

81986PSL
12" x 8'0"
14" x 8'0"



Oak

FC815SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

81986SL
12" x 8'0"
14" x 8'0"



Smooth

S154
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6093
2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")
3'6"x 6'8"



Smooth

S154SL
12" x 6'8"
14"x 6'8"

S8602SL
12" x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

TEXAS STAR



Smooth

S602SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S85932SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM142
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1029
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM817SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC142
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1029
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")



Oak

FC142SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"

WELLESLEY™



Oak

FC817SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")



Smooth

S6070
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1029
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6" x 6'8"



Smooth

S6070SL
12" x 6'8"
14"x 6'8"



Smooth

S6135SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")



Mahogany

FCM104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM874
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6094
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM821
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM818SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81921SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM874SL
12" x 8'0"
14" x 8'0"



Oak

FC104
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81921P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6094
2'6"x 6'8" ♿ (7'0")*
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC821
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

WELLESLEY *Continues on next page.*

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ♿ 6'6" Height Available



Oak

FC104SL
10" x 6'8"*
12" x 6'8"
14" x 6'8"

81921PSL
12" x 8'0"
14" x 8'0"



Oak

FC818SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81921SL
12" x 8'0"
14" x 8'0"



Smooth

S155
E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85896
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6094
E
2'6"x 6'8" ♿ *
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S821
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S155SL
12" x 6'8"
14"x 6'8"

S85896SL
12" x 8'0"
14" x 8'0"



Smooth

S5870SL
10" x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S85934SL
12" x 8'0"
14" x 8'0"

RISERVA. X



Mahogany

FCM574
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8574
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM571
E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM8571
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM572SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM8572SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM8573SL
12" x 8'0"
14" x 8'0"



Oak

FC574
E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8574
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC571
E
2'6"x 6'8" ♿ (7'0")*
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC8571
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC573SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"

FC8573SL
12" x 8'0"
14" x 8'0"



Oak

FC572SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

FC8572SL
12" x 8'0"
14" x 8'0"




Smooth

S574
E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8574
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S571
2'6"x 6'8" ♿ *
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6"x 6'8"

S8571
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S573SL
12" x 6'8"
14"x 6'8"

S8573SL
12" x 8'0"
14" x 8'0"



Smooth

S572SL
10" x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S8572SL
12" x 8'0"
14" x 8'0"

CONCORDE™



Mahogany

FCM910
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM890
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6095
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

FCM820
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM809SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

FCM81928SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM890SL
12" x 8'0"
14" x 8'0"



Oak

FC910
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81928P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

FC6095
2'6"x 6'8" ♿ (7'0")*
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")

FC820
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC910SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

81928PSL
12" x 8'0"
14" x 8'0"



Oak

FC809SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81928SL
12" x 8'0"
14" x 8'0"



Smooth

S6090
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85895
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6095
2'6"x 6'8" ♿ *
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"

S820
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S416SL
12" x 6'8"
14"x 6'8"

S85895SL
12" x 8'0"
14" x 8'0"



Smooth

S4070SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S85930SL
12" x 8'0"
14" x 8'0"

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ♿ 6'6" Height Available

KENSINGTON™



Mahogany

FCM148
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM626
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM813SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC148
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC626
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")



Oak

FC148SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC813SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")



Smooth

S160
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S626
2'8" x 6'8" ♿ (7'0")
2'10"x 6'8" ♿ (7'0")
3'0"x 6'8" ♿ (7'0")
3'6"x 6'8"



Smooth

S160SL
12" x 6'8"
14"x 6'8"



Smooth

S6132SL
10" x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

PEMBRIDGE™



Mahogany

FCM6550
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86550
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6500
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM86500
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM86550SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM6500SL
10" x 6'8"*
12" x 6'8" (7'0")
14"x 6'8" (7'0")

FCM86500SL
12"x 8'0"
14" x 8'0"



Oak

FC6550
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86550
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6500
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC86500
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6550SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

FC86550SL
12"x 8'0"
14" x 8'0"



Oak

FC6500SL
12"x 6'8" ♿ (7'0")
14"x 6'8" ♿ (7'0")

FC86500SL
12"x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

AXIS.



Smooth

S6550
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86550
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6500
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

S86500
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S6550SL
12"x 6'8"
14"x 6'8"

S86550SL
12"x 8'0"
14" x 8'0"



Smooth

S6500SL
10"x 6'8"*
12"x 6'8" (7'0")
14"x 6'8" (7'0")

S86500SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM1652
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81652
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1651
2'4" x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81651
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1651SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81651SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM81652SL
12" x 8'0"
14" x 8'0"



Oak

FC1652
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81652
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1651
2'4"x 6'8" *
2'6"x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81651
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1652SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

FC81652SL
12" x 8'0"
14" x 8'0"



Oak

FC1651SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC81651SL
12" x 8'0"
14" x 8'0"



Smooth

S1652
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81652
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1651
2'4"x 6'8" *
2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

S81651
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S1652SL
12" x 6'8"
14"x 6'8"

S81652SL
12" x 8'0"
14" x 8'0"



Smooth

S1651SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S81651SL
12" x 8'0"
14" x 8'0"

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CALIX



Mahogany

FCM2223
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82223
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2389
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM82389
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2389SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM82389SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM82223SL
12" x 8'0"
14" x 8'0"



Oak

FC2223
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82223
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2389
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

FC82389
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2223SL
10" x 6'8"*
12" x 6'8"
14" x 6'8"


FC82223SL
12" x 8'0"
14" x 8'0"



Oak

FC2389SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")


FC82389SL
12" x 8'0"
14" x 8'0"



Smooth

S2223
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S82223
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2389
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6"x 6'8"

S82389
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"


LATITUDE



Smooth

S2223SL
12" x 6'8"
14"x 6'8"

S82223SL
12" x 8'0"
14" x 8'0"



Smooth

S2389SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S82389SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM2213
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82213
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2382
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM82382
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2382SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM82382SL
12"x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

FCM82213SL
12" x 8'0"
14" x 8'0"



Oak

FC2213
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82213
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2382
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82382
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2213SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

FC82213SL
12" x 8'0"
14" x 8'0"



Oak

FC2382SL
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC82382SL
12" x 8'0"
14" x 8'0"

ECHELON



Smooth

S2213
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


S82213
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2382
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

S82382
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S2213SL
12" x 6'8"
14"x 6'8"

S82213SL
12" x 8'0"
14" x 8'0"



Smooth

S2382SL
10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S82382SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM2233
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM82233
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2385
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM82385
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM2385SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM82385SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM82233SL
12" x 8'0"
14" x 8'0"



Oak

FC2233
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82233
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2385
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC82385
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

ECHELON *Continues on next page.*

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ◤.



Oak

FC2233SL
10"x 6'8"*
12" x 6'8"
14" x 6'8"


FC82233SL
12" x 8'0"
14" x 8'0"



Oak

FC2385SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")


FC82385SL
12" x 8'0"
14" x 8'0"



Smooth

S2233
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S82233
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2385
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6"x 6'8"

S82385
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S2233SL
12" x 6'8"
14"x 6'8"

S82233SL
12" x 8'0"
14" x 8'0"




Smooth

S2385SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S82385SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES




Mahogany

FCM138_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1285_
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



Mahogany

FCM18_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1284_
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")




Mahogany

FCM12102_SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6124_SL**
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6125_SL**
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6126_SL**
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC138_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1285_
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")



Oak

FC18_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1284_
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Advanta lite frame.
**Not available with Reeded (XK) glass.
Note: See page 277 for important product details that may help with your purchase decision.



Oak

FC18_SL

10" x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

12102_SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC06188_SL**

10" x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC06184_SL**

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC06189_SL**

10" x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC06185_SL**

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC06190_SL**

10" x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC06186_SL**

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S128_ E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S141_ E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S108_ E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6063_ E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S308_SL

12" x 6'8"
14"x 6'8"



Smooth

S1170_SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S605_SL**

12" x 6'8"
14"x 6'8"



Smooth

S6124_SL**

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S606_SL**

12" x 6'8"
14"x 6'8"



Smooth

S6125_SL**

10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S607_SL**

12" x 6'8"
14"x 6'8"



Smooth

S6126_SL**

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS




Mahogany

FCM10_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1283_ E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81200_

2'6" x 8'0"*
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS *Continues on next page.*

- **No Stile Lines**
- **Low-E Glass (LE)**
- **Simulated Divided Lites (SDL)**
- **Scrolled & Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Scrolled Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Vented Sidelite Options**
- **E** **Elevated 10" Bottom Rail Options**
- **WBDR Options**
- **WBDR / HVHZ Options**
- **6'6" Height Available**


PRIVACY & TEXTURED GLASS *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ◤.



Mahogany

FCM870_SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM12101_SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81200_SL
12" x 8'0"
14" x 8'0"



Oak

FC10_ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


81200P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

1283_ E
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

81200_
2'6" x 8'0"*
2'10" x 8'0"
3'0" x 8'0"



Oak

FC47_SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

81200P_SL
12" x 8'0"
14" x 8'0"



Oak

12101_SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81200_SL
12" x 8'0"
14" x 8'0"



Smooth

S118_ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S818_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S140_ E
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6"x 6'8"

S8140_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S100_SL
12" x 6'8"
14"x 6'8"

S8601_SL
12" x 8'0"
14" x 8'0"



Smooth

S601_SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S81086_SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS



Mahogany

FCM141
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8115
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1286 E
2'4" x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81225
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8115SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM1286SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81225SL
12" x 8'0"
14" x 8'0"



Oak

FC141 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81225P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

1286
2'4"x 6'8" ♿*
2'6" x 6'8" ♿ (7'0")*
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

81225
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC141SL
10"x 6'8"*
12" x 6'8"
14"x 6'8"

81225PSL
12" x 8'0"
14" x 8'0"



Oak

1286SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81225SL
12" x 8'0"
14" x 8'0"



Smooth

S130
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S829
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6061
2'4" x 6'8" ♿ *
2'6" x 6'8" ♿ *
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6" x 6'8"

S81225
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S130SL
12" x 6'8"
14"x 6'8"

S829SL
12" x 8'0"
14" x 8'0"



Smooth

S6128SL
10" x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S85928SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1201
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1211
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1202
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1212
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1203
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")




Mahogany

FCM138
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1285
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1208
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1200
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM18
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ♿ 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Mahogany

FCM1284

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM828

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81828

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81208P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM81829

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1201SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM1202SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM1200SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM12102SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM81208PSL

12" x 8'0"
14" x 8'0"



Mahogany

FCM81208SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM6124SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6125SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM6126SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM198


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1289

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1289SL

10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC1209

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1201

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1211

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1202

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

FC1212

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1203

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC138

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1285

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1208

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1200

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC18

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1284

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC828


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81828


2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81208P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81208

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1209SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC1201SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC1211SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC1202SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC1208SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC1200SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC18SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

12102SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

81208PSL

12" x 8'0"
14" x 8'0"



Oak

81208SL

12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Oak

FC06188SL


10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC06184SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC06189SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC06185SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC06190SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC06186SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC198


2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

1289

2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC198SL

10"x 6'8"*
12" x 6'8"
14"x 6'8"



Oak

FC1289SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S1209

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1201

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S1211

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1202

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S1212

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1203

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S128

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S141

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S1208

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1200

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"



Smooth

S108

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6063

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S828

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S81828

2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S808

2'6" x 8'0"*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S81208

2'6" x 8'0"*
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'6"x 8'0"



Smooth

S1209SL

12" x 6'8"
14"x 6'8"



Smooth

S1201SL

10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S1211SL

12" x 6'8"
14"x 6'8"



Smooth

S1202SL

10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S1208SL

12" x 6'8"
14"x 6'8"



Smooth

S1200SL

10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S308SL

12" x 6'8"
14"x 6'8"



Smooth

S1170SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S808SL

12" x 8'0"
14" x 8'0"



Smooth

S81186SL

12" x 8'0"
14" x 8'0"



Smooth

S605SL

12" x 6'8"
14"x 6'8"

S8605SL

12" x 8'0"
14" x 8'0"



Smooth

S6124SL

10"x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85924SL

12" x 8'0"
14" x 8'0"



Smooth

S606SL

12" x 6'8"
14"x 6'8"

S8606SL

12" x 8'0"
14" x 8'0"



Smooth

S6125SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85925SL

12" x 8'0"
14" x 8'0"



Smooth

S607SL

12" x 6'8"
14"x 6'8"

S8607SL

12" x 8'0"
14" x 8'0"



Smooth

S6126SL

10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S85926SL

12" x 8'0"
14" x 8'0"



Smooth

S198

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6062

2'6"x 6'8" *
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6"x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- E Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*



Smooth

S198SL
12" x 6'8"
14"x 6'8"



Smooth

S6062SL
10" x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

CLEAR GLASS



Mahogany

FCM10
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1283
2'4"x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81200
2'0"x 8'0"*
2'4"x 8'0"*
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM12101SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81200SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM870SL
12" x 8'0"
14" x 8'0"



Oak

FC10
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81200P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

1283
2'4"x 6'8" ♿ *
2'6" x 6'8" ♿ (7'0")*
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")

81200
2'0"x 8'0"*
2'4"x 8'0"*
2'6"x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC47SL
10" x 6'8"*
12" x 6'8"
14"x 6'8"

81200PSL
12" x 8'0"
14" x 8'0"



Oak

12101SL
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

81200SL
12" x 8'0"
14" x 8'0"



Smooth

S118
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S818
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S140
2'0" x 6'8"**
2'4" x 6'8" ♿ **
2'6" x 6'8" ♿ **
2'8" x 6'8" ♿ (7'0")
2'10" x 6'8" ♿ (7'0")
3'0" x 6'8" ♿ (7'0")
3'6" x 6'8"

S8140
2'0"x 8'0"*
2'4"x 8'0"*
2'6"x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"



Smooth

S100SL
12" x 6'8"
14"x 6'8"

S8601SL
12" x 8'0"
14" x 8'0"



Smooth

S601SL
10"x 6'8"*
12" x 6'8" ♿ (7'0")
14" x 6'8" ♿ (7'0")

S81086SL
12" x 8'0"
14" x 8'0"



Direct Set

DRS2131SL
12" x 6'8" (7'0")
14"x 6'8" (7'0")

DRS82131SL
12" x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.
**Available with Impact-rated lite frame only.
Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Maple Park Glass, Door – FC777, Sidelite – FC900SL, Finish – Raven

3/4 Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.

BLACKSTONE®



Mahogany

FCM765
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM765SL
12"x 6'8"
14"x 6'8"

FCM882SL
12"x 8'0"
14" x 8'0"



Oak

FC765
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC770
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81952P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

FC765SL
12"x 6'8"
14"x 6'8"

81952PSL
12"x 8'0"
14" x 8'0"



Smooth

S975
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CRYSTALLINE™



Smooth

S979
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S894
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S975SL
12"x 6'8"
14"x 6'8"

S894SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM38
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM38SL
12" x 6'8"
14"x 6'8"

FCM8105SL
12" x 8'0"
14" x 8'0"



Oak

FC38
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC772
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81953P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

CRYSTALLINE *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- 6'6" Height Available

CRYSTALLINE™ ◆ ⠿ *Continued*



Oak

FC38SL
12" x 6'8"
14"x 6'8"

81953PSL
12" x 8'0"
14" x 8'0"



Smooth

S977
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S981
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S888
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S758SL
12" x 6'8"
14"x 6'8"

S888SL
12" x 8'0"
14" x 8'0"

SEDONA ◆ ⠿



Mahogany

FCM131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany


FCM131SL
12" x 6'8"
14"x 6'8"

FCM883SL
12" x 8'0"
14" x 8'0"



Oak

FC131
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81954P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC131SL
12" x 6'8"
14"x 6'8"

81954PSL
12" x 8'0"
14" x 8'0"



Smooth

S95
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S91
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S887
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S91SL
12" x 6'8"
14"x 6'8"

S887SL
12" x 8'0"
14" x 8'0"

SALINAS® X



Mahogany

FCM115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM115SL
12" x 6'8"
14"x 6'8"

FCM884SL
12" x 8'0"
14" x 8'0"



Oak

FC115
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC775
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81955P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC115SL
12" x 6'8"
14"x 6'8"

81955PSL
12" x 8'0"
14" x 8'0"



Smooth

S6009
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

MAPLE PARK®



Smooth

S6010
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S895
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6009SL
12" x 6'8"
14"x 6'8"

S895SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM902
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Mahogany

FCM902SL
12" x 6'8"
14"x 6'8"

FCM887SL
12" x 8'0"
14" x 8'0"



Oak

FC902
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC777
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81957P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SARATOGA™



Oak

FC902SL
12" x 6'8"
14"x 6'8"

81957PSL
12" x 8'0"
14" x 8'0"



Smooth

S6102
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S6103
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

S85898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6102SL
12" x 6'8"
14"x 6'8"

S85898SL
12" x 8'0"
14" x 8'0"



Mahogany


FCM907
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Mahogany

FCM907SL
12" x 6'8"
14"x 6'8"

FCM889SL
12" x 8'0"
14" x 8'0"



Oak

FC907
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC776
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81956P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC907SL
12" x 6'8"
14"x 6'8"

81956PSL
12" x 8'0"
14" x 8'0"



Smooth

S6092
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S982
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S891
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6092SL
12" x 6'8"
14"x 6'8"


S891SL
12" x 8'0"
14" x 8'0"

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- WBDR Options
- WBDR / HVHZ Options

TEXAS STAR



Mahogany

FCM143
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM143SL
12" x 6'8"
14"x 6'8"

FCM8103SL
12" x 8'0"
14" x 8'0"



Oak

FC143
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC778
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81958P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC143SL
12" x 6'8"
14"x 6'8"

81958PSL
12" x 8'0"
14" x 8'0"



Smooth

S6071
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6072
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85901
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S6071SL
12" x 6'8"
14"x 6'8"

85901SL
12" x 8'0"
14" x 8'0"

WELLESLEY™



Mahogany


FCM147
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM147SL
12" x 6'8"
14"x 6'8"

FCM885SL
12" x 8'0"
14" x 8'0"



Oak

FC147
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC779
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

81959P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC147SL
12" x 6'8"
14"x 6'8"

81959PSL
12" x 8'0"
14" x 8'0"



Smooth

S6091
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S983
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S892
2'8" x 6'8"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6091SL
12" x 6'8"
14"x 6'8"

S892SL
12" x 8'0"
14" x 8'0"

RISERVA®



Mahogany

FCM543
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM545SL
12" x 6'8"
14"x 6'8"

FCM8545SL
12" x 8'0"
14" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



Oak

FC543
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC529
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8529
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC545SL
12" x 6'8"
14"x 6'8"

FC8545SL
12" x 8'0"
14" x 8'0"



Smooth

S543
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S529
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8529
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S545SL
12" x 6'8"
14"x 6'8"

S8545SL
12" x 8'0"
14" x 8'0"

CONCORDE™



Mahogany

FCM912
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM912SL
12" x 6'8"
14"x 6'8"

FCM892SL
12" x 8'0"
14" x 8'0"



Oak

FC912
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC780
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

81960P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

FC912SL
12" x 6'8"
14"x 6'8"

81960PSL
12" x 8'0"
14" x 8'0"



Smooth

S912
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S97
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85902
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S757SL
12" x 6'8"
14"x 6'8"

S85902SL
12" x 8'0"
14" x 8'0"

KENSINGTON™



Mahogany

FCM156
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany


FCM1442SL
12" x 6'8"
14"x 6'8"

FCM8107SL
12" x 8'0"
14" x 8'0"



Oak

FC156
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC20042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81961P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

KENSINGTON *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR Options

WBDR / HVHZ Options

KENSINGTON™ *Continued*



Oak

FC1442SL
12" x 6'8"
14"x 6'8"

81961PSL
12" x 8'0"
14" x 8'0"



Smooth

S20042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S902
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S156
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1442SL
12" x 6'8"
14" x 6'8"

S902SL
12" x 8'0"
14" x 8'0"

PEMBRIDGE™



Mahogany

FCM6582
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6580SL
12" x 6'8"
14" x 6'8"

FCM86580SL
12" x 8'0"
14" x 8'0"



Oak

FC6582
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6580
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC86580
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6580SL
12"x 6'8"
14"x 6'8"

FC86580SL
12"x 8'0"
14" x 8'0"



Smooth

S6582
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6580
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86580
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S6580SL
12"x 6'8"
14"x 6'8"

S86580SL
12"x 8'0"
14" x 8'0"

AXIS®



Mahogany


FCM1647
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1646SL
12" x 6'8"
14"x 6'8"

FCM81646SL
12" x 8'0"
14" x 8'0"



Oak

FC1647
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1646
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC81646
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1646SL
12" x 6'8"
14"x 6'8"

FC81646SL
12" x 8'0"
14" x 8'0"



Smooth

S1647
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S1646
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81646
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1646SL
12" x 6'8"
14"x 6'8"

S81646SL
12" x 8'0"
14" x 8'0"

CALIX



Mahogany

FCM389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4521SL
12" x 6'8"
14"x 6'8"

FCM84521SL
12" x 8'0"
14" x 8'0"



Oak

FC389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4521
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC84521
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak


FC4521SL
12" x 6'8"
14"x 6'8"

FC84521SL
12" x 8'0"
14" x 8'0"



Smooth

S389
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4521
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84521
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4521SL
12" x 6'8"
14"x 6'8"

S84521SL
12" x 8'0"
14" x 8'0"

LATITUDE



Mahogany

FCM476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4525SL
12" x 6'8"
14"x 6'8"

FCM84525SL
12" x 8'0"
14" x 8'0"



Oak

FC476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4525
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC84525
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC4525SL
12" x 6'8"
14"x 6'8"

FC84525SL
12" x 8'0"
14" x 8'0"



Smooth


S476
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4525
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84525
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4525SL
12" x 6'8"
14"x 6'8"

S84525SL
12" x 8'0"
14" x 8'0"

Black Nickel Caming (1D)
Brushed Nickel Caming (1C)
Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR Options

WBDR / HVHZ Options



Mahogany

FCM84527SL
12" x 8'0"
14" x 8'0"



Oak

FC84527
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC84527SL
12" x 8'0"
14" x 8'0"



Smooth

S84527
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84527SL
12" x 8'0"
14" x 8'0"

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Mahogany

FCM82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM92_SL
12" x 6'8"
14"x 6'8"



Mahogany

FCM8101_SL
12" x 8'0"
14" x 8'0"



Oak

FC82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Oak

FC92_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

81945P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81946P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC92_SL
12"x 6'8"
14"x 6'8"



Oak

81946P_SL
12" x 8'0"
14" x 8'0"



Smooth

S82_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S92_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S881_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S822_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S82_SL
12" x 6'8"
14"x 6'8"



Smooth

S881_SL
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Mahogany

FCM32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM32_SL
12" x 6'8"
14"x 6'8"

FCM881_SL
12" x 8'0"
14" x 8'0"



Oak

FC32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC766_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81943P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC32_SL
12"x 6'8"
14"x 6'8"

81943P_SL
12" x 8'0"
14" x 8'0"



Smooth

S80_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S90_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S880_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S751_SL
12" x 6'8"
14"x 6'8"

S880_SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS



Mahogany

FCM5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM5425SL
12" x 6'8"
14"x 6'8"

FCM8110SL
12" x 8'0"
14" x 8'0"



Oak

FC5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

1964P
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81964P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC5425SL
12" x 6'8"
14"x 6'8"

81964PSL
12" x 8'0"
14" x 8'0"



Smooth

S5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S682
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8682
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth


S5425SL
12" x 6'8"
14"x 6'8"

S8682SL
12" x 8'0"
14" x 8'0"

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ◤.



Mahogany

FCM2106


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2107

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2108

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM82

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1089SL

12" x 6'8"
14"x 6'8"

FCM8311SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM2101SL

12" x 6'8"
14"x 6'8"

FCM8313SL

12" x 8'0"
14" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.

Fiber-Classic Oak Collection, Axis Glass, Door – FC1646, Finish – Barley



Mahogany


FCM92SL
12" x 6'8"
14"x 6'8"

FCM8310SL
12" x 8'0"
14" x 8'0"




Mahogany

FCM8101SL
12" x 8'0"
14" x 8'0"




Mahogany

FCM81900SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM81947SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM81949SL
12"x 8'0"
14" x 8'0"



Mahogany

FCM1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany


FCM1400SL
12" x 6'8"
14"x 6'8"

FCM81944SL
12" x 8'0"
14" x 8'0"




Oak

FC2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1089
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8311
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8313
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC2102
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81945P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC92
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC8310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81946P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1089SL
12" x 6'8"
14"x 6'8"

FC8311SL
12" x 8'0"
14" x 8'0"



Oak

FC2101SL
12" x 6'8"
14"x 6'8"

FC8313SL
12" x 8'0"
14" x 8'0"

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Standard Lite Frame Available

WBDR Options

WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



Oak

FC92SL
12" x 6'8"
14"x 6'8"

FC8310SL
12" x 8'0"
14" x 8'0"



Oak

81946PSL
12" x 8'0"
14" x 8'0"



Oak

81900PSL
12"x 8'0"
14" x 8'0"



Oak

81947PSL
12"x 8'0"
14" x 8'0"



Oak

81949PSL
12"x 8'0"
14" x 8'0"



Oak

FC1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1400
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81944P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1400SL
12" x 6'8"
14"x 6'8"

81944PSL
12" x 8'0"
14" x 8'0"



Smooth

S2106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2107
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2108
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S82
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1089
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8311
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8313
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2102
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S881
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S92
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S882
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley



Smooth

S1089SL
12" x 6'8"
14"x 6'8"

S8311SL
12" x 8'0"
14" x 8'0"



Smooth

S2101SL
12" x 6'8"
14"x 6'8"

S8313SL
12" x 8'0"
14" x 8'0"



Smooth

S82SL
12" x 6'8"
14"x 6'8"

S8310SL
12" x 8'0"
14" x 8'0"



Smooth

S881SL
12" x 8'0"
14" x 8'0"



Smooth

S8207SL
12" x 8'0"
14" x 8'0"



Smooth

S8202SL
12" x 8'0"
14" x 8'0"



Smooth

S8204SL
12" x 8'0"
14" x 8'0"



Smooth

S1402
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1400
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1400SL
12" x 6'8"
14"x 6'8"

S898SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS



Mahogany

FCM32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM32SL
12" x 6'8"
14"x 6'8"

FCM881SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS *Continues on next page.*



Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)

Flat Lite Frame

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Standard Lite Frame Available

WBDR Options

WBDR / HVHZ Options

CLEAR GLASS *Continued*

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold ◤.



Oak

FC32
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC766
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81943P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC32SL
12" x 6'8"
14"x 6'8"

81943PSL
12" x 8'0"
14" x 8'0"



Smooth

S80
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S90
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S880
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S751SL
12" x 6'8"
14"x 6'8"

S880SL
12" x 8'0"
14" x 8'0"

Oval Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.

BLACKSTONE® ◆ ⠿



Mahogany

FCM110 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM164 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC714 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC164 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC794 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S771 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"



Smooth

S6085 ◤
2'8"x 6'8"
2'10" x 6'8"
3'0"x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

WELLESLEY™



Smooth

S997
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC163
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Oak

FC796
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

CONCORDE™



Smooth

S774
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6082
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™



Oak

FC797
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Turtle Glass
- Standard Lite Frame Available
- WBDR Options

KENSINGTON™ *Continued*



Oak

FC151

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC798

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S709

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S163

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1001

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



Mahogany

FCM6577

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6575

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6577

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC06575

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6576

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6577

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6575

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6576

2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



Mahogany

FCM80

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM160

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC710

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC160

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC789

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S770

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6080

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S992

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Sidelites Glass Door – FCM16, Sidelites – FCM16LS, Transom – SART, Finish – Rama

1/2 Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.


BLACKSTONE®



Mahogany

FCM109
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM863
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6032
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany


FCM6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Mahogany

FCM109SL
12"x 6'8"
14"x 6'8"

FCM863SL
12"x 8'0"
14" x 8'0"



Oak

FC109
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81933P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

81975P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC109SL
12"x 6'8"
14"x 6'8"

81933PSL
12"x 8'0"
14" x 8'0"



Smooth

S6000
2'6"x 6'8"*
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S81933P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6032
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")

S86032
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4314
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84314
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6052
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

S972
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85905
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6000SL
12"x 6'8"
14"x 6'8"

S85912SL
12"x 8'0"
14"x 8'0"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

CRYSTALLINE™



Mahogany

FCM898
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM898SL
12" x 8'0"
14" x 8'0"



Oak

81935P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81977P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81935PSL
12" x 8'0"
14" x 8'0"



Smooth

S81935P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S86027
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84319
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth


S85907
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S85914SL
12" x 8'0"
14" x 8'0"


SEDONA



Mahogany

FCM101
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM864
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6025
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany


FCM6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM101SL
12" x 6'8"
14"x 6'8"


FCM864SL
12" x 8'0"
14" x 8'0"



Oak

FC101
E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81936P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81978P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC101SL
12" x 6'8"
14"x 6'8"

81936PSL
12" x 8'0"
14" x 8'0"



Smooth

S211
E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81936P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6025 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86025 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S4328 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84328
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6045
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S35
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S833
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S294SL
12" x 6'8"
14"x 6'8"

S85915SL
12" x 8'0"
14" x 8'0"

SALINAS. X



Mahogany

FCM114
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM865
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6031
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6051
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM114SL
12" x 6'8"
14"x 6'8"

FCM865SL
12" x 8'0"
14" x 8'0"



Oak

FC114 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81937P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81980P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC114SL
12" x 6'8"
14"x 6'8"

81937PSL
12" x 8'0"
14" x 8'0"



Smooth

S6006 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81937P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6031 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86031 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S4325 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84325
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6051
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SALINAS *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

SALINAS. *Continued*



Smooth

S973
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S893
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6006SL
12" x 6'8"
14"x 6'8"

S85916SL
12" x 8'0"
14" x 8'0"

MAPLE PARK.



Mahogany

FCM901
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM886
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6107
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Mahogany

FCM6108
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Mahogany

FCM901SL
12" x 6'8"
14"x 6'8"

FCM886SL
12" x 8'0"
14" x 8'0"



Oak


FC901
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81939P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

81982P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC901SL
12" x 6'8"
14"x 6'8"

81939PSL
12" x 8'0"
14" x 8'0"



Smooth

S6101
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81939P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S6107
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86107
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S4324
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6108
2'8'x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S6106
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

S85897
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S6101SL
12" x 6'8"
14"x 6'8"

S85918SL
12" x 8'0"
14" x 8'0"


SARATOGA™



Mahogany

FCM906
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM888
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6029
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6049
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

FCM906SL
12" x 6'8"
14"x 6'8"

FCM888SL
12" x 8'0"
14" x 8'0"



Oak

FC906 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81938P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

81981P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC906SL
12" x 6'8"
14"x 6'8"


81938PSL
12" x 8'0"
14" x 8'0"



Smooth

S213 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


S81938P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S6029 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86029 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S4327 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84327
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6049
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S41
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85908
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S291SL
12" x 6'8"
14"x 6'8"

S85917SL
12" x 8'0"
14" x 8'0"

TEXAS STAR



Mahogany

FCM144
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM899
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6074
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6075
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM899SL
12" x 8'0"
14" x 8'0"



Oak

FC144 E
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81940P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

81983P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81940PSL
12" x 8'0"
14" x 8'0"



Smooth

S6073 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81940P
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S6074 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86074 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

TEXAS STAR *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- **Scrolled & Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- **Flat Advanta Lite Frame** Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

TEXAS STAR *Continued*



Smooth

S4329 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84329
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6075
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6076
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81983
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

85919SL
12" x 8'0"
14" x 8'0"

WELLESLEY™



Mahogany

FCM105
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM866
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6030
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6050
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM105SL
12" x 6'8"
14"x 6'8"


FCM866SL
12" x 8'0"
14" x 8'0"



Oak

FC105 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81941P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81984P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC105SL
12" x 6'8"
14"x 6'8"

81941PSL
12" x 8'0"
14" x 8'0"



Smooth

S214 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81941P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6030 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86030 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4330 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84330
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6050
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S42
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85909
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth


S292SL
12" x 6'8"
14"x 6'8"

S85922SL
12" x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.


RISERVA® X



Mahogany

FCM581
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8581
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM583SL
12" x 6'8"
14"x 6'8"

FCM8583SL
12" x 8'0"
14" x 8'0"



Oak

FC581 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8581
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8579
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC583SL
12" x 6'8"
14"x 6'8"

FC8583SL
12" x 8'0"
14" x 8'0"



Smooth

S581 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8581
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S575 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8575 E
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S4326 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84326
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™



Smooth

S579
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8579
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S583SL
12" x 6'8"
14"x 6'8"

S8583SL
12" x 8'0"
14" x 8'0"



Mahogany


FCM911
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM891
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6026
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM911SL
12" x 6'8"
14"x 6'8"

FCM891SL
12" x 8'0"
14" x 8'0"

CONCORDE *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.

- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

CONCORDE™ ◆ ⁘ ❖ *Continued*



Oak

FC911 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

81942P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

81985P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

FC911SL
12" x 6'8"
14"x 6'8"

81942PSL
12" x 8'0"
14" x 8'0"



Smooth

S426 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81942P
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S6026 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86026 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S4316 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84316
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S37
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S837
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S430SL
12" x 6'8"
14"x 6'8"

S85920SL
12" x 8'0"
14" x 8'0"

KENSINGTON™ ◆ ⁘



Mahogany

FCM149
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

FCM8149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6036
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM149SL
12" x 6'8"
14"x 6'8"

FCM867SL
12" x 8'0"
14" x 8'0"



Oak

FC149 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8149
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Oak

FC89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC149SL
12" x 6'8"
14"x 6'8"

FC8867SL
12" x 8'0"
14" x 8'0"



Smooth

S161 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8149
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6036 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86036 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S4320 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84320
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6056
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S43
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S89701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S161SL
12" x 6'8"
14"x 6'8"

S867SL
12" x 8'0"
14" x 8'0"

PEMBRIDGE™



Mahogany

FCM6560
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6565
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6568
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6565SL
12"x 6'8"
14"x 6'8"

FCM86560SL
12"x 8'0"
14" x 8'0"



Oak

FC6560 E
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC86536
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6565SL
12"x 6'8"
14"x 6'8"

FC86560SL
12"x 8'0"
14" x 8'0"



Smooth

S6560 E
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86560
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6565 E
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86565 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4323 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6568
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

PEMBRIDGE *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

PEMBRIDGE™ *Continued*



Smooth

S6536
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86536
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6565SL
12"x 6'8"
14"x 6'8"

S86560SL
12"x 8'0"
14" x 8'0"


AXIS®



Mahogany


FCM1654
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1656
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany


FCM1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1656SL
12" x 6'8"
14"x 6'8"


FCM81654SL
12" x 8'0"
14" x 8'0"



Oak

FC1654 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81654
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1656SL
12" x 6'8"
14"x 6'8"

FC81654SL
12" x 8'0"
14" x 8'0"



Smooth

S1654 E
2'6"x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81654
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1656 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81656 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4311 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84311
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1658
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1653
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81653
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1656SL
12" x 6'8"
14"x 6'8"

S81654SL
12" x 8'0"
14" x 8'0"

CALIX



Mahogany

FCM386
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8386
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM387
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

FCM394
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM387SL
12" x 6'8"
14"x 6'8"

FCM8386SL
12" x 8'0"
14" x 8'0"



Oak

FC386 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8386
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8392
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC387SL
12" x 6'8"
14"x 6'8"

FC8386SL
12" x 8'0"
14" x 8'0"



Smooth

S386 E
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8386
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S387 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8387 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4310 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84310
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S394
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S392
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8392
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S387SL
12" x 6'8"
14"x 6'8"

S8386SL
12" x 8'0"
14" x 8'0"

LATITUDE



Mahogany

FCM8498
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8498SL
12" x 8'0"
14" x 8'0"



Oak

FC8498
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8489
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8498SL
12" x 8'0"
14" x 8'0"



Smooth

S8498
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8467
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

LATITUDE *Continues on next page.*

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

LATITUDE *Continued*



Smooth

S84322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8489
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8498SL
12" x 8'0"
14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES




Mahogany

FCM65_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6022_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM6042_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM65_SL
12" x 6'8"
14"x 6'8"



Mahogany

FCM3487_SL
12" x 8'0"
14" x 8'0"



Oak

FC65_ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")




Oak

FC8321_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC832_
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC63_SL
12"x 6'8"
14"x 6'8"



Oak

FC3487_SL
12" x 8'0"
14" x 8'0"



Smooth

S262_ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6022_ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6042_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S32_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8321_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S86022_ E
2'8"x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S832_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Smooth

S263_SL
12" x 6'8"
14"x 6'8"



Smooth

S3487_SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM62_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6021_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6041_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM104_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM62_SL
12" x 6'8"
14"x 6'8"

FCM862_SL
12" x 8'0"
14" x 8'0"



Oak

FC62_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81929P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC104_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

81971P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC48_SL
12"x 6'8"
14"x 6'8"

81929P_SL
12" x 8'0"
14" x 8'0"



Smooth

S206_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81929P_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6021_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86021_
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4305_
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84305_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6041_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S104_
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S30_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S210_SL
12" x 6'8"
14"x 6'8"

S85910_SL
12" x 8'0"
14" x 8'0"

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.


INTERNAL BLINDS



Mahogany

FCM678
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8678
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Mahogany

FCM6035
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6055
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM116
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM678SL
12" x 6'8"
14"x 6'8"

FCM8678SL
12" x 8'0"
14" x 8'0"



Oak

FC678
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8678
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC116
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8971
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC678SL
12" x 6'8"
14"x 6'8"

FC8678SL
12" x 8'0"
14" x 8'0"



Smooth

S132
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6035
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86035
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4308
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84308
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6055
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S131
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S971
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8971
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S132SL
12" x 6'8"
14"x 6'8"

S8132SL
12" x 8'0"
14" x 8'0"

SCREEN VENTED LITES**



Smooth

S243
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6034
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

*Not available with Advanta lite frame.
**Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



Smooth

S6054

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S137

E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM65

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6022

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6042

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8321

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Mahogany

FCM8675SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM65SL

12" x 6'8"
14"x 6'8"

FCM7125SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM3487SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM1408

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1405

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1406

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1405SL

12" x 6'8"
14"x 6'8"

FCM8145SL

12" x 8'0"
14" x 8'0"



Oak

FC8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC65

E

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8321

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Contour or Flat White Grilles Between Glass (GBGF / GBGC)
- Contour or Flat Almond Grilles Between Glass (GBGF / GBGC)
- Contour or Flat Bronze Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available

CLEAR GLASS WITH DIVIDED LITES *Continued*



Oak

FC8318
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8319
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8320
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC832
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8675SL
12" x 8'0"
14" x 8'0"



Oak

FC63SL
12" x 6'8"
14"x 6'8"

FC7125SL
12" x 8'0"
14" x 8'0"



Oak

FC3487SL
12" x 8'0"
14" x 8'0"



Oak

FC1408
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8144
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Oak

FC1408SL
12" x 6'8"
14"x 6'8"

FC8145SL
12" x 8'0"
14" x 8'0"



Smooth

S8322
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8326
2'8" x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Smooth

S84318
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8323
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8327
2'8" x 8'0"
2'10" x 8'0"
3'0"x 8'0"



Smooth

S84313
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8324
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S8328
2'8"x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S84309
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S262
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6022
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S4307

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6042

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8321

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8325

2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S84312

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8318

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8319

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8320

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S32

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S832

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S115

2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S8675SL

12" x 8'0"
14" x 8'0"



Smooth

S263SL

12" x 6'8"
14"x 6'8"

S7125SL

12" x 8'0"
14" x 8'0"



Smooth

S3487SL

12" x 8'0"
14" x 8'0"



Smooth

S1408

2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1405

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81405

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4321

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84321

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1406

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1407

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8144

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1405SL

12" x 6'8"
14"x 6'8"

S8145SL

12" x 8'0"
14" x 8'0"

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available

CLEAR GLASS



Mahogany

FCM62
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6021
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6041
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM670 E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM62SL
12" x 6'8"
14"x 6'8"

FCM862SL
12" x 8'0"
14" x 8'0"



Oak

FC62 E
2'6" x 6'8"*
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81929P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC670 E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

81971P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC48SL
12" x 6'8"
14"x 6'8"

81929PSL
12" x 8'0"
14" x 8'0"



Smooth

S206 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81929P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6021 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86021 E
2'8" x 8'0"
2'10"x 8'0"
3'0" x 8'0"



Smooth

S4315
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84315
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6041
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S104 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S105 E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S30
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S210SL
12" x 6'8"
14"x 6'8"

S85910SL
12" x 8'0"
14" x 8'0"

*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass, Door – S289, Finish – Onyx

Twin 1/2 Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms,
see page 201.

BLACKSTONE®



Smooth

S6013

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SEDONA



Smooth

S294

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SALINAS® X



Smooth

S6014

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK®



Smooth

S6104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SARATOGA™



Smooth

S291

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™



Smooth

S292

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA® X



Smooth

S585

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™



Smooth

S430

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

KENSINGTON™



Smooth

S162

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



Smooth

S6572

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

AXIS®



Smooth

S1661

2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

CALIX



Smooth

S398

2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S807_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS



Smooth

S289_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S807

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1411

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



Smooth

S289

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Salinas Glass, Door – S9353, Sidelites – S6008SL, Finish – Canyon

Center Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.

BLACKSTONE®



Oak

FC80943
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86243
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9343
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83143
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SEDONA




Oak

FC80952
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86252
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9352
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SALINAS® X



Smooth

S83152
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80953
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86253
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9353
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83153
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

MAPLE PARK®



Oak

FC80955
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86255
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available

MAPLE PARK®



Smooth

S9355
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83155
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

SARATOGA™



Oak

FC80954
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86254
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9354
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83154
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

WELLESLEY™



Oak

FC80949
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86249
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9349
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83149
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA®



Oak

FC507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S507
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S549
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CONCORDE™



Oak

FC80947
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86247
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9347
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83147
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

KENSINGTON™



Oak

FC80942
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86242
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

PEMBRIDGE™



Smooth

S9342
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83142
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6534
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6534
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S86533
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS®



Oak

FC1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC81649
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S1655
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S81649
2'8"x 8'0"
2'10" x 8'0"
3'0"x 8'0"

CALIX



Oak

FC393
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC8390
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S393
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S8390
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC809203__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862203__
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S93203__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S831203__
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS



Oak

FC80920_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86220_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S9320_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83120_

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

INTERNAL BLINDS



Oak

FC925

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC8972

2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



Smooth

S925

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S8972

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC809203

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862203

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S93203

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S831203

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1404

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC8141

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Smooth

S1404

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8141

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC80920

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86220

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9320

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83120

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
**Available with Advanta flat lite frame only.
***Available with Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 277 for important product details that may help with your purchase decision.
Right Page: Smooth-Star, Calix Glass, Door– S3540, Finish – Arctic Ice

Craftsman Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.

OPTIONAL DENTIL SHELVES*



4-Block Dentil Shelf
Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-lite Smooth-Star doors.

SEDONA



Smooth

S2650**
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82650**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8604
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

MAPLE PARK®



Smooth

S2630***
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82630***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8609
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SARATOGA™



Mahogany

FCM602
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S2660***
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82660***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8602
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA®



Mahogany

FCM508
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S2670***
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82670***
2'8"x 8'0"
2'10" x 8'0"
3'0" x 8'0"

RISERVA *Continues on next page.*

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options

RISERVA® Continued



Smooth

S508
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8508
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"

PEMBRIDGE™



Mahogany

FCM6520
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2640*
E
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82640*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6520
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86520
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS®



Mahogany

FCM1650
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S2620*
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82620*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1650
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81650
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CALIX



Mahogany


FCM6975
2'8" x 6'8"
2'10"x 6'8"
3'0" x 6'8"



Smooth

S3540*
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83540*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6975
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S86975
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

FCM605_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM606_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM607_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM608_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8605_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S606_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8606_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Available with Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Smooth

S607_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8607_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S608_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8608_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM601_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2610__*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82610__*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S601_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8600_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8605
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8606
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Smooth

S607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8607
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8608
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM601
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2610*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82610*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S601
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8601
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Minimal Lites

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.

MAPLE PARK®



Mahogany

FCM736	FCM8736
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC736	FC8736
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S736 E	S8736
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SARATOGA™



Mahogany

FCM707	FCM8707
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC707	FC8707
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

WELLESLEY™



Smooth

S707 E	S8707
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM721	FCM8721
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC721	FC8721
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S721 E	S8721
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Concorde Glass, Door – FC917, Sidelite – FC910SL

CONCORDE™



Mahogany

FCM735	FCM8735
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC735	FC8735
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



Smooth

S735	S8735
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

PEMBRIDGE™



Mahogany

FCM745	FCM8745
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC745	FC8745
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S745	S8745
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM752	FCM8752
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC752	FC8752
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S752	S8752
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Mahogany

FCM704	FCM8704
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC704	FC8704
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S704	S8704
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS



Mahogany

FCM708	FCM8708
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC708	FC8708
2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S708	S8708
E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Standard Lite Frame Available
- E Elevated 10" Bottom Rail Options

CONCORDE™



Oak

FC917
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S454
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Oak

FC23
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S255
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



Oak

FC803
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S256
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S236
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8317
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S237
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
(Scalloped Lite Frame)

PEMBRIDGE™



Mahogany

FCM6570
2'8" x 6'8"
2'10" x 6'8"
3'0"x 6'8"

FCM86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6570
E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86570
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6570
E
2'6" x 6'8"*
2'8"x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86570
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

AXIS™



Mahogany

FCM1645
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81645
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1645
E
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81645
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1645
E
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81645
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Advanta lite frame.
Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress

PRIVACY & TEXTURED GLASS



Mahogany

FCM61_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61_
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC861_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S296_
2'6"x 6'8"*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S896_
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Mahogany

FCM61
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC861
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S296
2'6" x 6'8"*
2'8" x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0" x 6'8" (7'0")

S896
2'6" x 8'0"*
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8140STC
2'6" x 8'0"*
2'8" x 8'0"
3'0" x 8'0"



Smooth

S141STC
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6063STC
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

- No Stile Lines
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat White Grilles Between Glass Only (GBGFW)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- E Elevated 10" Bottom Rail Options


Solid Panel

Note: Product images show exterior side of door.



TRANSOMS

For transoms, see page 201.





Mahogany

FCM31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM220
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM60
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM860
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1000 ■ E
2'0"x 6'8"
2'4"x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81000 ■
2'0"x 8'0"
2'4"x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC31
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC809
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC755
2'8"x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC862
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC60 E
2'6"x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC860
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Smooth-Star Door – S1100; Clear Glass, Sidelites – S2000SL, Finish – Granite



Oak

1000
2'0"x 6'8"
2'4"x 6'8" ⅄
2'6" x 6'8" ⅄ (7'0")
2'8" x 6'8" ⅄ (7'0")
2'10" x 6'8" ⅄ (7'0")
3'0" x 6'8" ⅄ (7'0")

81000
2'0"x 8'0"
2'4"x 8'0"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S93
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth


S45
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S220
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


S8200
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1100
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81100
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3301
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83301
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3401L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83401L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3401R
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83401R
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3501L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83501L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3501R
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83501R
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3601L
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83601L
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S3601R
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83601R
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5701
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85701
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth


S5721
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SOLID PANEL *Continues on next page.*

- No Stile Lines
- 2 Door Divider Bars (DDBF2)
- WBDR Options
- WBDR / HVHZ Options
- ⅄ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

SOLID PANEL *Continued*



Smooth

S85230SL
E
12" x 8'0"
14" x 8'0"

Smooth

S85700_SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85710_SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85720_SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85700SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85710SL
2
12" x 8'0"
14" x 8'0"

Smooth

S85720SL
2
12" x 8'0"
14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.



Smooth

S120
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8120
E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S200
2'6"x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S897
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8201
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Smooth

S755
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S831
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth

S4800
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84800
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8600
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S210
E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S810
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth

S100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S81000
2'0"x 8'0"
2'4"x 8'0"
2'6"x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 277 for important product details that may help with your purchase decision.

Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

BLACKSTONE®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS®



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY™



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA®



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

CONCORDE™



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

LATITUDE




LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T
✹
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
✹
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
✹
3'0" Door Only



19210T
✹
12" & 14" Sidelite Only

No Stile Lines
Flush-Glazed Glass with Detailed Sticking (FG)
✹ Low-E Glass (LE)

Simulated Divided Lites (SDLF2)
Black Nickel Caming (1D)
Brushed Nickel Caming (1C)
Brass Caming (1A)

Wrought Iron (1W)
WBDR Options
WBDR / HVHZ Options
6'6" Height Available

E Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.





Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S118
Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx

DOOR SELECTIONS



Fiber-Classic® Mahogany Collection™



Fiber-Classic® Oak Collection™

Smooth-Star®

Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

GLASS SELECTIONS



Internal Blinds

Low-E / Clear

Divided Lites

For details on divided lite options, see pages 112–113.



Simulated Divided Lites



Grilles Between Glass



Fixed Grilles

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 32–33 for details.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

Flush-Glazed Warranty Riders

See page 115 for details on the Flush-Glazed Rider for Construction & Installation, and the Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic	Smooth-Star	Profiles	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds 💧		■		
Low-E Glass with and without Divided Lites 🔥	■	■		
Clear Glass with and without Divided Lites 🔥	■	■		
Privacy & Textured Glass with and without Divided Lites 🔥	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

Flush-Glazed

Internal Blinds




AVAILABLE COLLECTIONS

- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Lite Frames

Internal Blinds




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Colonial Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Prairie Style Divided Lites




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES

AVAILABLE CONFIGURATIONS



Profiles™ Steel Doors

Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.



Top: Profiles, Screen Vented Glass, Door – 1004HD
Bottom: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL

Traditions Steel Doors

Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.



Top: Traditions, Clear Glass, Door – TS118, Sidelites – 100SL
Bottom: Traditions Door – TS210



Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.[1]

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.

10 YEAR LIMITED WARRANTY
Door & Glass



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.
All 8'0" doors are 24-gauge steel with standard embossments.

5 YEAR LIMITED WARRANTY
Door

10 YEAR LIMITED WARRANTY
Glass

■ = Available ▪ = Not Applicable P = Paint	Profiles	Traditions
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	▪
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	▪
8'0"	▪	■
Glass Options		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Frame Options		
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■
Additional Options		
Finish	P	P

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

[1]Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
[2]Decorative glass designs are shown in Profiles only.
[3]Brass caming not available for Impact.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs[2]


Black Nickel


Brushed Nickel

Blackstone®
Glass Privacy Rating: **7**


Black Nickel


Brushed Nickel

Crystalline™
Glass Privacy Rating: **7**


Black Nickel



Brushed Nickel

Sedona
Glass Privacy Rating: **7**


Wrought Iron

Salinas®
Glass Privacy Rating: **10**


Black Nickel


Brushed Nickel

Maple Park®
Glass Privacy Rating: **6**


Black Nickel


Brushed Nickel

Saratoga™
Glass Privacy Rating: **7**



Black Nickel


Brushed Nickel

Texas Star
Glass Privacy Rating: **5**


Black Nickel


Brushed Nickel



Brass


Wellesley™
Glass Privacy Rating: **6**


Wrought Iron

Riserva®
Glass Privacy Rating: **10**


Black Nickel


Brushed Nickel


Brass


Concorde™
Glass Privacy Rating: **8**



Black Nickel


Brushed Nickel

Kensington™
Glass Privacy Rating: **8**


Black Nickel


Brushed Nickel


Brass[3]


Pembridge™
Glass Privacy Rating: **7**


Black Nickel

Axis®
Glass Privacy Rating: **7**



Black Nickel



Brushed Nickel


Brass

Calix
Glass Privacy Rating: **1**


Black Nickel



Brushed Nickel


Brass

Latitude
Glass Privacy Rating: **2**


Black Nickel


Brushed Nickel


Brass

Echelon
Glass Privacy Rating: **1**

Also Available:


Internal Blinds
Screen Vented

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10


Clear — Opaque

Privacy & Textured Glass




Reeded (XK)
Glass Privacy Rating: **7**

Satin Etch (XE)
Glass Privacy Rating: **10**




Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear Opaque

Also Available:

Divided Lites
Clear Glass



*Not available with Advanta Lite Frame.
Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

BLACKSTONE®



310
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



310SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CRYSTALLINE™



916
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



916SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SEDONA



139
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



139SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS®



369
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



369SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

MAPLE PARK®



1006
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1006SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SARATOGA™



610
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



610SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

TEXAS STAR



1029
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1029SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

WELLESLEY™



620
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



620SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA®



571
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



TS572SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Black Nickel Caming (1D)
Brushed Nickel Caming (1C)
Brass Caming (1A)
Wrought Iron (1W)

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
WBDR / HVHZ Options
Standard Lite Frame Available

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

CONCORDE™



1028
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



416SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

KENSINGTON™



626
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



626SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PEMBRIDGE™



6500HD
2'4" x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



6500SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS®



1651HD
2'4" x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1651SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CALIX



2389HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



2389SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

LATITUDE



2382HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



2382SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

ECHELON



2385HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



2385SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



128__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



108__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



6184__SL**
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6185__SL**
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6186__SL**
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632__SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Advanta Lite Frame.
**Not available with Reeded (XK) glass.
***Available with Impact-rated lite frame only.
Note: See page 277 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



118__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



100__SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

INTERNAL BLINDS



130
2'4" x 6'8"*
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



130SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



1201
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1202
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1203
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



128
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1200
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



108
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



1201SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



1202SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



1200SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6184SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6185SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6186SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")



198
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



198SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS



118
2'0" x 6'8"***
2'4" x 6'8"***
2'6" x 6'8" (7'0")***
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")



100SL
10" x 6'8"*
12" x 6'8" (7'0")
14" x 6'8" (7'0")

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options

3/4 Lites

BLACKSTONE®




1037HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1037SLHD
12" x 6'8"
14" x 6'8"

CRYSTALLINE™




1042HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

956SLHD
12" x 6'8"
14" x 6'8"

SEDONA




965HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

965SLHD
12" x 6'8"
14" x 6'8"

SALINAS®




968HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

971SLHD
12" x 6'8"
14" x 6'8"

MAPLE PARK®




1009HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1009SLHD
12" x 6'8"
14" x 6'8"

SARATOGA™




1039HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1039SLHD
12" x 6'8"
14" x 6'8"

TEXAS STAR




1040HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1040SLHD
12" x 6'8"
14" x 6'8"

WELLESLEY™




1041HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1041SLHD
12" x 6'8"
14" x 6'8"

RISERVA®




544HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

546SLHD
12" x 6'8"
14" x 6'8"

CONCORDE™




967HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

967SLHD
12" x 6'8"
14" x 6'8"

KENSINGTON™




03142HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

966SLHD
12" x 6'8"
14" x 6'8"

PEMBRIDGE™




6582HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6580SLHD
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

AXIS



1644HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1644SLHD
12" x 6'8"
14" x 6'8"

CALIX



391HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



391SLHD
12" x 6'8"
14" x 6'8"

LATITUDE



469HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



469SLHD
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6720HD_SL
12" x 6'8"
14" x 6'8"



959HD_SL
12" x 6'8"
14" x 6'8"

INTERNAL BLINDS



5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



5425SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



2109HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2110HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2111HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



961HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1089SLHD
12" x 6'8"
14" x 6'8"



4572SLHD
12" x 6'8"
14" x 6'8"



6720SLHD
12" x 6'8"
14" x 6'8"



1403HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1400SLHD
12" x 6'8"
14" x 6'8"

CLEAR GLASS



959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



959SLHD
12" x 6'8"
14" x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options

Oval Lites

BLACKSTONE®



1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™



1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™



1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™



630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



1020HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites

BLACKSTONE®



309HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1001HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



311SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SEDONA



211HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



996HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1114HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



294SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS® X



374HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1002HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1115HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



371SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

MAPLE PARK®



1007HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1011HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1116HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1007SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

SARATOGA™



613HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



988HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1112HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



615SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

TEXAS STAR



1032HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1035HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1111HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™



623HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



989HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1120HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



625SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA®



582HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



576HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



584SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CONCORDE™



426HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



999HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1118HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



430SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

KENSINGTON™



627HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



631HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1113HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



628SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options

PEMBRIDGE™



6560HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



6565HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6568HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6565SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS®



1660HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1657HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1659HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1657SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CALIX



835HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



395HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



397HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



395SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



262HD__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



982HD__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1123HD__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



263SLHD__
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



206HD__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



980HD__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1101__HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



104__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



210SLHD__
12" x 6'8" (7'0")
14" x 6'8" (7'0")

INTERNAL BLINDS



132HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



984HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Advanta Lite Frame.
**Features a gliding operation and sash locking system.
Note: See page 277 for important product details that may help with your purchase decision.

SCREEN VENTED LITES**



1121HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



131
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



132SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")



243HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1004HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1102HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



137
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



262HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



982HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1123HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



115HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



263SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")



1408HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1405HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1406HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



1405SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")



206HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



980HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1101HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



104
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



105
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



210SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Twin 1/2 Lites

BLACKSTONE®



311HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SEDONA



294HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SALINAS®



371HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

MAPLE PARK®



1008HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SARATOGA™



615HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

WELLESLEY™



625HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

RISERVA®



588HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE™



430HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

KENSINGTON™



628HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PEMBRIDGE™



6572HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

AXIS®



1662HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CALIX



396HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



263HD_
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



289HD_
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Advanta Lite Frame.
**Not available with Reeded (XK) glass.
Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



263HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1411HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS



289HD
2'6" x 6'8" (7'0")*
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Craftsman Lites

SEDONA



604HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

MAPLE PARK®



609HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SARATOGA™



602HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

RISERVA®



508HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



6520HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

AXIS®



1650HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CALIX



6975HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



605HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD_**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS



601_HD*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



605HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



606HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



607HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



601HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites

MAPLE PARK®



736HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SARATOGA™



707HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

WELLESLEY™



721HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE™



735HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PEMBRIDGE™



745HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



752HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



704HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS



708HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CONCORDE™



454HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



255HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS



256HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



236HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



237HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
(Scalloped Lite Frame)

PEMBRIDGE™



6570HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



6570SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

AXIS®



1643HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1643SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



296HD__
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



296SLHD__
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CLEAR GLASS



296HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



296SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Solid Panel



969HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



978HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1005HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



205HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



203HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



210HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
  Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS128__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS108__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



6184__SL*
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6185__SL*
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



6186__SL*
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



632__SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



TS118__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

818__
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS



100__SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

818__SL
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS



TS130
2'4" x 6'8"**
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

829
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



130SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

829SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



TS1201
2'6" x 6'8" **
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1202
2'6" x 6'8" **
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1203
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS128
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1200
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS108
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



828
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



808
2'6" x 8'0"**
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



1201SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



1202SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



1200SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.
**Not available with Advanta Lite Frame.
***Available with Impact-rated lite frame only.
Note: See page 277 for important product details that may help with your purchase decision.

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.



632SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



828SL
12" x 8'0"
14" x 8'0"



6184SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

86184SL
12" x 8'0"
14" x 8'0"



6185SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

86185SL
12" x 8'0"
14" x 8'0"



6186SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

86186SL
12" x 8'0"
14" x 8'0"

CLEAR GLASS



TS198
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



198SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")



TS118
2'0" x 6'8"***
2'4" x 6'8"***
2'6" x 6'8"***
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

818
2'0" x 8'0"***
2'6" x 8'0"***
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



100SL
10" x 6'8"**
12" x 6'8" (7'0")
14" x 6'8" (7'0")

818SL
12" x 8'0"
14" x 8'0"

1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS262__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



8321__
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS263__SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED GLASS



TS206__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8206__
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS104__
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS210__SL
12" x 6'8"
14" x 6'8"

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame — Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

INTERNAL BLINDS



TS132
2'6" x 6'8"***
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8132
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS131
2'6" x 6'8"***
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS132SL
12" x 6'8"
14" x 6'8"

SCREEN VENTED LITES*



TS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS137
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS262
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS115
2'6" x 6'8"**
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS263SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS



TS1408
2'6" x 6'8"***
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS1405SL
12" x 6'8"
14" x 6'8"



TS206
2'6" x 6'8"***
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8206
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS104
2'6" x 6'8"***
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS105
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS210SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Features a gliding operation and sash locking system.
**Not available with Advanta Lite Frame.
Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Traditions, Satin Etch Glass, Doors – TS289XE

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263__
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289__
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



CLEAR GLASS WITH DIVIDED LITES



TS263
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS1411
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



TS289
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Minimal Lites

PRIVACY & TEXTURED GLASS



TS296__
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896__
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS296__SL
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS752
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8752
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS704
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8704
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS255
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS236
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8317
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES



TS237

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
(Scalloped Lite Frame)

CLEAR GLASS



TS708

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8708

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS256

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS296

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

896

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS296SL

12" x 6'8"
14" x 6'8"

Solid Panel




TS210

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

810

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



TS100

2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

800

2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

BLACKSTONE®



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS®



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK®



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA™



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY™



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA®



RSRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CONCORDE™



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON™



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE™



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS®



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

LATITUDE



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
3'0" Door Only



19210T
12" & 14" Sidelite Only

Profiles & Traditions Steel

Low-E Glass (LE)
Black Nickel Caming (1D)
Brushed Nickel Caming (1C)
Brass Caming (1A)

Wrought Iron (1W)
Fixed Grilles (FXG)
Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
Standard Lite Frame Available

WBDR / HVHZ Options
Elevated 10" Bottom Rail Options

Fire Doors




Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.[1] Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star® 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.[2]



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.


ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label. See page 235.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓California Air Resources Board (CARB) formaldehyde regulations.
- ✓California State Fire Marshall test CA SFM 12-7A-1.



For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓Approved for structural use in Florida.
- ✓Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

[1]To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
[2]Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.
Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Left: Smooth-Star Door – SSF120

20-Minute Fire-Rated Wood Edge – Fiberglass

SMOOTH-STAR®



SSF93
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SSF45
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SSF220 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8220 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF1100 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF81100
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF120 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8120 E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8200
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8205
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF755
2'10" x 6'8"
3'0" x 6'8"



SSF31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF831
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF960
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SSF4800 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF84800
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




SSF600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SSF8600
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF160 E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8160
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



SSF100 ■ E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

SSF8100 ■ E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star Door – SSF45, Finish – Alpine



20-Minute Fire-Rated Wood Edge – Steel

PROFILES™



969HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



978HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1005HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



205HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



203HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



210HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

TRADITIONS



TS210
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




TS100
E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

No Stile Lines
WBDR Options
WBDR / HVHZ Options
E Elevated 10" Bottom Rail Options

PULSE

Modern design, upbeat living.

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.





[1]Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door – S81EC, Finish – Golden Wheat
Right Page: Pulse Ari, Satin Etch Glass, Door – S2XE, Finish – Indigo

It's your decision, by design.


Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

THE CREATIVITY IS UNLIMITED

Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.







LIFETIME LIMITED WARRANTY
Fiberglass


10 YEAR LIMITED WARRANTY
Steel

ENERGY STAR PARTNER

WBDR / HVHZ Options:
Look for this icon to find door styles that can be configured for WBDR or HVHZ.[1]

1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



Ari Línea Echo Sidelites

2 CHOOSE A MATERIAL

Each style is available in any of these material choices.




Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.) | Smooth Fiberglass | Steel

3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.




Reeded | Satin Etch | Chord | Chinchilla | Rainglass | Granite

Low-E also available.


Decorative Glass

Available for Línea.



1 2 3 4 5 6 7 8 9 10 11

Available for Ari.



3 5 6 7 8 9 11

Available for Echo.



7 8

1 Blackstone
2 Crystalline
3 Sedona
4 Salinas
5 Saratoga
6 Riserva
7 Pembridge
8 Axis
9 Calix
10 Latitude
11 Echelon

4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame | Scrolled Profile Lite Frame

ADVANTA® LITE FRAME

Our patented Advanta[1] lite frame now comes default with every Pulse® door system, unless otherwise noted.

[1]See your Therma-Tru seller for details on product availability.

Right Page: Pulse Ari, Reeded Glass with Scrolled Lite Frame, Door – FCM83XK, Sidelites – FCM81200XKSL, Finish – Barley

Pulse Size Options						
	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ○ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ○ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"


• Available in full-lite sidelites only.
○ Available in Línea and Echo only.

Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.




Ari


Note: Product images show exterior side of door.




S2SN | S83SN



S2SG | S83SG




S2RS | S83RS



S2PB | S83PB




S2AX | S83AX



S2CX | S83CX



S2EC | S83EC




S2_ S2CL | S83_ S83CL




Línea


Note: Product images show exterior side of door.



S1LBS | S81LBS




S1BS | S81BS




S1RBS | S81RBS



S1LBL | S81LBL



S1BL | S81BL



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth:
Fiberglass or Steel


It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.

Top: Pulse Ari, Saratoga Glass with Flat Lite Frame, Door – S2SG, Finish – Estuary



S1RBL | S81RBL




S1LSN




S1SN




S1RSN




S1LSA | S81LSA




S1SA | S81SA




S1RSA | S81RSA




S1LSG | S81LSG




S1SG | S81SG




S1RSG | S81RSG



S1LRS | S81LRS




S1RS | S81RS



S1RRS | S81RRS



S1LPB | S81LPB



S1PB | S81PB



S1RPB | S81RPB

Pulse


LÍNEA *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite


- **Low-E Glass (LE)**
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- **Brass Caming (1A)**
- **Wrought Iron (1W)**
- **Scrolled & Flat Advanta Lite Frame**
- **WBDR / HVHZ Options**




S1LAX | S81LAX




S1AX | S81AX




S1RAX | S81RAX




S1LCX | S81LCX




S1CX | S81CX




S1RCX | S81RCX




S1LLT | S81LLT




S1LT | S81LT



S1RLT | S81RLT




S1LEC | S81LEC



S1EC | S81EC



S1REC | S81REC



S1L_ S1LCL | S81L_ S81LCL




S1_ S1CL | S81_ S81CL




S1R_ S1RCL | S81R_ S81RCL

Pulse



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth:
Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 277 for important product details that may help with your purchase decision.

Echo

Note: Product images show exterior side of door.



S4LPB | S84LPB



S4PB | S84PB



S4RPB | S84RPB



S5LPB | S85LPB



S5PB | S85PB



S5RPB | S85RPB



S86LPB



S86PB



S86RPB



S9LPB E



S9PB E



S9RPB E



S8LPB E



S8PB E



S8RPB E

ECHO *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Note: Product images show exterior side of door.


S811LPB


S811PB


S811RPB


S810LPB



S810PB


S810RPB



S4LAX | S84LAX


S4AX | S84AX


S4RAX | S84RAX


S5LAX | S85LAX


S5AX | S85AX



S5RAX | S85RAX


S86LAX


S86AX


S86RAX


Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)


Smooth:
Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.



S9LAX



S9AX



S9RAX



S8LAX



S8AX



S8RAX




S811LAX



S811AX



S811RAX



S810LAX



S810AX




S810RAX




S4L_
S4LCL

S84L_
S84LCL



S4_
S4CL

S84_
S84CL



S4R_
S4RCL

S84R_
S84RCL



S5L_
S5LCL

S85L_
S85LCL

ECHO *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.


XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Low-E Glass (LE)
Black Nickel Caming (1D)
Brushed Nickel Caming (1C)
Brass Caming (1A)

Standard Lite Frame Available
Scrolled & Flat Advanta Lite Frame
E **Elevated 10" Bottom Rail Options**



S5_
S5CL
S85_
S85CL



S5R_
S5RCL
S85R_
S85RCL




S86L_
S86LCL




S86_
S86CL




S86R_
S86RCL



S9L_
S9LCL
E



S9_
S9CL
E



S9R_
S9RCL
E



S8L_
S8LCL
E



S8_
S8CL
E



S8R_
S8RCL
E



S811L_
S811LCL
E



S811_
S811CL
E



S811R_
S811RCL
E



S810L_
S810LCL
E



S810_
S810CL
E



S810R_
S810RCL
E



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth:
Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.

Sidelites

Note: Product images show exterior side of door.



DRS2131SL
12" x 6'8"(7'0")
14" x 6'8"(7'0")

DRS82131SL
12" x 8'0"
14" x 8'0"




S4570SL | S85927SL



S6130SL | S84586SL



S604SL



S6134SL | S85931SL



S602SL | S85932SL




S572SL | S8572SL



S6500SL | S86500SL



S1651SL | S81651SL



S2389SL | S82389SL



S2382SL | S82382SL



S2385SL | S82385SL



S601_SL
S601SL

S81086_SL
S81086SL



S86PBSL



S5PBSL | S85PBSL



S4PBSL | S84PBSL



S811PBSL



S810PBSL



S9PBSL



S10PBSL

Pulse


SIDELITES *Continue on next page.*

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



S86AXSL | S5AXSL | S85AXSL | S4AXSL | S84AXSL | S811AXSL | S810AXSL | S9AXSL | S10AXSL



S86_SL, S86CLSL | S5_SL, S5CLSL | S85_SL, S85CLSL | S4_SL, S4CLSL | S84_SL, S84CLSL | S811_SL, S811CLSL | S810_SL, S810CLSL | S9_SL, S9CLSL | S10_SL, S10CLSL

Pulse

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Low-E Glass (LE)
Black Nickel Caming (1D)
Vented Sidelite Options
Scrolled & Flat Advanta Lite Frame
Standard Lite Frame Available



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth:
Fiberglass or Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door – S85XE, Sidelite – S85XESL, Finish – Onyx



Finish Options

Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.









PRISMAGUARD®

Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



10 YEAR LIMITED WARRANTY
Classic Craft Finish
Transferable

10 YEAR LIMITED WARRANTY
Fiber-Classic, Smooth-Star, Pulse, Steel Finish

Professional Application

Durable Topcoat



YELLOWSTONE FOREVER

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the ( ) symbol.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.
Left Page: Smooth-Star, Clear Glass with GBGs, Door - S2104, Finish - Golden Wheat
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door - FC83XK, Finish - Acorn



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.

Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.

Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.

Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.

Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



1. It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
2. A base coat provides an even, consistent color across the surface.
3. A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
4. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
5. A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Shown on Classic Craft Fir Grain.


Tumbleweed


Acorn


Wildflower Honey


Rustic Clay


Barley


Mulberry


Autumn Harvest


New Earth


Driftwood


Raven

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

= Inspired by Yellowstone National Park.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



1. It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
2. A base coat provides an even, consistent color across the surface.
3. A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
4. A second application of the topcoat provides added durability and optimal sheen for a high-end look.








COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here.
Look for the ( ) symbol. See your Therma-Tru seller for details.


Alpine


Granite


Peregrine


Onyx


Obsidian


Indigo


Estuary


Arctic Ice


Cypress


Golden Wheat


Canyon


Ruby Red


Cabernet


Chestnut


Elk

Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

= Inspired by Yellowstone National Park.

Left Page: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat

SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.




ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.[1]


Visit **thermatru.com/samedaystain** for ordering information and easy-to-follow instructions.

Shown on Classic Craft Fir Grain.



Light Oak



Natural Oak


Walnut


English Walnut


Mahogany


Cherry


Cedar

5 YEAR LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, visit **thermatru.com/finishing** or ask your seller for more details.

[1]Actual coverage may vary based on product selected, application method and desired appearance.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Door System Components



PROVEN TO PERFORM, PROTECT AND PRESERVE

A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at **thermatru.com/parts**.


Composite Door Frame[1]
featuring Tru-Guard™ Composite Technology



TRU GUARD™
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded Ⓐ LVL core to provide additional structural support and stability and feature a Ⓑ composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at **store.thermatru.com**.

[1]See your Therma-Tru seller for details on product availability.
[2]Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
[3]To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry — no sanding or priming required.



Ready to install.
Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is — no painting required. Or finish with stain or paint to complement the entry — no sanding or priming required.

THE ADVANTAGE IS CLEAR

Performance	
Resists Moisture and Humidity — Eliminates Risk of Swelling, Warping and Splitting	✓
Resists Mold, Fungus and Rot — Does Not Absorb or Retain Moisture	✓
Resists Insects — Helps Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.[2]	✓
Impact and 20-Minute Fire Code Compliant[3]	✓
Aesthetics	
Ready to Finish — No Sanding or Priming Required	✓
Ready-to-Install Option — No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species — Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓

Warranty

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft Door + Components	LIFETIME LIMITED WARRANTY Transferable	**Lifetime Transferable Full-System Rider**
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse Fiberglass Door + Components	LIFETIME LIMITED WARRANTY	**10-Year Transferable Full-System Rider**
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




4-1/8"
4-9/16" ◑
5-1/4"
6-9/16" ◑
7-1/4"

Mullions




2" Entry Narrow ◑
2-1/2" Entry Wide



2" Patio Narrow
2-1/2" Patio Wide

◑ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.[1]

Pendulum Impact Test



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.[2]

- Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.[2]
- 20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.[2]

[1]Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
[2]To confirm code requirements in your jurisdiction, always check with your local building code authority.
Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

INSWING OPTIONS

Composite Adjustable Sill (Premium)



- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"–75" rough openings.[1]

Hardwood Adjustable Sill



- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)




- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

Value Composite Adjustable Sill (Economy)




- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders




OUTSWING OPTIONS

Composite Outswing Sill (Premium)




- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break



- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.


Coastal Sill (For Coastal Regions)



- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill

Public Access Sill with Thermal Break[2] (For ADA Applications)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

[1]See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
[2]Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.
[3]For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Tru-Defense Eligible

SILL FINISHES



Mill



Bronze

CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available

	Inswing Options	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	**Outswing Options**	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	**Public Access** (Inswing / Outswing)	Public Access (ADA)[2]
Sill Finishes											
Mill		■	■	■		■	■	■	■		■
Bronze		■	■	■		■	■	■			■
Cap Colors											
Lightwood		■		■		■					
Darkwood		■		■		■					
Hardwood			■								
Sill Configurations											
Single		■	■	■		■	■	■	■		■
French		■	■			■	■	■	■		■
Double Patio		■	■			■					
Triple Patio		■				■					
Lineal		■	■								
Sidelite Configurations											
Boxed Sidelites		■									
Single with Sidelites		■	■			■					
French with Sidelites		■									
Single Vented Sidelites		■									
French Vented Sidelites		■									
Depths											
4-9/16"		■		■		■		■	■		■
5-3/4"		■	■	■		■	■				
6-9/16"											■
7-3/4"		■	■	■			■				
Substrates											
Composite Extruded		■				■					
Composite Injection Molded		■		■							
Treated Pine			■				■	■	■		
Other Options											
Integrated Thermal Break		■	■	■		■	■				■
Screen Rail Available		■	■								
Sill Extenders Available		■	■	■		■					
Sill Covers Available		■	■	■		■					
Tru-Defense Eligible[3]		■				■					
With Anchor Holes							■	■	■		■
Without Anchor Holes		■	■	■		■	■				

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep ✣

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.




Inactive Door Bottom ✣

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

OUTSWING OPTIONS



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze




Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / REPLACEMENT



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Shown over composite adjustable sill.

Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 262 for availability.

Sill Pan (Recommended) ✣



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Note: See page 277 for important product details that may help with your purchase decision.

✣ Tru-Defense Eligible

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Fiber-Classic® / Smooth-Star® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads



Colors:
Bronze

Sills:
Inswing
Applications Only

Weatherstrip

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Doors:
Square Edge

Long-Reach Weatherstrip



Colors:
Bronze
White

Doors:
Bull Edge

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.




Rain Deflector (Inswing)

Colors:
Bronze
White



Rain Guard (Outswing)

Colors:
Bronze
White



Bottom of door;
exterior view.



Top of door;
exterior view.

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

GRIP-STYLE MPLS ✣

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue

Heights:	Configurations:
6'8"	Inswing
7'0"	Outswing
8'0"	

1. Self-lubricating locks.
2. 1" premium stainless steel deadbolt.
3. Integrated mishandling device.



Exterior view of door.

✣ Tru-Defense Eligible



Exterior view of door.

LEVER-STYLE MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Shootbolt
(For door systems with an astragal.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	



Vented Sidelite MPLS






Tongue
(Included in vented sidelite units.)


Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



Forte **Prospect**



Heirloom **Venture** **Millennium**

Backplates:
Wide
Narrow

Locking:
Active
Inactive

FINISH OPTIONS



Brushed Nickel | Black Nickel | Oil-Rubbed Bronze

FINISH OPTIONS



Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze

Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

Brushed Nickel
Black Nickel
Polished Chrome
Oil-Rubbed Bronze
Stainless Steel
Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

❶ Wraps around the door jamb for added support and an exact fit.

❷ 2-½" screws fully engage with the frame of the house for added strength.

Tru-Defense Eligible

[1]To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft® Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.[1]



HINGE FINISH OPTIONS



Bright Brass | Brushed Nickel | Black Nickel | Polished Chrome | Oil-Rubbed Bronze | Stainless Steel | Zinc Dichromate

■ = Available

Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing — Staggered Hole Pattern	Classic Craft Ball-Bearing — Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■				
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■		■		■
Polished Chrome	■	■	■	■	■		■		■
Oil-Rubbed Bronze	■	■	■	■	■	■	■		■
Stainless Steel		■	■	■	■		■	■	■
Zinc Dichromate		■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.





TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain



Fir Grain

Aluminum



Bronze

White

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-½" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.



STAINABLE / PAINTABLE ASTRAGAL



Shown in Oak grain with Driftwood stain.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Oak
Fir

Weatherstrip:
Bronze

ALUMINUM ASTRAGAL



Coastal option also available.

Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Finish Colors:
Bronze
White

Weatherstrip:
Bronze

Tru-Defense Eligible

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Left Page: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028
Top: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example





Special Quote
GBG Color Options

DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming

CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

Note: Product availability, size options, lead times and pricing will vary based on the request. Please contact your Therma-Tru seller for details.

3'6" Width Door Style Options

CLASSIC CRAFT®

8'0" Door Styles




Glass Designs							
Homeward	■		■			■	■
Arborwatch	■		■			■	■
Augustine	◆	◆	◆	◆	◆	◆	
Borrassa	◆	◆	◆	◆	◆	◆	
Lucerna	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

KEY

- ■ **Classic Craft® Casual Styles**
- ◆ **Classic Craft® Traditional Styles**
- ▲ **Classic Craft® Modern Styles**
- ✱ **Smooth-Star®**
- ◗ **Profiles™ & Traditions**

6'8" & 8'0" Solid-Panel Door Styles




◆	◆	◆	◆	◆	■	■	◆	◆	▲	▲

SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE®

6'8" & 8'0" Door Styles

All Pulse Styles



Glass Designs												
Blackstone	✱◗	✱			✱◗	✱						
Crystalline	✱◗	✱			✱◗	✱						
Sedona	✱◗		✱◗	✱	✱◗	✱						
Salinas	✱◗	✱			✱◗	✱						
Maple Park	✱◗											
Saratoga	✱◗		✱◗	✱	✱◗	✱						
Texas Star	✱◗											
Wellesley	✱◗	✱										
Riserva	✱◗	✱	✱◗	✱	✱◗	✱						
Concorde	✱◗	✱										
Kensington	✱◗											
Pembridge	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Axis	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Calix	✱◗	✱	✱◗	✱	✱◗	✱						
Latitude	✱◗	✱			✱◗	✱						
Echelon	✱◗	✱	✱◗	✱	✱◗	✱						
Privacy & Textured Glass	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Internal Blinds	✱◗	✱										
Divided Lites	✱◗	✱										
Clear	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱	✱◗	✱		
Solid Panel											✱◗	✱

7'0" Height Door Style Options

Glass Designs \ Door Styles												
Blackstone	▼▲✱◗	▲✱◗	✱		◗							
Crystalline	▼▲✱◗											
Sedona	▼▲✱◗	▲✱◗	✱		◗							
Salinas	▼▲✱◗	▲✱◗	✱		◗							
Maple Park	▼▲✱◗	▲✱◗	✱		◗			▲✱◗				
Saratoga	▼▲✱◗	▲✱◗	✱		◗		▼✱	▲✱◗				
Texas Star	▼▲✱◗	▲✱◗	✱									
Wellesley	▼▲✱◗	▲✱◗	✱		◗			▲✱◗				
Riserva	▼▲✱◗	▲✱◗	✱		◗							
Concorde	▼▲✱◗	▲✱◗	✱		◗			▲✱◗	◗			
Kensington	▼▲✱◗	▲✱◗	✱		◗							
Pembridge	▼▲✱◗	▲✱◗	✱		◗			◗		▲✱◗		
Axis	▼▲✱◗	▲✱◗	✱		◗					▲✱◗		
Calix	▼▲✱◗	▲✱◗	✱									
Latitude	▼▲✱◗											
Echelon	▼▲✱◗											
Privacy & Textured Glass	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗		▼✱			▲✱◗		
Internal Blinds	▼▲✱◗	▲✱◗	✱	▼▲✱◗								
Screen Vented		✱◗	✱	✱◗								
Divided Lites	▼▲✱◗	▲✱◗	✱		◗	✱◗	▼✱	▲✱◗	◗		◗	
Clear	▼▲✱◗	▲✱◗	✱	▼▲✱◗	◗	✱◗	▼✱	▲✱◗	◗	▲✱◗		
Solid Panel												

6'6" Height Door Style Options

Glass Designs \ Door Styles			
Blackstone	▲✱	▲✱	
Crystalline	▲✱	▲✱	
Sedona	▲✱	▲✱	
Salinas	▲✱	▲✱	
Maple Park	▲✱	▲✱	
Saratoga	▲✱	▲✱	
Texas Star	▲✱	▲✱	
Wellesley	▲✱	▲✱	
Riserva	▲✱	▲✱	
Concorde	▲✱	▲✱	
Kensington	▲✱	▲✱	
Pembridge	▲✱	▲✱	
Axis	▲✱	▲✱	
Calix	▲✱	▲✱	
Latitude	▲✱	▲✱	
Echelon	▲✱	▲✱	
Privacy & Textured Glass	▲✱	▲✱	
Internal Blinds	▲✱	▲✱	
Screen Vented			
Divided Lites	▲✱	▲✱	
Clear	▲✱	▲✱	
Solid Panel			▲✱◗

KEY

- ▲ **Classic Craft® Modern Styles**
- ▼ **Fiber-Classic® Mahogany™**
- ▲ **Fiber-Classic® Oak™**
- ✱ **Smooth-Star®**
- ◗ **Profiles™ & Traditions**

		▼▲✱◗	◗					
		▼▲✱◗						
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗	▼✱				
		▼▲✱◗						
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗					
		▼▲✱◗	◗		◗			
		▼▲✱◗	◗		◗			
		▼▲✱◗	◗					
		▼▲✱◗						
		▼▲✱◗						
		▼▲✱◗	◗	▼✱	◗			
		▼▲✱◗	◗					
	◗	▼▲✱◗	◗	▼✱				
		▼▲✱◗	◗	▼✱	◗			
						✱	▲✱	▲▼▲✱





Top: Smooth-Star, Maple Park Glass, Door – S6107
Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel — Top Rail	Composite	Composite	Composite	Wood	Wood
Panel — Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-¼" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill[1]	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip — Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip — Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip — Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges[1]	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame[1]	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

[1]Standard product recommendations shown; additional options may be available.

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at thermatru.com:

- Therma-Tru® Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Door Systems; Steel – Pulse®, Profiles™, and Traditions Door Systems
- Therma-Tru® Tru-Defense® Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic® and Smooth-Star® Flush-Glazed Fiberglass Door Systems
- PrismaGuard® Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft®, Fiber-Classic®, Smooth-Star®, and Pulse® Door Systems; Steel – Pulse®, Profiles™ and Traditions
- Same-Day® Stain 5-Year Limited Warranty: Same-Day® Stain and Topcoat for Use on Therma-Tru® Fiberglass Door Systems and Fypon® Stainable Polyurethane Products
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems
- Therma-Tru® Composite Door Frame featuring Tru-Guard™ Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft®, Fiber-Classic®, Smooth-Star® and Pulse® Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit thermatru.com for more details.

Classic Craft .....
19020T 94
19200T 94
19210T 94
19220T 94
AB30T 94
ABRT 94
CC040T 94
CC400T 94
CC420T 94
CCA1100 89
CCA1125 88
CCA1127 88
CCA1133 89
CCA1145 89
CCA1147 89
CCA1149 88
CCA1150 89
CCA1158 89
CCA1166 89
CCA1423SL 83
CCA210 86
CCA210SL 86
CCA210XC 84
CCA210XCSL 84
CCA210XJ 84
CCA210XJSL 84
CCA210XN 84
CCA210XNSL 84
CCA210XR 84
CCA210XRSL 84
CCA211 82
CCA211SL 82
CCA220 85
CCA220SL 86
CCA220XC 83
CCA220XCSL 84
CCA220XJ 83
CCA220XJSL 84
CCA220XN 83
CCA220XNSL 84
CCA220XR 83
CCA220XRSL 84
CCA230 85
CCA2300 58
CCA2300SL 60
CCA2300XC 56
CCA2300XCSL 58
CCA2300XE 56
CCA2300XESL 58
CCA2300XJ 56
CCA2300XJSL 58
CCA2300XK 56
CCA2300XKSL 58
CCA2300XN 56
CCA2300XNSL 58
CCA2300XR 56
CCA2300XRSL 58
CCA230XC 83
CCA230XJ 83
CCA230XN 83
CCA230XR 83
CCA231 82
CCA2310 58
CCA2310SL 60
CCA2310XC 56
CCA2310XCSL 58
CCA2310XE 56
CCA2310XESL 58
CCA2310XJ 56
CCA2310XJSL 58
CCA2310XK 56
CCA2310XKSL 58
CCA2310XN 56
CCA2310XNSL 58
CCA2310XR 56
CCA2310XRSL 58
CCA2320 58
CCA2320SL 60
CCA2320XC 56
CCA2320XCSL 58
CCA2320XE 56
CCA2320XESL 58
CCA2320XJ 56
CCA2320XJSL 58
CCA2320XK 56
CCA2320XKSL 58
CCA2320XN 56
CCA2320XNSL 58
CCA2320XR 56
CCA2320XRSL 58
CCA2330 59
CCA2330SL 60
CCA2330XC 56
CCA2330XCSL 58
CCA2330XE 56
CCA2330XESL 58
CCA2330XJ 56
CCA2330XJSL 58
CCA2330XK 56
CCA2330XKSL 58
CCA2330XN 56
CCA2330XNSL 58
CCA2330XR 56
CCA2330XRSL 58
CCA2340 59
CCA2340SL 61
CCA2340XC 56
CCA2340XCSL 58
CCA2340XE 56
CCA2340XESL 58
CCA2340XJ 56
CCA2340XJSL 58
CCA2340XK 56
CCA2340XKSL 58
CCA2340XN 56
CCA2340XNSL 58
CCA2340XR 56
CCA2340XRSL 58
CCA2350 59
CCA2350XC 57
CCA2350XE 57
CCA2350XJ 57
CCA2350XN 57
CCA2350XR 57
CCA2360 59
CCA2360XC 57
CCA2360XE 57
CCA2360XJ 57
CCA2360XN 57
CCA2360XR 57
CCA2370 59
CCA2370XC 57
CCA2370XE 57
CCA2370XJ 57
CCA2370XN 57
CCA2370XR 57
CCA2380 59
CCA2380XC 56
CCA2380XE 56
CCA2380XJ 56
CCA2380XK 56
CCA2380XN 56
CCA2380XR 56
CCA240 85
CCA2400 60
CCA2400SL 61
CCA2400XC 57
CCA2400XCSL 58
CCA2400XE 57
CCA2400XESL 58
CCA2400XJ 57
CCA2400XJSL 58
CCA2400XK 57
CCA2400XKSL 58
CCA2400XN 57
CCA2400XNSL 58
CCA2400XR 57
CCA2400XRSL 58
CCA240XC 84
CCA240XJ 84
CCA240XN 84
CCA240XR 84
CCA2410SL 89
CCA2420SL 89
CCA260 86
CCA260XC 84
CCA260XJ 84
CCA260XN 84
CCA260XR 84
CCA3400SL 86
CCA3400XCSL 84
CCA3400XJSL 84
CCA3400XNSL 84
CCA3400XRSL 84
CCA3401SL 82
CCA3450SL 86
CCA3450XCSL 84
CCA3450XJSL 84
CCA3450XNSL 84
CCA3450XRSL 84
CCA3500SL 86
CCA3500XCSL 84
CCA3500XJSL 84
CCA3500XNSL 84
CCA3500XRSL 84
CCA3501SL 82
CCA3560SL 86
CCA3560XCSL 84
CCA3560XJSL 84
CCA3560XNSL 84
CCA3560XRSL 84
CCA4900 59
CCA4900XC 57
CCA4900XE 57
CCA4900XJ 57
CCA4900XN 57
CCA4900XR 57
CCA4905 88
CCA4910L 59
CCA4910LXC 57
CCA4910LXE 57
CCA4910LXJ 57
CCA4910LXN 57
CCA4910LXR 57
CCA4910R 59
CCA4910RXC 57
CCA4910RXE 57
CCA4910RXJ 57
CCA4910RXN 57
CCA4910RXR 57
CCA4915L 88
CCA4915R 88
CCA4920L 59
CCA4920LXC 57
CCA4920LXE 57
CCA4920LXJ 57
CCA4920LXN 57
CCA4920LXR 57
CCA4920R 59
CCA4920RXC 57
CCA4920RXE 57
CCA4920RXJ 57
CCA4920RXN 57
CCA4920RXR 57
CCA4925L 88
CCA4925R 88
CCA4930 60
CCA4930XC 57
CCA4930XE 57
CCA4930XJ 57
CCA4930XN 57
CCA4930XR 57
CCA4935 89
CCA4940 60
CCA4940XC 57
CCA4940XE 57
CCA4940XJ 57
CCA4940XN 57
CCA4940XR 57
CCA4945 89
CCA81100 89
CCA81125 88
CCA81127 88
CCA81133 89
CCA81145 89
CCA81147 89
CCA81149 88
CCA81150 89
CCA81158 89
CCA81166 89
CCA81423SL 83
CCA8210 86
CCA8210XC 84
CCA8210XJ 84
CCA8210XN 84
CCA8210XR 84
CCA8211 82
CCA8220 85
CCA8220XC 83
CCA8220XJ 83
CCA8220XN 83
CCA8220XR 83
CCA8230 85
CCA82300 58
CCA82300SL 60
CCA82300XC 56
CCA82300XCSL 58
CCA82300XE 56
CCA82300XESL 58
CCA82300XJ 56
CCA82300XJSL 58
CCA82300XK 56
CCA82300XKSL 58
CCA82300XN 56
CCA82300XNSL 58
CCA82300XR 56
CCA82300XRSL 58
CCA8230XC 83
CCA8230XJ 83
CCA8230XN 83
CCA8230XR 83
CCA8231 82
CCA82310 58
CCA82310SL 60
CCA82310XC 56
CCA82310XCSL 58
CCA82310XE 56
CCA82310XESL 58
CCA82310XJ 56
CCA82310XJSL 58
CCA82310XK 56
CCA82310XKSL 58
CCA82310XN 56
CCA82310XNSL 58
CCA82310XR 56
CCA82310XRSL 58
CCA82320 58
CCA82320SL 60
CCA82320XC 56
CCA82320XCSL 58
CCA82320XE 56
CCA82320XESL 58
CCA82320XJ 56
CCA82320XJSL 58
CCA82320XK 56
CCA82320XKSL 58
CCA82320XN 56
CCA82320XNSL 58
CCA82320XR 56
CCA82320XRSL 58
CCA82330 59
CCA82330SL 60
CCA82330XC 56
CCA82330XCSL 58
CCA82330XE 56
CCA82330XESL 58
CCA82330XJ 56
CCA82330XJSL 58
CCA82330XK 56
CCA82330XKSL 58
CCA82330XN 56
CCA82330XNSL 58
CCA82330XR 56
CCA82330XRSL 58
CCA82340 59
CCA82340SL 61
CCA82340XC 56
CCA82340XCSL 58
CCA82340XE 56
CCA82340XESL 58
CCA82340XJ 56
CCA82340XJSL 58
CCA82340XK 56
CCA82340XKSL 58
CCA82340XN 56
CCA82340XNSL 58
CCA82340XR 56
CCA82340XRSL 58
CCA82350 59
CCA82350XC 57
CCA82350XE 57
CCA82350XJ 57
CCA82350XN 57
CCA82350XR 57
CCA82360 59
CCA82360XC 57
CCA82360XE 57
CCA82360XJ 57
CCA82360XN 57
CCA82360XR 57
CCA82370 59
CCA82370XC 57
CCA82370XE 57
CCA82370XJ 57
CCA82370XN 57
CCA82370XR 57
CCA82380 59
CCA82380XC 56
CCA82380XE 56
CCA82380XJ 56
CCA82380XK 56
CCA82380XN 56
CCA82380XR 56
CCA8240 85
CCA82400 60
CCA82400SL 61
CCA82400XC 57
CCA82400XCSL 58
CCA82400XE 57
CCA82400XESL 58
CCA82400XJ 57
CCA82400XJSL 58
CCA82400XK 57
CCA82400XKSL 58
CCA82400XN 57
CCA82400XNSL 58
CCA82400XR 57
CCA82400XRSL 58
CCA8240XC 84
CCA8240XJ 84
CCA8240XN 84
CCA8240XR 84
CCA82410SL 89
CCA82420SL 89
CCA8260 86
CCA8260XC 84
CCA8260XJ 84
CCA8260XN 84
CCA8260XR 84
CCA84900 59
CCA84900XC 57
CCA84900XE 57
CCA84900XJ 57
CCA84900XN 57
CCA84900XR 57
CCA84905 88
CCA84910L 59
CCA84910LXC 57
CCA84910LXE 57
CCA84910LXJ 57
CCA84910LXN 57
CCA84910LXR 57
CCA84910R 59
CCA84910RXC 57
CCA84910RXE 57
CCA84910RXJ 57
CCA84910RXN 57
CCA84910RXR 57
CCA84915L 88
CCA84915R 88
CCA84920L 60
CCA84920LXC 57
CCA84920LXE 57
CCA84920LXJ 57
CCA84920LXN 57
CCA84920LXR 57
CCA84920R 60
CCA84920RXC 57
CCA84920RXE 57
CCA84920RXJ 57
CCA84920RXN 57
CCA84920RXR 57
CCA84925L 89
CCA84925R 89
CCA84930 60
CCA84930XC 57
CCA84930XE 57
CCA84930XJ 57
CCA84930XN 57
CCA84930XR 57
CCA84935 89
CCA84940 60
CCA84940XC 57
CCA84940XE 57
CCA84940XJ 57
CCA84940XN 57
CCA84940XR 57
CCA84945 89
CCA87100 86
CCA87100XR 84
CCA87111 83
CCA87112 82
CCA87131 83
CCA87132 82
CCA87200 85
CCA87200XR 83
CCA87300 85
CCA87300XR 83
CCA87400 86
CCA87400XR 84
CCA87600 86
CCA87600XR 84
CCA89100 83
CCA9100 83
CCA9100SL 83
CCA9300 83
CCM1419 62
CCM1424 80
CCM1465 63
CCM1475 63
CCM1485 62
CCM1495 63
CCM1842 65
CCM1843SL 65
CCM1844 65
CCM200 67
CCM200XC 66
CCM200XN 66
CCM203 63
CCM204 64
CCM2800 67
CCM2800XC 65
CCM2800XE 65
CCM2800XK 65
CCM2800XN 65
CCM2800XR 65
CCM2801 62
CCM2802 64
CCM2803 65
CCM2804 66
CCM2804XC 65
CCM2804XE 65
CCM2804XK 65
CCM2804XN 65
CCM2804XR 65
CCM2806 66
CCM2806XC 65
CCM2806XE 65
CCM2806XK 65
CCM2806XN 65
CCM2806XR 65
CCM2812 66
CCM2812XC 65
CCM2812XE 65
CCM2812XK 65
CCM2812XN 65
CCM2812XR 65
CCM300 67
CCM300XC 66
CCM300XN 66
CCM301CAL 79
CCM301CALXC 76
CCM301CALXE 76
CCM301CALXN 76
CCM301CALXR 76
CCM301CAR 79
CCM301CARXC 76
CCM301CARXE 76
CCM301CARXN 76
CCM301CARXR 76
CCM302 64
CCM302L 78
CCM302LXC 75
CCM302LXE 75
CCM302LXN 75
CCM302LXR 75
CCM302R 78
CCM302RXC 75
CCM302RXE 75
CCM302RXN 75
CCM302RXR 75

CCM303 63
CCM303L 79
CCM303LXC 76
CCM303LXE 76
CCM303LXN 76
CCM303LXR 76
CCM303R 79
CCM303RXC 76
CCM303RXE 76
CCM303RXN 76
CCM303RXR 76
CCM304L 78
CCM304LXC 76
CCM304LXE 76
CCM304LXN 76
CCM304LXR 76
CCM304R 78
CCM304RXC 76
CCM304RXE 76
CCM304RXN 76
CCM304RXR 76
CCM305CAL 79
CCM305CALXC 77
CCM305CALXE 77
CCM305CALXN 77
CCM305CALXR 77
CCM305CAR 79
CCM305CARXC 77
CCM305CARXE 77
CCM305CARXN 77
CCM305CARXR 77
CCM306CAL 79
CCM306CALXC 77
CCM306CALXE 77
CCM306CALXN 77
CCM306CALXR 77
CCM306CAR 79
CCM306CARXC 77
CCM306CARXE 77
CCM306CARXN 77
CCM306CARXR 77
CCM3300SL 67
CCM3302SL 64
CCM3303SL 64
CCM60 93
CCM600 81
CCM600XE 80
CCM603 80
CCM612 80
CCM805027 62
CCM81418 62
CCM81519 63
CCM82800 67
CCM82800XC 65
CCM82800XE 65
CCM82800XK 65
CCM82800XN 65
CCM82800XR 65
CCM82801 62
CCM82802 64
CCM82803 65
CCM82804 66
CCM82804XC 65
CCM82804XE 65
CCM82804XK 65
CCM82804XN 65
CCM82804XR 65
CCM82806 66
CCM82806XC 65
CCM82806XE 65
CCM82806XK 65
CCM82806XN 65
CCM82806XR 65
CCM82815 66
CCM82815XC 65
CCM82815XE 65
CCM82815XK 65
CCM82815XN 65
CCM82815XR 65
CCM8301CAL 79
CCM8301CALXC 76
CCM8301CALXE 76
CCM8301CALXN 76
CCM8301CALXR 76
CCM8301CAR 79
CCM8301CARXC 76
CCM8301CARXE 76
CCM8301CARXN 76
CCM8301CARXR 76
CCM8302L 78
CCM8302LXC 75
CCM8302LXE 75
CCM8302LXN 75
CCM8302LXR 75
CCM8302R 78
CCM8302RXC 75
CCM8302RXE 75
CCM8302RXN 75
CCM8302RXR 75
CCM8303L 79
CCM8303LXC 76
CCM8303LXE 76
CCM8303LXN 76
CCM8303LXR 76
CCM8303R 79
CCM8303RXC 76
CCM8303RXE 76
CCM8303RXN 76
CCM8303RXR 76
CCM8304L 79
CCM8304LXC 76
CCM8304LXE 76
CCM8304LXN 76
CCM8304LXR 76
CCM8304R 79
CCM8304RXC 76
CCM8304RXE 76
CCM8304RXN 76
CCM8304RXR 76
CCM8305CAL 79
CCM8305CALXC 77
CCM8305CALXE 77
CCM8305CALXN 77
CCM8305CALXR 77
CCM8305CAR 79
CCM8305CARXC 77
CCM8305CARXE 77
CCM8305CARXN 77
CCM8305CARXR 77
CCM8306CAL 79
CCM8306CALXC 77
CCM8306CALXE 77
CCM8306CALXN 77
CCM8306CALXR 77
CCM8306CAR 79
CCM8306CARXC 77
CCM8306CARXE 77
CCM8306CARXN 77
CCM8306CARXR 77
CCM890 92
CCM892 63
CCM9923 62
CCM9926 80
CCR040 93
CCR04020 77
CCR04020XC 75
CCR04020XN 75
CCR04022 73
CCR04023 72
CCR04027 69
CCR04037 69
CCR100 92
CCR10022 55
CCR100R 92
CCR1414 68
CCR1415 68
CCR1417 68
CCR1423 54
CCR1423SL 54
CCR1423SL 62
CCR1511 71
CCR1511A 71
CCR1512 71
CCR1512A 71
CCR1514 71
CCR1515 71
CCR1516 70
CCR1518 70
CCR1528 55
CCR1838 74
CCR1839 74
CCR1841 73
CCR1851 56
CCR1851SL 56
CCR1851SL 65
CCR200 93
CCR20020 77
CCR20020XC 75
CCR20020XN 75
CCR20022 73
CCR20023 72
CCR20027 69
CCR20037 70
CCR20037A 70
CCR200A 92
CCR2025SL 61
CCR2025SL 67
CCR2025XCSL 66
CCR2025XESL 66
CCR2025XHSL 93
CCR2025XJSL 66
CCR2025XNSL 66
CCR2025XRSL 66
CCR205 93
CCR20520 77
CCR20520XC 75
CCR20520XN 75
CCR20522 73
CCR20523 72
CCR20527 69
CCR20537 70
CCR20537A 70
CCR205A 92
CCR30020 61
CCR30023 55
CCR30027 54
CCR30028 55
CCR3400SL 61
CCR3400SL 67
CCR3400XCSL 66
CCR3400XESL 66
CCR3400XHSL 55
CCR3400XHSL 63
CCR3400XJSL 66
CCR3400XNSL 54
CCR3400XNSL 63
CCR3400XNSL 66
CCR3400XRSL 66
CCR3407SL 55
CCR3407SL 64
CCR3408SL 55
CCR3408SL 65
CCR3412SL 55
CCR3412SL 64
CCR8000SL 67
CCR8000XCSL 66
CCR8000XESL 66
CCR8000XHSL 63
CCR8000XJSL 66
CCR8000XNSL 63
CCR8000XNSL 66
CCR8000XRSL 66
CCR8005 92
CCR8005A 92
CCR8007SL 64
CCR8008SL 65
CCR8040 93
CCR804020 77
CCR804020XC 75
CCR804020XN 75
CCR804022 73
CCR804023 72
CCR804027 69
CCR804028 71
CCR804030 77
CCR804030XC 75
CCR804030XN 75
CCR804032 73
CCR804037 69
CCR8100 92
CCR8100R 92
CCR8102SL 64
CCR81414 68
CCR81415 68
CCR81417 68
CCR81423SL 62
CCR81511 71
CCR81511A 71
CCR81512 71
CCR81512A 71
CCR81514 71
CCR81515 71
CCR81516 70
CCR81518 70
CCR81838 74
CCR81839 74
CCR81841 73
CCR81845 74
CCR81845A 74
CCR81846 74
CCR81846A 74
CCR81847 74
CCR81851SL 65
CCR8200 93
CCR820020 77
CCR820020XC 75
CCR820020XN 75
CCR820022 73
CCR820023 72
CCR820027 69
CCR820028 72
CCR820030 77
CCR820030A 78
CCR820030XC 75
CCR820030XN 75
CCR820032 73
CCR820032A 73
CCR820037 70
CCR820037A 70
CCR8200A 92
CCR82035SL 67
CCR82035XCSL 66
CCR82035XESL 66
CCR82035XHSL 93
CCR82035XJSL 66
CCR82035XNSL 66
CCR82035XRSL 66
CCR8205 93
CCR820520 77
CCR820520XC 75
CCR820520XN 75
CCR820522 73
CCR820523 72
CCR820527 69
CCR820528 71
CCR820530 77
CCR820530A 78
CCR820530AXC 75
CCR820530AXN 75
CCR820530XC 75
CCR820530XN 75
CCR820532 73
CCR820532A 73
CCR820537 70
CCR820537A 70
CCR8205A 92
CCR8222 92
CCR822214 69
CCR822215 71
CCR822218 68
CCR822220 77
CCR822220XC 75
CCR822220XN 75
CCR822222 73
CCR822223 72
CCR822227 69
CCR822228 72
CCR822238 74
CCR8225 92
CCR89918 68
CCR89919 68
CCR89921 68
CCR89925SL 62
CCR9918 68
CCR9919 68
CCR9921 68
CCR9925 54
CCR9925SL 54
CCR9925SL 62
CCV050 93
CCV05020 67
CCV05020XC 66
CCV05020XN 66
CCV05022 64
CCV05023 64
CCV05027 63
CCV05028 65
CCV060 93
CCV06020 81
CCV06020XE 80
CCV06022 80
CCV06023 80
CCV06028 80
CCV10020 61
CCV10022 55
CCV10023 55
CCV10027 54
CCV10028 55
CCV100SL 61
CCV100SL 67
CCV100SL 87
CCV100XCSL 66
CCV100XCSL 85
CCV100XESL 66
CCV100XESL 85
CCV100XHSL 55
CCV100XHSL 63
CCV100XJSL 66
CCV100XJSL 85
CCV100XNSL 54
CCV100XNSL 63
CCV100XNSL 66
CCV100XNSL 85
CCV100XRSL 66
CCV100XRSL 85
CCV103SL 55
CCV103SL 64
CCV108SL 55
CCV108SL 65
CCV1414 69
CCV1415 69
CCV1418 62
CCV1423 54
CCV1423SL 54
CCV1423SL 62
CCV1423SL 83
CCV1424 80
CCV1512 71
CCV1515 71
CCV1516 71
CCV1519 63
CCV1528 55
CCV1838 74
CCV1839 74
CCV1843 65
CCV1851 56
CCV1851SL 56
CCV1851SL 65
CCV200 93
CCV205 93
CCV20520 78
CCV20520XC 75
CCV20520XN 75
CCV20522 73
CCV20523 72
CCV20527 70
CCV20537 70
CCV220 93
CCV22020 78
CCV22020XC 75
CCV22020XN 75
CCV22022 73
CCV22023 72
CCV22027 70
CCV3412SL 55
CCV3412SL 64
CCV4100 83
CCV4100SL 83
CCV4300 83
CCV805020 67
CCV805022 64
CCV805023 64
CCV805027 63
CCV805028 65
CCV8100SL 67
CCV8100SL 87
CCV8100XCSL 66
CCV8100XCSL 85
CCV8100XHSL 63
CCV8100XJSL 66
CCV8100XJSL 85
CCV8100XNSL 63
CCV8100XNSL 66
CCV8100XNSL 85
CCV8100XRSL 66
CCV8100XRSL 85
CCV8102SL 64
CCV8103SL 64
CCV8108SL 65
CCV8111SL 62
CCV81414 69
CCV81415 69
CCV81418 62
CCV81423SL 62
CCV81512 71
CCV81515 71
CCV81516 71
CCV81519 63
CCV81838 74
CCV81839 74
CCV81843 65
CCV81846 74
CCV81851SL 65
CCV8205 93
CCV820520 78
CCV820520XC 75
CCV820520XN 75
CCV820522 73
CCV820523 72
CCV820527 70
CCV820528 72
CCV820530 78
CCV820530XC 75
CCV820530XN 75
CCV820532 73
CCV820537 70
CCV8220 93
CCV822020 78
CCV822020XC 75
CCV822020XN 75
CCV822022 73
CCV822023 72
CCV822027 70
CCV822028 72
CCV831 93
CCV8950SL 67
CCV8950SL 87
CCV8950XCSL 66
CCV8950XCSL 85
CCV8950XHSL 93
CCV8950XJSL 66
CCV8950XJSL 85
CCV8950XNSL 66
CCV8950XNSL 85
CCV8950XRSL 66
CCV8950XRSL 85
CCV89918 68
CCV89919 68
CCV89922 62
CCV9010SL 87
CCV9011SL 82
CCV9020SL 87
CCV910 87
CCV910XC 85
CCV910XCSL 85
CCV910XJ 85
CCV910XJSL 85
CCV910XN 85
CCV910XNSL 85
CCV910XR 85
CCV910XRSL 85
CCV911 82
CCV911SL 54
CCV911SL 62
CCV911SL 82
CCV920 86
CCV920XC 85
CCV920XCSL 85
CCV920XJ 85
CCV920XJSL 85
CCV920XN 85
CCV920XNSL 85
CCV920XR 85
CCV920XRSL 85
CCV930 86
CCV930XC 85
CCV930XJ 85
CCV930XN 85
CCV930XR 85
CCV931 82
CCV940 86
CCV940XC 85

 Continues on next page.

CCV940XJ....85
CCV940XN....85
CCV940XR....85
CCV950SL....61
CCV950SL....67
CCV950SL....87
CCV950XCSL....66
CCV950XCSL....85
CCV950XESL....66
CCV950XESL....85
CCV950XHSL....93
CCV950XJSL....66
CCV950XJSL....85
CCV950XNSL....66
CCV950XNSL....85
CCV950XRSL....66
CCV950XRSL....85
CCV960....87
CCV960XC....85
CCV960XJ....85
CCV960XN....85
CCV960XR....85
CCV9918....68
CCV9919....68
CCV9922....62
CCV9925....54
CCV9926....80
CCW1000....90
CCW81000....90
CCW8900L....90
CCW8900R....90
CCW8901L....90
CCW8901R....90
CCW8902L....90
CCW8902R....91
CCW8903....91
CCW8904L....91
CCW8904R....91
CCW8905....91
CCW8906L....91
CCW8906R....91
CCW8907L....91
CCW8907R....91
CCW900L....90
CCW900R....90
CCW901L....90
CCW901R....90
CCW902L....90
CCW902R....91
CCW903....91
CCW904L....91
CCW904R....91
CCW905....91
CCW906L....91
CCW906R....91
CCW907L....91
CCW907R....91
DRS2131SL....91
DRS82131SL....91
HW30T....94
HWRT....94
LC30T....94
LCET....94
LCRT....94
LF30T....94
LFET....94
LFRT....94
ZHRT....94

Fiber-Classic & Smooth-Star....
1000....199
1283....150
1284....147
1285....147
1286....145
1289....148
2000....122
2009....120
2010....119
2050....119
8000....122
81000....199
81200....150
81208....147
81225....145
81828....147
2228225....120
2228316....119
12101SL....150
12101XCSL....144
12101XESL....144
12101XJSL....144
12101XKSL....144
12101XNSL....144
12101XRSL....144
12102SL....147
12102XCSL....143
12102XESL....143
12102XJSL....143
12102XKSL....143
12102XNSL....143
12102XRSL....143
1283XC....144
1283XE....144
1283XJ....144
1283XK....144
1283XN....144
1283XR....144
1284XC....142
1284XE....142
1284XJ....142
1284XK....142
1284XN....142
1284XR....142
1285XC....142
1285XE....142
1285XJ....142
1285XK....142
1285XN....142
1285XR....142
1286SL....145
18101SL....132
19020T....201
19055T....201
19200T....201
19210T....201
19220T....201
19520T....201
1964P....159
19720T....201
19730T....201
19740T....201
19750T....201
2000SL....122
2000XC....119
2000XCSL....119
2000XE....119
2000XESL....119
2000XJ....119
2000XJSL....119
2000XK....119
2000XKSL....119
2000XN....119
2000XNSL....119
2000XR....119
2000XRSL....119
2009SL....120
2010XC....116
2010XE....116
2010XJ....116
2010XK....116
2010XN....116
2010XR....116
2050SL....120
2050XC....116
2050XCSL....116
2050XE....116
2050XESL....116
2050XJ....116
2050XJSL....116
2050XK....116
2050XKSL....116
2050XN....116
2050XNSL....116
2050XR....116
2050XRSL....116
8000-18....119
8000XC....119
8000XE....119
8000XJ....119
8000XK....119
8000XN....119
8000XR....119
81200P....150
81200PSL....150
81200PXC....144
81200PXCSL....144
81200PXE....144
81200PXESL....144
81200PXJ....144
81200PXJSL....144
81200PXK....144
81200PXKSL....144
81200PXN....144
81200PXNSL....144
81200PXR....144
81200PXRSL....144
81200SL....150
81200XC....144
81200XCSL....144
81200XE....144
81200XESL....144
81200XJ....144
81200XJSL....144
81200XK....144
81200XKSL....144
81200XN....144
81200XNSL....144
81200XR....144
81200XRSL....144
81208P....147
81208PSL....147
81208SL....147
81225P....144
81225PSL....145
81225SL....145
81800P....132
81800PSL....132
81800SL....132
81900PSL....162
81918P....131
81918PSL....131
81918SL....131
81919P....133
81919PSL....133
81919SL....133
81921P....135
81921PSL....136
81921SL....136
81928P....137
81928PSL....137
81928SL....137
81929P....184
81929PSL....184
81929PXC....179
81929PXCSL....179
81929PXE....179
81929PXESL....179
81929PXJ....179
81929PXJSL....179
81929PXK....179
81929PXKSL....179
81929PXN....179
81929PXNSL....179
81929PXR....179
81929PXRSL....179
81933P....167
81933PSL....167
81935P....168
81935PSL....168
81936P....168
81936PSL....168
81937P....169
81937PSL....169
81938P....171
81938PSL....171
81939P....170
81939PSL....170
81940P....171
81940PSL....171
81941P....172
81941PSL....172
81942P....174
81942PSL....174
81943P....164
81943PSL....164
81943PXC....159
81943PXCSL....159
81943PXE....159
81943PXESL....159
81943PXJ....159
81943PXJSL....159
81943PXK....159
81943PXKSL....159
81943PXN....159
81943PXNSL....159
81943PXR....159
81943PXRSL....159
81944P....162
81944PSL....162
81945P....161
81945PXC....158
81945PXE....158
81945PXJ....158
81945PXK....158
81945PXN....158
81945PXR....158
81946P....161
81946PSL....162
81946PXC....158
81946PXCSL....158
81946PXE....158
81946PXESL....158
81946PXJ....158
81946PXJSL....158
81946PXK....158
81946PXKSL....158
81946PXN....158
81946PXNSL....158
81946PXR....158
81946PXRSL....158
81947PSL....162
81949PSL....162
81952P....151
81952PSL....151
81953P....151
81953PSL....152
81954P....152
81954PSL....152
81955P....152
81955PSL....152
81956P....153
81956PSL....153
81957P....153
81957PSL....153
81958P....154
81958PSL....154
81959P....154
81959PSL....154
81960P....155
81960PSL....155
81961P....155
81961PSL....156
81964P....159
81964PSL....159
81968PSL....133
81968P....132
81968SL....133
81971P....184
81971PXC....179
81971PXE....179
81971PXJ....179
81971PXK....179
81971PXN....179
81971PXR....179
81975P....167
81977P....168
81978P....168
81980P....169
81981P....171
81982P....170
81983P....171
81984P....172
81985P....174
81986PSL....134
81986SL....134
85901SL....154
85919SL....172
AXRT....201
BSRT....201
CNRT....201
CX30T....201
CXRT....201
DRS2131SL....150
DRS82131SL....150
EC30T....201
ECRT....201
FC10....150
FC100....132
FC1006....134
FC100SL....133
FC101SL....168
FC101....168
FC1029....135
FC104....135
FC104SL....136
FC104XC....179
FC104XE....179
FC104XJ....179
FC104XK....179
FC104XN....179
FC104XR....179
FC105....172
FC105SL....172
FC108....131
FC1089....161
FC1089SL....161
FC108SL....131
FC109....167
FC109SL....167
FC10XC....144
FC10XE....144
FC10XJ....144
FC10XK....144
FC10XN....144
FC10XR....144
FC113....133
FC113SL....133
FC114....169
FC114SL....169
FC115....152
FC115SL....152
FC116....180
FC1200....147
FC1200SL....147
FC1201....146
FC1201SL....147
FC1202....146
FC1202SL....147
FC1203....147
FC1204....119
FC1204SL....120
FC1205....119
FC1205SL....119
FC1205XC....116
FC1205XE....116
FC1205XJ....116
FC1205XK....116
FC1205XN....116
FC1205XR....116
FC1206....119
FC1206SL....119
FC1207....119
FC1207XC....116
FC1207XE....116
FC1207XJ....116
FC1207XK....116
FC1207XN....116
FC1207XR....116
FC1208....147
FC1208SL....147
FC1209....146
FC1209SL....147
FC1211....146
FC1211SL....147
FC1212....147
FC1289SL....148
FC131SL....152
FC131XC....152
FC131XE....152
FC131XJ....152
FC131XK....152
FC131XN....152
FC131XR....152
FC138....147
FC138XC....142
FC138XE....142
FC138XJ....142
FC138XK....142
FC138XN....142
FC138XR....142
FC1400....162
FC1400SL....162
FC1402....162
FC1404....190
FC1408....182
FC1408SL....182
FC141....144
FC141SL....145
FC142....135
FC142SL....135
FC143....154
FC143SL....154
FC144....171
FC1442SL....156
FC147....154
FC147SL....154
FC148....138
FC148SL....138
FC149....174
FC149SL....174
FC151....166
FC156....155
FC16....132
FC160....166
FC163....165
FC164....164
FC1645....196
FC1646....156
FC1646SL....156
FC1647....156
FC1651....139
FC1651SL....139
FC1652....139
FC1652SL....139
FC1654....176
FC1655....189
FC1656SL....176
FC18....147
FC18SL....147
FC18XC....142
FC18XCSL....143
FC18XE....142
FC18XESL....143
FC18XJ....142
FC18XJSL....143
FC18XK....142
FC18XKSL....143
FC18XN....142
FC18XNSL....143
FC18XR....142
FC18XRSL....143
FC198....148
FC198SL....148
FC20042....155
FC2101....161
FC2101SL....161
FC2102....161
FC2106....161
FC2107....161
FC2108....161
FC2213....141
FC2213SL....141
FC2223....140
FC2223SL....140
FC2233....141
FC2233SL....142
FC23....196
FC2382....141
FC2382SL....141
FC2385....141
FC2385SL....142
FC2389....140

FC2389SL..... 140
FC241..... 132
FC31..... 198
FC310..... 131
FC32..... 164
FC32SL..... 164
FC32XC 159
FC32XCSL 159
FC32XE..... 159
FC32XESL..... 159
FC32XJ..... 159
FC32XJSL..... 159
FC32XK 159
FC32XKSL..... 159
FC32XN 159
FC32XNSL 159
FC32XR 159
FC32XRSL 159
FC3487SL..... 182
FC3487XCSL 178
FC3487XESL..... 178
FC3487XJSL..... 178
FC3487XKSL..... 178
FC3487XNSL 178
FC3487XRSL 178
FC369..... 133
FC38..... 151
FC386..... 177
FC387SL..... 177
FC389..... 157
FC38SL..... 152
FC393..... 189
FC4521..... 157
FC4521SL..... 157
FC4525..... 157
FC4525SL..... 157
FC46SL..... 132
FC476..... 157
FC47SL..... 150
FC47XCSL 144
FC47XESL..... 144
FC47XJSL..... 144
FC47XKSL..... 144
FC47XNSL 144
FC47XRSL 144
FC48SL..... 184
FC48XCSL 179
FC48XESL..... 179
FC48XJSL..... 179
FC48XKSL..... 179
FC48XNSL 179
FC48XRSL 179
FC507..... 188
FC529..... 155
FC5425..... 159
FC5425SL..... 159
FC543..... 155
FC545SL..... 155
FC549..... 188
FC5700..... 120
FC5700SL..... 120
FC5700XC 116
FC5700XCSL 117
FC5700XE..... 116
FC5700XESL..... 117
FC5700XJ..... 116
FC5700XJSL..... 117
FC5700XK 116
FC5700XKSL..... 117
FC5700XN 116
FC5700XNSL 117
FC5700XR 116
FC5700XRSL 117
FC571..... 136
FC5710..... 120
FC5710SL..... 120
FC5710XC 116
FC5710XCSL 117
FC5710XE..... 116
FC5710XESL..... 117
FC5710XJ..... 116
FC5710XJSL..... 117
FC5710XK 116
FC5710XKSL..... 117
FC5710XN 116
FC5710XNSL 117
FC5710XR 116
FC5710XRSL 117
FC5720..... 120
FC5720SL..... 120
FC5720XC 116
FC5720XCSL 117
FC5720XE..... 116
FC5720XESL..... 117
FC5720XJ..... 116
FC5720XJSL..... 117
FC5720XK 116
FC5720XKSL..... 117
FC5720XN 116
FC5720XNSL 117
FC5720XR 116
FC5720XRSL 117
FC572SL..... 136
FC573SL..... 136
FC574..... 136
FC581..... 173
FC583SL..... 173
FC60..... 198
FC6093..... 134
FC6094..... 135
FC6095..... 137
FC61..... 197
FC61XC 197
FC61XE..... 197
FC61XJ..... 197
FC61XK 197
FC61XN 197
FC61XR 197
FC62..... 184
FC626..... 138
FC62XC 179
FC62XE..... 179
FC62XJ..... 179
FC62XK 179
FC62XN 179
FC62XR 179
FC63SL..... 182
FC63XCSL 178
FC63XESL..... 178
FC63XJSL..... 178
FC63XKSL..... 178
FC63XNSL 178
FC63XRSL 178
FC65..... 181
FC6500..... 138
FC6500SL..... 138
FC6534..... 189
FC6550..... 138
FC6550SL..... 138
FC6560..... 175
FC6565SL..... 175
FC6570..... 196
FC6576..... 166
FC6577..... 166
FC6580..... 156
FC6580SL..... 156
FC6582..... 156
FC65XC 178
FC65XE..... 178
FC65XJ..... 178
FC65XK 178
FC65XN 178
FC65XR 178
FC668..... 132
FC670..... 184
FC678..... 180
FC678SL..... 180
FC685L..... 120
FC685LXC..... 116
FC685LXE..... 116
FC685LXJ..... 116
FC685LXK..... 116
FC685LXN 116
FC685LXR..... 116
FC685R 120
FC685RXC 116
FC685RXE 116
FC685RXJ..... 116
FC685RXK 116
FC685RXN 116
FC685RXR 116
FC691..... 120
FC691XC 116
FC691XE..... 116
FC691XJ..... 116
FC691XK 116
FC691XN 116
FC691XR 116
FC704..... 195
FC707..... 194
FC708..... 195
FC709..... 165
FC710..... 166
FC7125SL..... 182
FC713..... 165
FC714..... 164
FC721..... 194
FC735..... 195
FC736..... 194
FC745..... 195
FC752..... 195
FC755..... 198
FC765..... 151
FC765SL..... 151
FC766..... 164
FC766XC 159
FC766XE..... 159
FC766XJ..... 159
FC766XK 159
FC766XN 159
FC766XR 159
FC770..... 151
FC772..... 151
FC773..... 152
FC775..... 152
FC776..... 153
FC777..... 153
FC778..... 154
FC779..... 154
FC780..... 155
FC789..... 166
FC794..... 164
FC796..... 165
FC797..... 165
FC798..... 166
FC803..... 196
FC808SL..... 131
FC809..... 198
FC80920..... 190
FC809203..... 190
FC809203XC 189
FC809203XE..... 189
FC809203XJ..... 189
FC809203XK 189
FC809203XN 189
FC809203XR 189
FC80920XC 190
FC80920XE..... 190
FC80920XJ..... 190
FC80920XK 190
FC80920XN 190
FC80920XR 190
FC80942..... 188
FC80943..... 187
FC80947..... 188
FC80949..... 188
FC80952..... 187
FC80953..... 187
FC80954..... 188
FC80955..... 187
FC809SL..... 137
FC812SL..... 134
FC813SL..... 138
FC814..... 132
FC8141..... 190
FC8144..... 182
FC8145..... 182
FC8145SL..... 182
FC8149..... 174
FC814SL..... 133
FC815SL..... 134
FC816..... 131
FC81645..... 196
FC81646..... 156
FC81646SL..... 156
FC81649..... 189
FC81651..... 139
FC81651SL..... 139
FC81652..... 139
FC81652SL..... 139
FC81653..... 176
FC81654..... 176
FC81654SL..... 176
FC816SL..... 133
FC817..... 133
FC817SL..... 135
FC818SL..... 136
FC82..... 161
FC820..... 137
FC821..... 135
FC822..... 132
FC82213..... 141
FC82213SL..... 141
FC82223..... 140
FC82223SL..... 140
FC82233..... 141
FC82233SL..... 142
FC82382..... 141
FC82382SL..... 141
FC82385..... 141
FC82385SL..... 142
FC82389..... 140
FC82389SL..... 140
FC828..... 147
FC82XC 158
FC82XE..... 158
FC82XJ..... 158
FC82XK 158
FC82XN 158
FC82XR 158
FC8310..... 161
FC8310SL..... 162
FC8311..... 161
FC8311SL..... 161
FC8313..... 161
FC8313SL..... 161
FC8316..... 161
FC8318..... 182
FC8319..... 182
FC832..... 182
FC8320..... 182
FC8321..... 181
FC8321XC 178
FC8321XE..... 178
FC8321XJ..... 178
FC8321XK 178
FC8321XN 178
FC8321XR 178
FC8322..... 181
FC8323..... 181
FC8324..... 181
FC832XC 178
FC832XE..... 178
FC832XJ..... 178
FC832XK 178
FC832XN 178
FC832XR 178
FC8386..... 177
FC8386SL..... 177
FC8390..... 189
FC8392..... 177
FC84521..... 157
FC84521SL..... 157
FC84525..... 157
FC84525SL..... 157
FC84527..... 158
FC84527SL..... 158
FC8489..... 177
FC8498..... 177
FC8498SL..... 177
FC8529..... 155
FC8545SL..... 155
FC85700..... 120
FC85700XC 116
FC85700XE..... 116
FC85700XJ..... 116
FC85700XK 116
FC85700XN 116
FC85700XR 116
FC8571..... 136
FC85710..... 120
FC85710XC 116
FC85710XE..... 116
FC85710XJ..... 116
FC85710XK 116
FC85710XN 116
FC85710XR 116
FC85720..... 120
FC85720XC 116
FC85720XE..... 116
FC85720XJ..... 116
FC85720XK 116
FC85720XN 116
FC85720XR 116
FC8572SL..... 136
FC8573SL..... 136
FC8574..... 136
FC8579..... 173
FC8581..... 173
FC8583SL..... 173
FC860..... 198
FC861..... 197
FC861XC 197
FC861XE..... 197
FC861XJ..... 197
FC861XK 197
FC861XN 197
FC861XR 197
FC862..... 198
FC86220..... 190
FC862203..... 190
FC862203XC 189
FC862203XE..... 189
FC862203XJ..... 189
FC862203XK 189
FC862203XN 189
FC862203XR 189
FC86220XC 190
FC86220XE..... 190
FC86220XJ..... 190
FC86220XK 190
FC86220XN 190
FC86220XR 190
FC86242..... 188
FC86243..... 187
FC86247..... 188
FC86249..... 188
FC86252..... 187
FC86253..... 187
FC86254..... 188
FC86255..... 187
FC86500..... 138
FC86500SL..... 138
FC86533..... 189
FC86536..... 175
FC86550..... 138
FC86550SL..... 138
FC86560..... 175
FC86560SL..... 175
FC86570..... 196
FC86580..... 156
FC86580SL..... 156
FC8675SL..... 182
FC8678..... 180
FC8678SL..... 180
FC8685L..... 120
FC8685LXC..... 116
FC8685LXE..... 116
FC8685LXJ..... 116
FC8685LXK..... 116
FC8685LXN 116
FC8685LXR..... 116
FC8685R 120
FC8685RXC 116
FC8685RXE 116
FC8685RXJ..... 116
FC8685RXK 116
FC8685RXN 116
FC8685RXR 116
FC8691..... 120
FC8691XC 116
FC8691XE..... 116
FC8691XJ..... 116
FC8691XK 116
FC8691XN 116
FC8691XR 116
FC8704..... 195
FC8707..... 194
FC8708..... 195
FC8721..... 194
FC8735..... 195
FC8736..... 194
FC8745..... 195
FC8752..... 195
FC8867SL..... 174
FC89701..... 174
FC8971..... 180
FC8972..... 190
FC900..... 134
FC900SL..... 134
FC901..... 170
FC901SL..... 170
FC902..... 153
FC902SL..... 153
FC905..... 134
FC905SL..... 134
FC906..... 171
FC906SL..... 171
FC907..... 153
FC907SL..... 153
FC910..... 137
FC910SL..... 137
FC911..... 174
FC911SL..... 174
FC912..... 155
FC912SL..... 155
FC915..... 165
FC916..... 165
FC917..... 196
FC92..... 161
FC925..... 190
FC92SL..... 162
FC92XC 158
FC92XCSL 158
FC92XE..... 158
FC92XESL..... 158
FC92XJ..... 158
FC92XJSL..... 158
FC92XK 158
FC92XKSL..... 158
FC92XN 158
FC92XNSL 158
FC92XR 158
FC92XRSL 158
FCM10..... 150
FCM100..... 132
FCM1000..... 198
FCM1006..... 134
FCM101..... 168
FCM101SL..... 168
FCM1029..... 135
FCM104..... 135
FCM104XC 179
FCM104XE..... 179
FCM104XJ..... 179
FCM104XK..... 179
FCM104XN 179
FCM104XR 179
FCM105..... 172
FCM105SL..... 172
FCM106..... 165
FCM108..... 131
FCM1089SL..... 160
FCM109..... 167
FCM109SL..... 167
FCM10XC 143
FCM10XE..... 143
FCM10XJ..... 143
FCM10XK..... 143
FCM10XN 143
FCM10XR 143
FCM110..... 164
FCM113..... 133
FCM114..... 169
FCM114SL..... 169
FCM115..... 152
FCM115SL..... 152
FCM116..... 180
FCM1200..... 145
FCM1200SL..... 146
FCM1201..... 145
FCM1201SL..... 146
FCM1202..... 145
FCM1202SL..... 146
FCM1203..... 145
FCM1204SL..... 119
FCM1205SL..... 119
FCM1206SL..... 119
FCM1208..... 145
FCM1209..... 145
FCM12101SL..... 150
FCM12101XCSL..... 144

 Continues on next page.

FCM12101XESL..... 144
FCM12101XJSL..... 144
FCM12101XKSL..... 144
FCM12101XNSL 144
FCM12101XRSL..... 144
FCM12102SL..... 146
FCM12102XCSL..... 142
FCM12102XESL..... 142
FCM12102XJSL..... 142
FCM12102XKSL..... 142
FCM12102XNSL 142
FCM12102XRSL..... 142
FCM1211..... 145
FCM1212..... 145
FCM1283..... 150
FCM1283XC 143
FCM1283XE..... 143
FCM1283XJ..... 143
FCM1283XK..... 143
FCM1283XN 143
FCM1283XR 143
FCM1284..... 146
FCM1284XC 142
FCM1284XE..... 142
FCM1284XJ..... 142
FCM1284XK..... 142
FCM1284XN 142
FCM1284XR 142
FCM1285..... 145
FCM1285XC 142
FCM1285XE..... 142
FCM1285XJ..... 142
FCM1285XK..... 142
FCM1285XN 142
FCM1285XR 142
FCM1286..... 144
FCM1286SL..... 144
FCM1289..... 146
FCM1289SL..... 146
FCM131..... 152
FCM131SL..... 152
FCM138..... 145
FCM138XC 142
FCM138XE..... 142
FCM138XJ..... 142
FCM138XK..... 142
FCM138XN 142
FCM138XR 142
FCM1400SL..... 161
FCM1402..... 161
FCM1405..... 181
FCM1405SL..... 181
FCM1406..... 181
FCM1408..... 181
FCM141..... 144
FCM142..... 135
FCM143..... 154
FCM143SL..... 154
FCM144..... 171
FCM1442SL..... 155
FCM147..... 154
FCM147SL..... 154
FCM148..... 138
FCM149..... 174
FCM149SL..... 174
FCM151..... 165
FCM156..... 155
FCM16..... 132
FCM160..... 166
FCM163..... 165
FCM164..... 164
FCM1645..... 196
FCM1646SL..... 156
FCM1647..... 156
FCM1650..... 192
FCM1651..... 139
FCM1651SL..... 139
FCM1652..... 139
FCM1654..... 176
FCM1656..... 176
FCM1656SL..... 176
FCM1658..... 176
FCM18..... 145
FCM18101SL..... 132
FCM18XC 142
FCM18XE..... 142
FCM18XJ..... 142
FCM18XK..... 142
FCM18XN 142
FCM18XR 142
FCM198..... 146
FCM2000SL..... 129
FCM2000XCSL..... 128
FCM2000XESL..... 128
FCM2000XJSL 128
FCM2000XKSL..... 128
FCM2000XNSL 128
FCM2000XRSL..... 128
FCM2009SL..... 119
FCM205..... 198
FCM2050SL..... 129
FCM2050XCSL..... 127
FCM2050XESL..... 127
FCM2050XJSL 127
FCM2050XKSL..... 127
FCM2050XNSL 127
FCM2050XRSL..... 127
FCM2101SL..... 160
FCM2106..... 160
FCM2107..... 160
FCM2108..... 160
FCM220..... 198
FCM2213..... 140
FCM2223..... 140
FCM2233..... 141
FCM2382..... 140
FCM2382SL..... 140
FCM2385..... 141
FCM2385SL..... 141
FCM2389..... 140
FCM2389SL..... 140
FCM241..... 132
FCM31..... 198
FCM310..... 131
FCM32..... 163
FCM32SL..... 163
FCM32XC 159
FCM32XCSL..... 159
FCM32XE..... 159
FCM32XESL..... 159
FCM32XJ..... 159
FCM32XJSL..... 159
FCM32XK..... 159
FCM32XKSL..... 159
FCM32XN 159
FCM32XNSL 159
FCM32XR 159
FCM32XRSL..... 159
FCM3487SL..... 181
FCM3487XCSL..... 178
FCM3487XESL..... 178
FCM3487XJSL..... 178
FCM3487XKSL..... 178
FCM3487XNSL 178
FCM3487XRSL..... 178
FCM369..... 133
FCM38..... 151
FCM386..... 176
FCM387..... 176
FCM387SL..... 177
FCM389..... 157
FCM38SL..... 151
FCM394..... 177
FCM4521SL..... 157
FCM4525SL..... 157
FCM476..... 157
FCM4810..... 129
FCM4810SL..... 129
FCM4810XC 128
FCM4810XCSL..... 128
FCM4810XE..... 128
FCM4810XESL..... 128
FCM4810XJ..... 128
FCM4810XJSL..... 128
FCM4810XN 128
FCM4810XNSL 128
FCM4810XR 128
FCM4810XRSL..... 128
FCM4812..... 128
FCM4812SL..... 129
FCM4812XC 127
FCM4812XCSL..... 128
FCM4812XE..... 127
FCM4812XESL..... 128
FCM4812XJ..... 127
FCM4812XJSL..... 128
FCM4812XN 127
FCM4812XNSL 128
FCM4812XR 127
FCM4812XRSL..... 128
FCM4813..... 128
FCM4813XC 127
FCM4813XE..... 127
FCM4813XJ..... 127
FCM4813XN 127
FCM4813XR 127
FCM4814..... 129
FCM4814XC 127
FCM4814XE..... 127
FCM4814XJ..... 127
FCM4814XN 127
FCM4814XR 127
FCM4816..... 129
FCM4816XC 127
FCM4816XE..... 127
FCM4816XJ..... 127
FCM4816XN 127
FCM4816XR 127
FCM508..... 191
FCM5425..... 159
FCM5425SL..... 159
FCM543..... 154
FCM545SL..... 154
FCM571..... 136
FCM572SL..... 136
FCM574..... 136
FCM575..... 173
FCM577..... 173
FCM581..... 173
FCM583SL..... 173
FCM60..... 198
FCM600..... 198
FCM601..... 193
FCM601XC 193
FCM601XE..... 193
FCM601XJ..... 193
FCM601XN 193
FCM601XR 193
FCM602..... 191
FCM6021..... 184
FCM6021XC 179
FCM6021XE..... 179
FCM6021XJ..... 179
FCM6021XK..... 179
FCM6021XN 179
FCM6021XR 179
FCM6022..... 181
FCM6022XC 178
FCM6022XE..... 178
FCM6022XJ..... 178
FCM6022XK..... 178
FCM6022XN 178
FCM6022XR 178
FCM6025..... 168
FCM6026..... 173
FCM6029..... 170
FCM6030..... 172
FCM6031..... 169
FCM6032..... 167
FCM6035..... 180
FCM6036..... 174
FCM604..... 191
FCM6041..... 184
FCM6041XC 179
FCM6041XE..... 179
FCM6041XJ..... 179
FCM6041XK..... 179
FCM6041XN 179
FCM6041XR 179
FCM6042..... 181
FCM6042XC 178
FCM6042XE..... 178
FCM6042XJ..... 178
FCM6042XK..... 178
FCM6042XN 178
FCM6042XR 178
FCM6045..... 168
FCM6046..... 173
FCM6049..... 170
FCM605..... 193
FCM6050..... 172
FCM6051..... 169
FCM6052..... 167
FCM6055..... 180
FCM6056..... 174
FCM605XC 192
FCM605XE..... 192
FCM605XJ..... 192
FCM605XN 192
FCM605XR 192
FCM606..... 193
FCM606XC 192
FCM606XE..... 192
FCM606XJ..... 192
FCM606XN 192
FCM606XR 192
FCM607..... 193
FCM6074..... 171
FCM6075..... 171
FCM607XC 192
FCM607XE..... 192
FCM607XJ..... 192
FCM607XN 192
FCM607XR 192
FCM608..... 193
FCM608XC 192
FCM608XE..... 192
FCM608XJ..... 192
FCM608XN 192
FCM608XR 192
FCM609..... 191
FCM6093..... 134
FCM6094..... 135
FCM6095..... 137
FCM61..... 197
FCM6107..... 170
FCM6108..... 170
FCM6124SL..... 146
FCM6124XCSL..... 142
FCM6124XESL..... 142
FCM6124XJSL..... 142
FCM6124XNSL 142
FCM6124XRSL..... 142
FCM6125SL..... 146
FCM6125XCSL..... 142
FCM6125XESL..... 142
FCM6125XJSL..... 142
FCM6125XNSL 142
FCM6125XRSL..... 142
FCM6126SL..... 146
FCM6126XCSL..... 142
FCM6126XESL..... 142
FCM6126XJSL..... 142
FCM6126XNSL 142
FCM6126XRSL..... 142
FCM61XC 197
FCM61XE..... 197
FCM61XJ..... 197
FCM61XK..... 197
FCM61XN 197
FCM61XR 197
FCM62..... 184
FCM6201SL..... 127
FCM6240..... 127
FCM6240SL..... 127
FCM626..... 138
FCM62SL..... 184
FCM62XC 179
FCM62XCSL..... 179
FCM62XE..... 179
FCM62XESL..... 179
FCM62XJ..... 179
FCM62XJSL..... 179
FCM62XK..... 179
FCM62XKSL..... 179
FCM62XN 179
FCM62XNSL 179
FCM62XR 179
FCM62XRSL..... 179
FCM65..... 181
FCM6500..... 138
FCM6500SL..... 138
FCM6520..... 192
FCM6550..... 138
FCM6560..... 175
FCM6565..... 175
FCM6565SL..... 175
FCM6568..... 175
FCM6570..... 196
FCM6575..... 166
FCM6577..... 166
FCM6580SL..... 156
FCM6582..... 156
FCM65SL..... 181
FCM65XC 178
FCM65XCSL..... 178
FCM65XE..... 178
FCM65XESL..... 178
FCM65XJ..... 178
FCM65XJSL..... 178
FCM65XK..... 178
FCM65XKSL..... 178
FCM65XN 178
FCM65XNSL 178
FCM65XR 178
FCM65XRSL..... 178
FCM668..... 132
FCM670..... 184
FCM678..... 180
FCM678SL..... 180
FCM6975..... 192
FCM704..... 195
FCM707..... 194
FCM708..... 195
FCM7125SL..... 181
FCM721..... 194
FCM735..... 195
FCM736..... 194
FCM745..... 195
FCM7500..... 125
FCM7500SL..... 125
FCM7500SLXC..... 124
FCM7500SLXE..... 124
FCM7500SLXJ..... 124
FCM7500SLXN 124
FCM7500SLXR..... 124
FCM7500XC 124
FCM7500XE..... 124
FCM7500XJ..... 124
FCM7500XN 124
FCM7500XR 124
FCM87500XC 124
FCM87500XE..... 124
FCM87500XJ..... 124
FCM87500XN 124
FCM87500XR 124
FCM7512..... 124
FCM7512SL..... 124
FCM7512XC 123
FCM7512XCSL..... 123
FCM7512XE..... 123
FCM7512XESL..... 123
FCM7512XJ..... 123
FCM7512XJSL..... 123
FCM7512XN 123
FCM7512XNSL 123
FCM7512XR 123
FCM7512XRSL..... 123
FCM752..... 195
FCM7540..... 124
FCM7540SL..... 124
FCM7540XC 123
FCM7540XCSL..... 123
FCM7540XE..... 123
FCM7540XESL..... 123
FCM7540XJ..... 123
FCM7540XJSL..... 123
FCM7540XN 123
FCM7540XNSL 123
FCM7540XR 123
FCM7540XRSL..... 123
FCM755..... 198
FCM7560..... 124
FCM7560SL..... 124
FCM7560XC 123
FCM7560XCSL..... 123
FCM7560XE..... 123
FCM7560XESL..... 123
FCM7560XJ..... 123
FCM7560XJSL..... 123
FCM7560XN 123
FCM7560XNSL 123
FCM7560XR 123
FCM7560XRSL..... 123
FCM765..... 151
FCM765SL..... 151
FCM789..... 165
FCM80..... 166
FCM8000SL..... 129
FCM8000XCSL..... 128
FCM8000XESL..... 128
FCM8000XJSL..... 128
FCM8000XKSL..... 128
FCM8000XNSL 128
FCM8000XRSL..... 128
FCM808SL..... 131
FCM809SL..... 137
FCM81000..... 198
FCM8101SL..... 161
FCM8101XCSL..... 158
FCM8101XESL..... 158
FCM8101XJSL..... 158
FCM8101XKSL..... 158
FCM8101XNSL 158
FCM8101XRSL..... 158
FCM8103SL..... 154
FCM8105SL..... 151
FCM8107SL..... 155
FCM8110SL..... 159
FCM8114..... 132
FCM8114SL..... 132
FCM8115..... 144
FCM8115SL..... 144
FCM81200..... 150
FCM81200SL..... 150
FCM81200XC 143
FCM81200XCSL..... 144
FCM81200XE..... 143
FCM81200XESL..... 144
FCM81200XJ..... 143
FCM81200XJSL..... 144
FCM81200XK..... 143
FCM81200XKSL..... 144
FCM81200XN 143
FCM81200XNSL 144
FCM81200XR 143
FCM81200XRSL..... 144
FCM81208P..... 146
FCM81208PSL..... 146
FCM81208SL..... 146
FCM81225..... 144
FCM81225SL..... 144
FCM8125L..... 134
FCM813SL..... 138
FCM814..... 132
FCM8145..... 181
FCM8145SL..... 181
FCM8149..... 174
FCM814SL..... 133
FCM815SL..... 134
FCM816..... 131
FCM81645..... 196
FCM81646SL..... 156
FCM81651..... 139
FCM81651SL..... 139
FCM81652..... 139
FCM81652SL..... 139
FCM81654..... 176
FCM81654SL..... 176
FCM8165L..... 132
FCM817..... 133
FCM817SL..... 135
FCM81800SL..... 132
FCM81828..... 146
FCM81829..... 146
FCM818SL..... 135
FCM81900SL..... 161
FCM81918SL..... 131
FCM81919SL..... 133
FCM81921SL..... 135
FCM81928SL..... 137
FCM81944SL..... 161
FCM81947SL..... 161
FCM81949SL..... 161
FCM81968SL..... 132
FCM81986SL..... 134
FCM82..... 160
FCM820..... 137
FCM821..... 135
FCM822..... 132
FCM82213..... 140
FCM82213SL..... 141

FCM82223 ... 140
FCM82223SL ... 140
FCM82233 ... 141
FCM82233SL ... 141
FCM82382 ... 140
FCM82382SL ... 140
FCM82385 ... 141
FCM82385SL ... 141
FCM82389 ... 140
FCM82389SL ... 140
FCM828 ... 146
FCM82XC ... 158
FCM82XE ... 158
FCM82XJ ... 158
FCM82XK ... 158
FCM82XN ... 158
FCM82XR ... 158
FCM8310SL ... 161
FCM8311SL ... 160
FCM8313SL ... 160
FCM8321 ... 181
FCM8321XC ... 178
FCM8321XE ... 178
FCM8321XJ ... 178
FCM8321XK ... 178
FCM8321XN ... 178
FCM8321XR ... 178
FCM8322 ... 181
FCM8323 ... 181
FCM8324 ... 181
FCM8386 ... 176
FCM8386SL ... 177
FCM84521SL ... 157
FCM84525SL ... 157
FCM84527SL ... 158
FCM84810 ... 129
FCM84810SL ... 129
FCM84810XC ... 128
FCM84810XCSL ... 128
FCM84810XE ... 128
FCM84810XESL ... 128
FCM84810XJ ... 128
FCM84810XJSL ... 128
FCM84810XN ... 128
FCM84810XNSL ... 128
FCM84810XR ... 128
FCM84810XRSL ... 128
FCM84812 ... 128
FCM84812SL ... 129
FCM84812XC ... 127
FCM84812XCSL ... 128
FCM84812XE ... 127
FCM84812XESL ... 128
FCM84812XJ ... 127
FCM84812XJSL ... 128
FCM84812XN ... 127
FCM84812XNSL ... 128
FCM84812XR ... 127
FCM84812XRSL ... 128
FCM84813 ... 128
FCM84813XC ... 127
FCM84813XE ... 127
FCM84813XJ ... 127
FCM84813XN ... 127
FCM84813XR ... 127
FCM84814 ... 129
FCM84814XC ... 127
FCM84814XE ... 127
FCM84814XJ ... 127
FCM84814XN ... 127
FCM84814XR ... 127
FCM84816 ... 129
FCM84816XC ... 127
FCM84816XE ... 127
FCM84816XJ ... 127
FCM84816XN ... 127
FCM84816XR ... 127
FCM84886SL ... 129
FCM84886XCSL ... 127
FCM84886XESL ... 127
FCM84886XJSL ... 127
FCM84886XKSL ... 127
FCM84886XNSL ... 127
FCM84886XRSL ... 127
FCM8498 ... 177
FCM8498SL ... 177
FCM8545SL ... 154
FCM8571 ... 136
FCM8572SL ... 136
FCM8573SL ... 136
FCM8574 ... 136
FCM8581 ... 173
FCM8583SL ... 173
FCM860 ... 198
FCM861 ... 197
FCM861XC ... 197
FCM861XE ... 197
FCM861XJ ... 197
FCM861XK ... 197
FCM861XN ... 197
FCM861XR ... 197
FCM862 ... 184
FCM86201SL ... 127
FCM86240 ... 127
FCM86240SL ... 127
FCM862SL ... 184
FCM862XC ... 179
FCM862XCSL ... 179
FCM862XE ... 179
FCM862XESL ... 179
FCM862XJ ... 179
FCM862XJSL ... 179
FCM862XK ... 179
FCM862XKSL ... 179
FCM862XN ... 179
FCM862XNSL ... 179
FCM862XR ... 179
FCM862XRSL ... 179
FCM863 ... 167
FCM863SL ... 167
FCM864 ... 168
FCM864SL ... 168
FCM865 ... 169
FCM86500 ... 138
FCM86500SL ... 138
FCM86550 ... 138
FCM86550SL ... 138
FCM86560 ... 175
FCM86560SL ... 175
FCM86570 ... 196
FCM86580SL ... 156
FCM865SL ... 169
FCM866 ... 172
FCM866SL ... 172
FCM8675SL ... 181
FCM8678 ... 180
FCM8678SL ... 180
FCM867SL ... 174
FCM870 ... 150
FCM8704 ... 195
FCM8707 ... 194
FCM8708 ... 195
FCM870SL ... 150
FCM870XC ... 143
FCM870XCSL ... 144
FCM870XE ... 143
FCM870XESL ... 144
FCM870XJ ... 143
FCM870XJSL ... 144
FCM870XK ... 143
FCM870XKSL ... 144
FCM870XN ... 143
FCM870XNSL ... 144
FCM870XR ... 143
FCM870XRSL ... 144
FCM871 ... 131
FCM871SL ... 131
FCM872 ... 132
FCM8721 ... 194
FCM872SL ... 132
FCM873 ... 133
FCM8735 ... 195
FCM8736 ... 194
FCM873SL ... 133
FCM874 ... 135
FCM8745 ... 195
FCM874SL ... 135
FCM87500 ... 125
FCM87512 ... 124
FCM87512XC ... 123
FCM87512XE ... 123
FCM87512XJ ... 123
FCM87512XN ... 123
FCM87512XR ... 123
FCM8752 ... 195
FCM87540 ... 124
FCM87540XC ... 123
FCM87540XE ... 123
FCM87540XJ ... 123
FCM87540XN ... 123
FCM87540XR ... 123
FCM87560 ... 124
FCM87560XC ... 123
FCM87560XE ... 123
FCM87560XJ ... 123
FCM87560XN ... 123
FCM87560XR ... 123
FCM881SL ... 163
FCM881XCSL ... 159
FCM881XESL ... 159
FCM881XJSL ... 159
FCM881XKSL ... 159
FCM881XNSL ... 159
FCM881XRSL ... 159
FCM882SL ... 151
FCM883SL ... 152
FCM884SL ... 152
FCM885SL ... 154
FCM886 ... 170
FCM886SL ... 170
FCM887SL ... 153
FCM888 ... 170
FCM888SL ... 171
FCM889SL ... 153
FCM890 ... 137
FCM890SL ... 137
FCM891 ... 173
FCM891SL ... 173
FCM892SL ... 155
FCM893SL ... 134
FCM898 ... 168
FCM898SL ... 168
FCM899 ... 171
FCM899SL ... 171
FCM900 ... 134
FCM901 ... 170
FCM901SL ... 170
FCM902 ... 153
FCM902SL ... 153
FCM905 ... 134
FCM906 ... 170
FCM906SL ... 171
FCM907 ... 153
FCM907SL ... 153
FCM910 ... 137
FCM911 ... 173
FCM911SL ... 173
FCM912 ... 155
FCM912SL ... 155
FCM915 ... 165
FCM916 ... 165
FCM92SL ... 161
FCM92XCSL ... 158
FCM92XESL ... 158
FCM92XJSL ... 158
FCM92XKSL ... 158
FCM92XNSL ... 158
FCM92XRSL ... 158
FCO6184SL ... 148
FCO6184XCSL ... 143
FCO6184XESL ... 143
FCO6184XJSL ... 143
FCO6184XNSL ... 143
FCO6184XRSL ... 143
FCO6185SL ... 148
FCO6185XCSL ... 143
FCO6185XESL ... 143
FCO6185XJSL ... 143
FCO6185XNSL ... 143
FCO6185XRSL ... 143
FCO6186SL ... 148
FCO6186XCSL ... 143
FCO6186XESL ... 143
FCO6186XJSL ... 143
FCO6186XNSL ... 143
FCO6186XRSL ... 143
FCO6188SL ... 148
FCO6188XCSL ... 143
FCO6188XESL ... 143
FCO6188XJSL ... 143
FCO6188XNSL ... 143
FCO6188XRSL ... 143
FCO6189SL ... 148
FCO6189XCSL ... 143
FCO6189XESL ... 143
FCO6189XJSL ... 143
FCO6189XNSL ... 143
FCO6189XRSL ... 143
FCO6190SL ... 148
FCO6190XCSL ... 143
FCO6190XESL ... 143
FCO6190XJSL ... 143
FCO6190XNSL ... 143
FCO6190XRSL ... 143
FCO6575 ... 166
FWRT ... 201
KNRT ... 201
LT30T ... 201
LTRT ... 201
PBRT ... 201
RSRT ... 201
S100 ... 200
S1000 ... 165
S1001 ... 166
S1006 ... 134
S100SL ... 150
S100XCSL ... 144
S100XESL ... 144
S100XJSL ... 144
S100XKSL ... 144
S100XNSL ... 144
S100XRSL ... 144
S1029 ... 135
S104 ... 184
S104XC ... 179
S104XE ... 179
S104XJ ... 179
S104XK ... 179
S104XN ... 179
S104XR ... 179
S105 ... 184
S108 ... 148
S1089 ... 162
S1089SL ... 163
S108XC ... 143
S108XE ... 143
S108XJ ... 143
S108XK ... 143
S108XN ... 143
S108XR ... 143
S1100 ... 199
S115 ... 183
S1170SL ... 149
S1170XCSL ... 143
S1170XESL ... 143
S1170XJSL ... 143
S1170XKSL ... 143
S1170XNSL ... 143
S1170XRSL ... 143
S118 ... 150
S118XC ... 144
S118XE ... 144
S118XJ ... 144
S118XK ... 144
S118XN ... 144
S118XR ... 144
S120 ... 200
S1200 ... 148
S1200SL ... 149
S1201 ... 148
S1201SL ... 149
S1202 ... 148
S1202SL ... 149
S1203 ... 148
S1204 ... 120
S1204SL ... 121
S1205 ... 120
S1205SL ... 121
S1205XC ... 117
S1205XE ... 117
S1205XJ ... 117
S1205XK ... 117
S1205XN ... 117
S1205XR ... 117
S1206 ... 120
S1206SL ... 121
S1207 ... 120
S1207XC ... 117
S1207XE ... 117
S1207XJ ... 117
S1207XK ... 117
S1207XN ... 117
S1207XR ... 117
S1208 ... 148
S1208SL ... 149
S1209 ... 148
S1209SL ... 149
S1211 ... 148
S1211SL ... 149
S1212 ... 148
S128 ... 148
S128XC ... 143
S128XE ... 143
S128XJ ... 143
S128XK ... 143
S128XN ... 143
S128XR ... 143
S130 ... 145
S130SL ... 145
S131 ... 180
S132 ... 180
S132SL ... 180
S1350 ... 126
S137 ... 181
S139 ... 133
S139SL ... 133
S140 ... 150
S1400 ... 163
S1400SL ... 163
S1401 ... 125
S1401SL ... 125
S1402 ... 163
S1404 ... 190
S1405 ... 183
S1405SL ... 183
S1406 ... 183
S1407 ... 183
S1408 ... 183
S1409 ... 126
S140STC ... 197
S140XC ... 144
S140XE ... 144
S140XJ ... 144
S140XK ... 144
S140XN ... 144
S140XR ... 144
S141 ... 148
S1411 ... 186
S141STC ... 197
S141XC ... 143
S141XE ... 143
S141XJ ... 143
S141XK ... 143
S141XN ... 143
S141XR ... 143
S1442SL ... 156
S154 ... 134
S154SL ... 134
S155 ... 136
S155SL ... 136
S156 ... 156
S160 ... 138
S160SL ... 138
S161 ... 174
S161SL ... 175
S162 ... 186
S163 ... 166
S1645 ... 196
S1646 ... 157
S1646SL ... 157
S1647 ... 156
S1650 ... 192
S1651 ... 139
S1651SL ... 139
S1652 ... 139
S1652SL ... 139
S1653 ... 176
S1654 ... 176
S1655 ... 189
S1656 ... 176
S1656SL ... 176
S1658 ... 176
S1661 ... 186
S198 ... 149
S198SL ... 150
S200 ... 200
S2000 ... 122
S2000SL ... 122
S2000SL ... 129
S2000SL-2C ... 121
S2000SL-4C ... 121
S2000XC ... 119
S2000XCSL ... 119
S2000XCSL ... 128
S2000XCSL-2C ... 117
S2000XCSL-4C ... 117
S2000XE ... 119
S2000XESL ... 119
S2000XESL ... 128
S2000XESL-2C ... 117
S2000XESL-4C ... 117
S2000XJ ... 119
S2000XJSL ... 119
S2000XJSL ... 128
S2000XJSL-2C ... 117
S2000XJSL-4C ... 117
S2000XK ... 119
S2000XKSL ... 119
S2000XKSL ... 128
S2000XN ... 119
S2000XNSL ... 119
S2000XNSL ... 128
S2000XNSL-2C ... 117
S2000XNSL-4C ... 117
S2000XR ... 119
S2000XRSL ... 119
S2000XRSL ... 128
S2000XRSL-2C ... 117
S2000XRSL-4C ... 117
S20042 ... 156
S2009 ... 121
S2009SL ... 121
S2010 ... 120
S2010SL ... 121
S2010SL ... 129
S2010XC ... 117
S2010XCSL ... 117
S2010XCSL ... 128
S2010XE ... 117
S2010XESL ... 117
S2010XESL ... 128
S2010XJ ... 117
S2010XJSL ... 117
S2010XJSL ... 128
S2010XK ... 117
S2010XKSL ... 117
S2010XKSL ... 128
S2010XN ... 117
S2010XNSL ... 117
S2010XNSL ... 128
S2010XR ... 117
S2010XRSL ... 117
S2010XRSL ... 128
S205 ... 200
S2050 ... 120
S2050XC ... 117
S2050XE ... 117
S2050XJ ... 117
S2050XK ... 117
S2050XN ... 117
S2050XR ... 117
S206 ... 184
S206XC ... 179
S206XE ... 179
S206XJ ... 179
S206XK ... 179
S206XN ... 179
S206XR ... 179
S210 ... 200
S2100 ... 127
S2101 ... 162
S2101SL ... 163
S2102 ... 162
S2103 ... 125
S2103SL ... 125
S2103XC ... 123
S2103XCSL ... 124
S2103XE ... 123
S2103XESL ... 124
S2103XJ ... 123
S2103XJSL ... 124
S2103XK ... 123

Continues on next page.

S2103XN 123
S2103XKSL 124
S2103XNSL 124
S2103XR 123
S2103XRSL 124
S2104 125
S2104SL 125
S2104XC 123
S2104XCSL 124
S2104XE 123
S2104XESL 124
S2104XJ 123
S2104XJSL 124
S2104XK 123
S2104XN 123
S2104XKSL 124
S2104XNSL 124
S2104XR 123
S2104XRSL 124
S2105 125
S2106 162
S2107 162
S2108 162
S210SL 184
S210XCSL 179
S210XESL 179
S210XJSL 179
S210XKSL 179
S210XNSL 179
S210XRSL 179
S211 168
S213 171
S214 172
S2150 126
S220 199
S2200 126
S2200XC 124
S2200XCSL 124
S2200XE 124
S2200XESL 124
S2200XJ 124
S2200XK 124
S2200XJSL 124
S2200XKSL 124
S2200XN 124
S2200XNSL 124
S2200XR 124
S2200XRSL 124
S2213 141
S2213SL 141
S2223 140
S2223SL 140
S2233 142
S2233SL 142
S2250 125
S2250XC 123
S2250XCSL 124
S2250XE 123
S2250XESL 124
S2250XJ 123
S2250XJSL 124
S2250XK 123
S2250XN 123
S2250XKSL 124
S2250XNSL 124
S2250XR 123
S2250XRSL 124
S236 196
S237 196
S2382 141
S2382SL 141
S2385 142
S2385SL 142
S2389 140
S2389SL 140
S241 133
S243 180
S255 196
S256 196
S2600 119
S2610 193
S2610XC 193
S2610XE 193
S2610XJ 193
S2610XN 193
S2610XR 193
S262 182
S2620 192
S262XC 178
S262XE 178
S262XJ 178
S262XK 178
S262XN 178
S262XR 178
S2630 191
S263SL 183
S263XCSL 179
S263XESL 179
S263XJSL 179
S263XKSL 179
S263XNSL 179
S263XRSL 179
S2640 192
S2650 191
S2660 191
S2670 191
S289 186
S289XC 186
S289XE 186
S289XJ 186
S289XK 186
S289XN 186
S289XR 186
S291 185
S291SL 171
S292 185
S292SL 172
S294 185
S294SL 169
S296 197
S296XC 197
S296XE 197
S296XJ 197
S296XK 197
S296XN 197
S296XR 197
S30 184
S308SL 149
S308XCSL 143
S308XESL 143
S308XJSL 143
S308XKSL 143
S308XNSL 143
S308XRSL 143
S30XC 179
S30XE 179
S30XJ 179
S30XK 179
S30XN 179
S30XR 179
S31 200
S310 131
S32 183
S3200 127
S3200SL 127
S3200XC 126
S3200XCSL 126
S3200XE 126
S3200XESL 126
S3200XJ 126
S3200XJSL 126
S3200XK 126
S3200XKSL 126
S3200XN 126
S3200XNSL 126
S3200XR 126
S3200XRSL 126
S32XC 178
S32XE 178
S32XJ 178
S32XK 178
S32XN 178
S32XR 178
S3300 122
S3300XC 118
S3300XE 118
S3300XJ 118
S3300XK 118
S3300XN 118
S3300XR 118
S3301 199
S3400L 121
S3400LXC 118
S3400LXE 118
S3400LXJ 118
S3400LXK 118
S3400LXN 118
S3400LXR 118
S3400R 122
S3400RXC 118
S3400RXE 118
S3400RXJ 118
S3400RXK 118
S3400RXN 118
S3400RXR 118
S3401L 199
S3401R 199
S3487SL 183
S3487XCSL 179
S3487XESL 179
S3487XJSL 179
S3487XKSL 179
S3487XNSL 179
S3487XRSL 179
S35 169
S3500L 122
S3500LXC 118
S3500LXE 118
S3500LXJ 118
S3500LXK 118
S3500LXN 118
S3500LXR 118
S3500R 122
S3500RXC 118
S3500RXE 118
S3500RXJ 118
S3500RXK 118
S3500RXN 118
S3500RXR 118
S3501L 199
S3501R 199
S3540 192
S3600L 122
S3600LXC 118
S3600LXE 118
S3600LXJ 118
S3600LXK 118
S3600LXN 118
S3600LXR 118
S3600R 122
S3600RXC 118
S3600RXE 118
S3600RXJ 118
S3600RXK 118
S3600RXN 118
S3600RXR 118
S3601L 199
S3601R 199
S369 133
S37 174
S386 177
S387 177
S387SL 177
S389 157
S392 177
S393 189
S394 177
S398 186
S4070SL 137
S41 171
S416SL 137
S42 172
S4200 126
S4200SL 127
S4200XC 126
S4200XCSL 126
S4200XE 126
S4200XESL 126
S4200XJ 126
S4200XJSL 126
S4200XK 126
S4200XKSL 126
S4200XN 126
S4200XNSL 126
S4200XR 126
S4200XRSL 126
S426 174
S43 175
S430 185
S4307 183
S4308 180
S430SL 174
S430XC 179
S430XE 179
S430XJ 179
S430XK 179
S430XN 179
S430XR 179
S4310 177
S4311 176
S4314 167
S4315 184
S4316 174
S4320 175
S4321 183
S4323 175
S4324 170
S4325 169
S4326 173
S4327 171
S4328 169
S4329 172
S4330 172
S45 199
S4521 157
S4521SL 157
S4525 157
S4525SL 157
S454 196
S4570SL 131
S476 157
S4800 200
S4810 129
S4810SL 129
S4810XC 128
S4810XCSL 128
S4810XE 128
S4810XESL 128
S4810XJ 128
S4810XJSL 128
S4810XN 128
S4810XNSL 128
S4810XR 128
S4810XRSL 128
S4812 129
S4812SL 129
S4812XC 128
S4812XCSL 128
S4812XE 128
S4812XESL 128
S4812XJ 128
S4812XJSL 128
S4812XN 128
S4812XNSL 128
S4812XR 128
S4812XRSL 128
S4813 129
S4813XC 128
S4813XE 128
S4813XJ 128
S4813XN 128
S4813XR 128
S4814 129
S4814XC 128
S4814XE 128
S4814XJ 128
S4814XN 128
S4814XR 128
S4816 129
S4816XC 128
S4816XE 128
S4816XJ 128
S4816XN 128
S4816XR 128
S507 188
S508 192
S529 155
S5425 159
S5425SL 159
S543 155
S545SL 155
S549 188
S5700 121
S5700SL 122
S5700XC 117
S5700XCSL 118
S5700XE 117
S5700XESL 118
S5700XJ 117
S5700XJSL 118
S5700XK 117
S5700XKSL 118
S5700XN 117
S5700XNSL 118
S5700XR 117
S5700XRSL 118
S5701 199
S5705 121
S5705XC 117
S5705XE 117
S5705XJ 117
S5705XK 117
S5705XN 117
S5705XR 117
S571 137
S5710 121
S5710SL 122
S5710XC 117
S5710XCSL 118
S5710XE 117
S5710XESL 118
S5710XJ 117
S5710XJSL 118
S5710XK 117
S5710XKSL 118
S5710XN 117
S5710XNSL 118
S5710XR 117
S5710XRSL 118
S5715 121
S5715XC 117
S5715XE 117
S5715XJ 117
S5715XK 117
S5715XN 117
S5715XR 117
S5720 121
S5720SL 122
S5720XC 117
S5720XCSL 118
S5720XE 117
S5720XESL 118
S5720XJ 117
S5720XJSL 118
S5720XK 117
S5720XKSL 118
S5720XN 117
S5720XNSL 118
S5720XR 117
S5720XRSL 118
S5721 199
S5725 121
S5725XC 117
S5725XE 117
S5725XJ 117
S5725XK 117
S5725XN 117
S5725XR 117
S572SL 137
S573SL 137
S574 136
S575 173
S577 173
S579 173
S581 173
S583SL 173
S585 185
S5870SL 136
S600 200
S6000 167
S6000SL 167
S6002 131
S6002SL 131
S6006 169
S6006SL 170
S6008 133
S6008SL 133
S6009 152
S6009SL 153
S601 193
S6010 153
S6013 185
S6014 185
S601SL 150
S601XC 193
S601XCSL 144
S601XE 193
S601XESL 144
S601XJ 193
S601XJSL 144
S601XKSL 144
S601XN 193
S601XNSL 144
S601XR 193
S601XRSL 144
S602 191
S6021 184
S6021XC 179
S6021XE 179
S6021XJ 179
S6021XK 179
S6021XN 179
S6021XR 179
S6022 182
S6022XC 178
S6022XE 178
S6022XJ 178
S6022XK 178
S6022XN 178
S6022XR 178
S6025 169
S6026 174
S6029 171
S602SL 135
S6030 172
S6031 169
S6032 167
S6034 180
S6035 180
S6036 175
S604 191
S6041 184
S6041XC 179
S6041XE 179
S6041XJ 179
S6041XK 179
S6041XN 179
S6041XR 179
S6042 183
S6042XC 178
S6042XE 178
S6042XJ 178
S6042XK 178
S6042XN 178
S6042XR 178
S6045 169
S6046 174
S6049 171
S604SL 133
S605 193
S6050 172
S6051 169
S6052 167
S6054 181
S6055 180
S6056 175
S605SL 149
S605XC 192
S605XCSL 143
S605XE 192
S605XESL 143
S605XJ 192
S605XJSL 143
S605XN 192
S605XNSL 143
S605XR 192
S605XRSL 143
S606 193
S6061 145
S6062 149
S6062SL 150
S6063 148
S6063STC 197
S6063XC 143
S6063XE 143
S6063XJ 143
S6063XK 143
S6063XN 143
S6063XR 143
S606SL 149
S606XC 192
S606XCSL 143

S606XE 192
S606XESL 143
S606XJ 192
S606XJSL 143
S606XN 192
S606XNSL 143
S606XR 192
S606XRSL 143
S607 193
S6070 135
S6070SL 135
S6071 154
S6071SL 154
S6072 154
S6073 171
S6074 171
S6075 172
S6076 172
S607SL 149
S607XC 193
S607XCSL 143
S607XE 193
S607XESL 143
S607XJ 193
S607XJSL 143
S607XN 193
S607XNSL 143
S607XR 193
S607XRSL 143
S608 193
S6080 166
S6082 165
S6084 165
S6085 164
S608XC 193
S608XE 193
S608XJ 193
S608XN 193
S608XR 193
S609 191
S6090 137
S6091 154
S6091SL 154
S6092 153
S6092SL 153
S6094 136
S6095 137
S6093 134
S6100 134
S6100SL 134
S6101 170
S6101SL 170
S6102 153
S6102SL 153
S6103 153
S6104 185
S6106 170
S6107 170
S6108 170
S6124SL 149
S6124XCSL 143
S6124XESL 143
S6124XJSL 143
S6124XNSL 143
S6124XRSL 143
S6125SL 149
S6125XCSL 143
S6125XESL 143
S6125XJSL 143
S6125XNSL 143
S6125XRSL 143
S6126SL 149
S6126XCSL 143
S6126XESL 143
S6126XJSL 143
S6126XNSL 143
S6126XRSL 143
S6128SL 145
S6130SL 132
S6131SL 134
S6132SL 138
S6134SL 133
S6135SL 135
S6200 126
S6200SL 127
S6200XC 126
S6200XCSL 126
S6200XE 126
S6200XESL 126
S6200XJ 126
S6200XJSL 126
S6200XK 126
S6200XKSL 126
S6200XN 126
S6200XNSL 126
S6200XR 126
S6200XRSL 126
S6201SL 127
S6240 127
S6240SL 127
S626 138
S6500 139
S6500SL 139
S6520 192
S6534 189
S6536 176
S6550 139
S6550SL 139
S6560 175
S6565 175
S6565SL 176
S6568 175
S6570 196
S6572 186
S6575 166
S6576 166
S6577 166
S6580 156
S6580SL 156
S6582 156
S668 132
S682 159
S685L 122
S685LXC 118
S685LXE 118
S685LXJ 118
S685LXK 118
S685LXN 118
S685LXR 118
S685R 122
S685RXC 118
S685RXE 118
S685RXJ 118
S685RXK 118
S685RXN 118
S685RXR 118
S691 121
S691XC 117
S691XE 117
S691XJ 117
S691XK 117
S691XN 117
S691XR 117
S6975 192
S704 195
S707 194
S708 195
S709 166
S7125SL 183
S721 194
S735 195
S736 194
S745 195
S7500 125
S7500SL 125
S7500SLXC 124
S7500SLXE 124
S7500SLXJ 124
S7500SLXN 124
S7500SLXR 124
S7500XC 124
S7500XE 124
S7500XJ 124
S7500XN 124
S7500XR 124
S7512 124
S7512SL 125
S7512XC 123
S7512XCSL 123
S7512XE 123
S7512XESL 123
S7512XJ 123
S7512XJSL 123
S7512XN 123
S7512XNSL 123
S7512XR 123
S7512XRSL 123
S751SL 164
S751XCSL 159
S751XESL 159
S751XJSL 159
S751XKSL 159
S751XNSL 159
S751XRSL 159
S752 195
S7540 124
S7540SL 124
S7540XC 123
S7540XE 123
S7540XJ 123
S7540XN 123
S7540XR 123
S755 200
S7560 124
S7560SL 125
S7560XCSL 123
S7560XESL 123
S7560XE 123
S7560XESL 123
S7560XJ 123
S7560XJSL 123
S7560XN 123
S7560XNSL 123
S7560XR 123
S7560XRSL 123
S757SL 155
S758SL 152
S770 166
S771 164
S773 165
S774 165
S80 164
S8000 122
S8000-12 121
S8000-18 121
S8000-9 121
S8000SL 126
S8000SL 129
S8000XC 119
S8000XCSL 124
S8000XCSL 128
S8000XE 119
S8000XESL 124
S8000XESL 128
S8000XJ 119
S8000XJSL 124
S8000XJSL 128
S8000XK 119
S8000XKSL 128
S8000XN 119
S8000XKSL 124
S8000XNSL 124
S8000XNSL 128
S8000XR 119
S8000XRSL 124
S8000XRSL 128
S807 186
S807XC 186
S807XE 186
S807XJ 186
S807XK 186
S807XN 186
S807XR 186
S808 149
S808SL 149
S80XC 159
S80XE 159
S80XJ 159
S80XK 159
S80XN 159
S80XR 159
S810 200
S81000 200
S81086SL 150
S81086XCSL 144
S81086XESL 144
S81086XJSL 144
S81086XKSL 144
S81086XNSL 144
S81086XRSL 144
S81100 199
S81186SL 149
S8120 200
S81208 149
S81225 145
S8132 180
S8132SL 180
S814 132
S8140 150
S81401 125
S81405 183
S8140STC 197
S8140XC 144
S8140XE 144
S8140XJ 144
S8140XK 144
S8140XN 144
S8140XR 144
S8141 190
S8144 183
S8145 183
S8145SL 183
S8149 174
S814SL 132
S815 132
S816 131
S81645 196
S81646 157
S81646SL 157
S81649 189
S81650 192
S81651 139
S81651SL 139
S81652 139
S81652SL 139
S81653 176
S81654 176
S81654SL 176
S81656 176
S817 133
S818 150
S81828 149
S818XC 144
S818XE 144
S818XJ 144
S818XK 144
S818XN 144
S818XR 144
S81929P 184
S81929PXC 179
S81929PXE 179
S81929PXJ 179
S81929PXK 179
S81929PXN 179
S81929PXR 179
S81933P 167
S81935P 168
S81936P 168
S81937P 169
S81938P 171
S81940P 171
S81941P 172
S81942P 174
S81983 172
S82 162
S820 137
S8200 199
S8201 200
S8202SL 163
S8204SL 163
S8207SL 163
S821 136
S82103 125
S82103XC 123
S82103XE 123
S82103XJ 123
S82103XK 123
S82103XN 123
S82103XR 123
S82104 125
S82105 125
S82105XC 123
S82105XE 123
S82105XJ 123
S82105XK 123
S82105XN 123
S82105XR 123
S82106 125
S82106XC 123
S82106XE 123
S82106XJ 123
S82106XK 123
S82106XN 123
S82106XR 123
S82107 125
S82107XC 123
S82107XE 123
S82107XJ 123
S82107XK 123
S82107XN 123
S82107XR 123
S82200 126
S82200XC 124
S82200XE 124
S82200XJ 124
S82200XK 124
S82200XN 124
S82200XR 124
S82213 141
S82213SL 141
S82223 140
S82223SL 140
S82233 142
S82233SL 142
S82250 125
S822XC 158
S822XE 158
S822XJ 158
S822XK 158
S822XN 158
S822XR 158
S82382 141
S82382SL 141
S82385 142
S82385SL 142
S82389 140
S82389SL 140
S82600 119
S82610 193
S82610XC 193
S82610XE 193
S82610XJ 193
S82610XN 193
S82610XR 193
S82620 192
S82630 191
S82640 192
S82650 191
S82660 191
S82670 191
S828 149
S829 145
S829SL 145
S82SL 163
S82XC 158
S82XCSL 158
S82XE 158
S82XESL 158
S82XJ 158
S82XJSL 158
S82XK 158
S82XKSL 158
S82XN 158
S82XNSL 158
S82XR 158
S82XRSL 158
S830 184
S830XC 179
S830XE 179
S830XJ 179
S830XK 179
S830XN 179
S830XR 179
S831 200
S8310 162
S8310SL 163
S8311 162
S8311SL 163
S83120 190
S831203 190
S831203XC 189
S831203XE 189
S831203XJ 189
S831203XK 189
S831203XN 189
S831203XR 189
S83120XC 190
S83120XE 190
S83120XJ 190
S83120XK 190
S83120XN 190
S83120XR 190
S8313 162
S8313SL 163
S83142 189
S83143 187
S83147 188
S83149 188
S83152 187
S83153 187
S83154 188
S83155 188
S8316 162
S8317 196
S8318 183
S8319 183
S832 183
S8320 183
S83200 127
S83200SL 127
S83200XC 126
S83200XCSL 126
S83200XE 126
S83200XESL 126
S83200XJ 126
S83200XJSL 126
S83200XK 126
S83200XKSL 126
S83200XN 126
S83200XNSL 126
S83200XR 126
S83200XRSL 126
S8321 183
S8321XC 178
S8321XE 178
S8321XJ 178
S8321XK 178
S8321XN 178
S8321XR 178
S8322 182
S8323 182
S8324 182
S8325 183
S8326 182
S8327 182
S8328 182
S832XC 178
S832XE 178
S832XJ 178
S832XK 178
S832XN 178
S832XR 178
S833 169
S83300 122
S83300XC 118
S83300XE 118
S83300XJ 118
S83300XK 118
S83300XN 118
S83300XR 118
S83301 199
S83400L 121
S83400LXC 118
S83400LXE 118
S83400LXJ 118
S83400LXK 118
S83400LXN 118
S83400LXR 118
S83400R 122
S83400RXC 118
S83400RXE 118
S83400RXJ 118
S83400RXK 118
S83400RXN 118
S83400RXR 118
S83401L 199
S83401R 199

Continues on next page.

S83500L 122
S83500LXC 118
S83500LXE 118
S83500LXJ 118
S83500LXK 118
S83500LXN 118
S83500LXR 118
S83500R 122
S83500RXC 118
S83500RXE 118
S83500RXJ 118
S83500RXK 118
S83500RXN 118
S83500RXR 118
S83501L 199
S83501R 199
S83540 192
S83600L 122
S83600LXC 118
S83600LXE 118
S83600LXJ 118
S83600LXK 118
S83600LXN 118
S83600LXR 118
S83600R 122
S83600RXC 118
S83600RXE 118
S83600RXJ 118
S83600RXK 118
S83600RXN 118
S83600RXR 118
S83601L 199
S83601R 199
S837 174
S8386 177
S8386SL 177
S8387 177
S8390 189
S8392 177
S84200 126
S84200SL 127
S84200XC 126
S84200XCSL 126
S84200XE 126
S84200XESL 126
S84200XJ 126
S84200XJSL 126
S84200XK 126
S84200XKSL 126
S84200XN 126
S84200XNSL 126
S84200XR 126
S84200XRSL 126
S84305XC 179
S84305XE 179
S84305XJ 179
S84305XK 179
S84305XN 179
S84305XR 179
S84308 180
S84309 182
S84310 177
S84311 176
S84312 183
S84313 182
S84314 167
S84315 184
S84316 174
S84318 182
S84319 168
S84320 175
S84321 183
S84322 178
S84323 175
S84324 170
S84325 169
S84326 173
S84327 171
S84328 169
S84329 172
S84330 172
S84521 157
S84521SL 157
S84525 157
S84525SL 157
S84527 158
S84527SL 158
S84586SL 132
S8467 177
S84800 200
S84810 129
S84810SL 129
S84810XC 128
S84810XCSL 128
S84810XE 128
S84810XESL 128
S84810XJ 128
S84810XJSL 128
S84810XN 128
S84810XNSL 128
S84810XR 128
S84810XRSL 128
S84812 129
S84812SL 129
S84812XC 128
S84812XCSL 128
S84812XE 128
S84812XESL 128
S84812XJ 128
S84812XJSL 128
S84812XN 128
S84812XNSL 128
S84812XR 128
S84812XRSL 128
S84813 129
S84813XC 128
S84813XE 128
S84813XJ 128
S84813XN 128
S84813XR 128
S84814 129
S84814XC 128
S84814XE 128
S84814XJ 128
S84814XN 128
S84814XR 128
S84816 129
S84816XC 128
S84816XE 128
S84816XJ 128
S84816XN 128
S84816XR 128
S84886SL 125
S84886SL 129
S84886XCSL 123
S84886XCSL 128
S84886XESL 123
S84886XESL 128
S84886XJSL 123
S84886XJSL 128
S84886XKSL 123
S84886XKSL 128
S84886XNSL 123
S84886XNSL 128
S84886XRSL 123
S84886XRSL 128
S8489 178
S8498 177
S8498SL 178
S8508 192
S85225SL 122
S85225XCSL 119
S85225XESL 119
S85225XJSL 119
S85225XKSL 119
S85225XNSL 119
S85225XRSL 119
S85226SL 121
S85226XCSL 117
S85226XESL 117
S85226XJSL 117
S85226XKSL 117
S85226XNSL 117
S85226XRSL 117
S85227SL 122
S85227XCSL 118
S85227XESL 118
S85227XJSL 118
S85227XKSL 118
S85227XNSL 118
S85227XRSL 118
S85228SL 122
S85228XCSL 118
S85228XESL 118
S85228XJSL 118
S85228XKSL 118
S85228XNSL 118
S85228XRSL 118
S85229SL 122
S85229XCSL 118
S85229XESL 118
S85229XJSL 118
S85229XKSL 118
S85229XNSL 118
S85229XRSL 118
S85230SL 200
S8529 155
S85455SL 155
S85700 121
S85700SL 200
S85700XC 117
S85700XCSL 200
S85700XE 117
S85700XESL 200
S85700XJ 117
S85700XJSL 200
S85700XK 117
S85700XKSL 200
S85700XN 117
S85700XNSL 200
S85700XR 117
S85700XRSL 200
S85701 199
S85705 121
S85705XC 117
S85705XE 117
S85705XJ 117
S85705XK 117
S85705XN 117
S85705XR 117
S8571 137
S85710 121
S85710SL 200
S85710XC 117
S85710XCSL 200
S85710XE 117
S85710XESL 200
S85710XJ 117
S85710XJSL 200
S85710XK 117
S85710XKSL 200
S85710XN 117
S85710XNSL 200
S85710XR 117
S85710XRSL 200
S85715 121
S85715XC 117
S85715XE 117
S85715XJ 117
S85715XK 117
S85715XN 117
S85715XR 117
S85720 121
S85720SL 200
S85720XC 117
S85720XCSL 200
S85720XE 117
S85720XESL 200
S85720XJ 117
S85720XJSL 200
S85720XK 117
S85720XKSL 200
S85720XN 117
S85720XNSL 200
S85720XR 117
S85720XRSL 200
S85721 199
S85725 121
S85725XC 117
S85725XE 117
S85725XJ 117
S85725XK 117
S85725XN 117
S85725XR 117
S85725SL 137
S8573SL 137
S8574 136
S8575 173
S8579 173
S8581 173
S8583SL 173
S85892 131
S85892SL 131
S85893 133
S85893SL 133
S85895 137
S85895SL 137
S85896 136
S85896SL 136
S85897 170
S85898 153
S85898SL 153
S85901 154
S85902 155
S85902SL 155
S85905 167
S85907 168
S85908 171
S85909 172
S85910SL 184
S85910XCSL 179
S85910XESL 179
S85910XJSL 179
S85910XKSL 179
S85910XNSL 179
S85910XRSL 179
S85912SL 167
S85914SL 168
S85915SL 169
S85916SL 170
S85917SL 171
S85918SL 170
S85920SL 174
S85922SL 172
S85924SL 149
S85925SL 149
S85926SL 149
S85927SL 131
S85928SL 145
S85930SL 137
S85931SL 133
S85932SL 135
S85934SL 136
S8600 200
S8600XC 193
S8600XE 193
S8600XJ 193
S8600XN 193
S8600XR 193
S8601 193
S8601SL 150
S8601XCSL 144
S8601XESL 144
S8601XJSL 144
S8601XKSL 144
S8601XNSL 144
S8601XRSL 144
S8602 191
S86021 184
S86021XC 179
S86021XE 179
S86021XJ 179
S86021XK 179
S86021XN 179
S86021XR 179
S86022XC 178
S86022XE 178
S86022XJ 178
S86022XK 178
S86022XN 178
S86022XR 178
S86025 169
S86026 174
S86027 168
S86029 171
S8602SL 134
S86030 172
S86031 169
S86032 167
S86035 180
S86036 175
S8604 191
S8605 193
S8605SL 149
S8605XC 192
S8605XE 192
S8605XJ 192
S8605XN 192
S8605XR 192
S8606 193
S8606SL 149
S8606XC 192
S8606XE 192
S8606XJ 192
S8606XN 192
S8606XR 192
S8607 193
S86074 171
S8607SL 149
S8607XC 193
S8607XE 193
S8607XJ 193
S8607XN 193
S8607XR 193
S8608 193
S8608XC 193
S8608XE 193
S8608XJ 193
S8608XN 193
S8608XR 193
S8609 191
S86107 170
S86200 126
S86200SL 127
S86200XC 126
S86200XCSL 126
S86200XE 126
S86200XESL 126
S86200XJ 126
S86200XJSL 126
S86200XK 126
S86200XKSL 126
S86200XN 126
S86200XNSL 126
S86200XR 126
S86200XRSL 126
S86201SL 127
S86240 127
S86240SL 127
S86500 139
S86500SL 139
S86520 192
S86533 189
S86536 176
S86550 139
S86550SL 139
S86560 175
S86560SL 176
S86565 175
S86570 196
S86580 156
S86580SL 156
S8675SL 183
S867SL 175
S8682 159
S8682SL 159
S8685L 122
S8685LXC 118
S8685LXE 118
S8685LXJ 118
S8685LXK 118
S8685LXN 118
S8685LXR 118
S8685R 122
S8685RXC 118
S8685RXE 118
S8685RXJ 118
S8685RXK 118
S8685RXN 118
S8685RXR 118
S8691 121
S8691XC 117
S8691XE 117
S8691XJ 117
S8691XK 117
S8691XN 117
S8691XR 117
S86975 192
S8704 195
S8707 194
S8708 195
S8721 194
S8735 195
S8736 194
S8745 195
S87500 125
S87500XC 124
S87500XE 124
S87500XJ 124
S87500XN 124
S87500XR 124
S87512 124
S87512XC 123
S87512XE 123
S87512XJ 123
S87512XN 123
S87512XR 123
S8752 195
S87540 124
S87540XC 123
S87540XE 123
S87540XJ 123
S87540XN 123
S87540XR 123
S87560 124
S87560XC 123
S87560XE 123
S87560XJ 123
S87560XN 123
S87560XR 123
S880 164
S880SL 164
S880XC 159
S880XCSL 159
S880XE 159
S880XESL 159
S880XJ 159
S880XJSL 159
S880XK 159
S880XKSL 159
S880XN 159
S880XNSL 159
S880XR 159
S880XRSL 159
S881 162
S881SL 163
S881XC 158
S881XCSL 158
S881XE 158
S881XESL 158
S881XJ 158
S881XJSL 158
S881XK 158
S881XKSL 158
S881XN 158
S881XNSL 158
S881XR 158
S881XRSL 158
S882 162
S887 152
S887SL 152
S888 152
S888SL 152
S891 153
S891SL 153
S892 154
S89200 126
S89200XC 126
S89200XE 126
S89200XJ 126
S89200XK 126
S89200XN 126
S89200XR 126
S892SL 154
S893 170
S894 151
S894SL 151
S895 153
S895SL 153
S896 197
S896XC 197
S896XE 197
S896XJ 197
S896XK 197
S896XN 197
S896XR 197
S897 200
S89701 175
S8971 180
S8972 190
S898 163
S898SL 163

Steel

S90 164
S902 156
S902SL 156
S90SL 126
S90XC 159
S90XE 159
S90XJ 159
S90XK 159
S90XN 159
S90XR 159
S91 152
S912 155
S916 132
S916SL 132
S91SL 152
S92 162
S9200 126
S9200XC 126
S9200XE 126
S9200XJ 126
S9200XK 126
S9200XN 126
S9200XR 126
S925 190
S92SL 125
S92XC 158
S92XE 158
S92XJ 158
S92XK 158
S92XN 158
S92XR 158
S93 199
S9320 190
S93203 190
S93203XC 189
S93203XE 189
S93203XJ 189
S93203XK 189
S93203XN 189
S93203XR 189
S9320XC 190
S9320XE 190
S9320XJ 190
S9320XK 190
S9320XN 190
S9320XR 190
S9342 189
S9343 187
S9347 188
S9349 188
S9352 187
S9353 187
S9354 188
S9355 188
S95 152
S960 200
S97 155
S971 180
S972 167
S973 170
S975 151
S975SL 151
S977 152
S979 151
S981 152
S982 153
S983 154
S992 166
S997 165
S999 165
SART 201

Steel .....
100 225
104 221
105 221
108 215
118 215
128 215
130 215
131 221
137 221
139 213
198 215
310 213
369 213
571 213
610 213
620 213
626 214
800 230
808 226
810 230
818 227
828 226
829 226
896 230
916 213
1006 213
1028 214
1029 213
1200 215
1201 215
1202 215
1203 215
5425 217
8132 228
8145 228
8206 228
8317 229
8321 228
8322 228
8323 228
8324 228
8704 229
8708 230
8752 229
03142HD 216
1001HD 218
1002HD 218
1004HD 221
1005HD 225
1006SL 213
1007HD 218
1007SLHD 218
1008HD 222
1009HD 216
1009SLHD 216
100SL 215
100SL 227
100XCSL 215
100XCSL 226
100XESL 215
100XESL 226
100XJSL 215
100XJSL 226
100XKSL 215
100XKSL 226
100XNSL 215
100XNSL 226
100XRSL 215
100XRSL 226
1011HD 218
1020HD 218
1022HD 218
1024HD 218
1025HD 218
1029SL 213
1032HD 219
1035HD 219
1037HD 216
1037SLHD 216
1039HD 216
1039SLHD 216
1040HD 216
1040SLHD 216
1041HD 216
1041SLHD 216
1042HD 216

104XC 220
104XE 220
104XJ 220
104XK 220
104XN 220
104XR 220
1089SLHD 217
108XC 214
108XE 214
108XJ 214
108XK 214
108XN 214
108XR 214
1101HD 221
1101XCHD 220
1101XEHD 220
1101XJHD 220
1101XKHD 220
1101XNHD 220
1101XRHD 220
1102HD 221
1111HD 219
1112HD 219
1113HD 219
1114HD 218
1115HD 218
1116HD 218
1117HD 218
1118HD 219
1120HD 219
1121HD 221
1123HD 221
1123HDXC 220
1123HDXE 220
1123HDXJ 220
1123HDXK 220
1123HDXN 220
1123HDXR 220
115HD 221
118XC 215
118XE 215
118XJ 215
118XK 215
118XN 215
118XR 215
1200SL 215
1200SL 226
1201SL 215
1201SL 226
1202SL 215
1202SL 226
128XC 214
128XE 214
128XJ 214
128XK 214
128XN 214
128XR 214
130SL 215
130SL 226
132HD 220
132SLHD 221
139SL 213
1400SLHD 217
1403HD 217
1405HD 221
1405SLHD 221
1406HD 221
1408HD 221
1411HD 223
1643HD 225
1643SLHD 225
1644HD 217
1644SLHD 217
1650HD 223
1651HD 214
1651SL 214
1657HD 220
1657SLHD 220
1659HD 220
1660HD 220
1662HD 222
19020T 231
19055T 231
19200T 231
19210T 231
19220T 231
19520T 231

19720T 231
19730T 231
19740T 231
19750T 231
198SL 215
198SL 227
203HD 225
205HD 225
206HD 221
206HDXC 220
206HDXE 220
206HDXJ 220
206HDXK 220
206HDXN 220
206HDXR 220
2109HD 217
210HD 225
210SLHD 221
210SLHDXC 220
210SLHDXE 220
210SLHDXJ 220
210SLHDXK 220
210SLHDXN 220
210SLHDXR 220
2110HD 217
2111HD 217
211HD 218
236HD 225
237HD 225
2382HD 214
2382SL 214
2385HD 214
2385SL 214
2389HD 214
2389SL 214
243HD 221
255HD 225
256HD 225
262HD 221
262HDXC 220
262HDXE 220
262HDXJ 220
262HDXK 220
262HDXN 220
262HDXR 220
263HD 223
263HDXC 222
263HDXE 222
263HDXJ 222
263HDXK 222
263HDXN 222
263HDXR 222
263SLHD 221
263SLHDXC 220
263SLHDXE 220
263SLHDXJ 220
263SLHDXK 220
263SLHDXN 220
263SLHDXR 220
289HD 223
289HDXC 222
289HDXE 222
289HDXJ 222
289HDXK 222
289HDXN 222
289HDXR 222
294HD 222
294SLHD 218
296HD 225
296HDXC 225
296HDXE 225
296HDXJ 225
296HDXK 225
296HDXN 225
296HDXR 225
296SLHD 225
296SLHDXC 225
296SLHDXE 225
296SLHDXJ 225
296SLHDXK 225
296SLHDXN 225
296SLHDXR 225
309HD 218
310SL 213
311HD 222
311SLHD 218
369SL 213

371HD 222
371SLHD 218
374HD 218
391HD 217
391SLHD 217
395HD 220
395SLHD 220
396HD 222
397HD 220
416SL 214
426HD 219
430HD 222
430SLHD 219
454HD 224
4572SLHD 217
469HD 217
469SLHD 217
508HD 223
5425SL 217
544HD 216
546SLHD 216
576HD 219
578HD 219
582HD 219
584SLHD 219
588HD 222
601HD 224
601XCHD 224
601XEHD 224
601XJHD 224
601XNHD 224
601XRHD 224
602HD 223
604HD 223
605HD 224
605HDXC 223
605HDXE 223
605HDXJ 223
605HDXN 223
605HDXR 223
606HD 224
606HDXC 223
606HDXE 223
606HDXJ 223
606HDXN 223
606HDXR 223
607HD 224
607HDXC 223
607HDXE 223
607HDXJ 223
607HDXN 223
607HDXR 223
608HD 224
608HDXC 223
608HDXE 223
608HDXJ 223
608HDXN 223
608HDXR 223
609HD 223
610SL 213
613HD 219
615HD 222
615SLHD 219
6184SL 215
6184SL 227
6184XCSL 214
6184XCSL 226
6184XESL 214
6184XESL 226
6184XJSL 214
6184XJSL 226
6184XNSL 214
6184XNSL 226
6184XRSL 214
6184XRSL 226
6185SL 215
6185SL 227
6185XCSL 214
6185XCSL 226
6185XESL 214
6185XESL 226
6185XJSL 214
6185XJSL 226
6185XNSL 214
6185XNSL 226
6185XRSL 214
6185XRSL 226

6186SL 215
6186SL 227
6186XCSL 214
6186XCSL 226
6186XESL 214
6186XESL 226
6186XJSL 214
6186XJSL 226
6186XNSL 214
6186XNSL 226
6186XRSL 214
6186XRSL 226
620SL 213
623HD 219
625HD 222
625SLHD 219
626SL 214
627HD 219
628HD 222
628SLHD 219
630HD 218
631HD 219
632SL 215
632SL 227
632XCSL 214
632XCSL 226
632XESL 214
632XESL 226
632XJSL 214
632XJSL 226
632XKSL 214
632XKSL 226
632XNSL 214
632XNSL 226
632XRSL 214
632XRSL 226
6500HD 214
6500SL 214
6520HD 223
6560HD 220
6565HD 220
6565SLHD 220
6568HD 220
6570HD 225
6570SLHD 225
6572HD 222
6578HD 218
6580SLHD 216
6582HD 216
6720HDXCSL 217
6720HDXESL 217
6720HDXJSL 217
6720HDXKSL 217
6720HDXNSL 217
6720HDXRSL 217
6720SLHD 217
6975HD 223
704HD 224
707HD 224
708HD 224
721HD 224
735HD 224
736HD 224
745HD 224
752HD 224
818SL 227
818XC 226
818XCSL 226
818XE 226
818XESL 226
818XJ 226
818XJSL 226
818XK 226
818XKSL 226
818XN 226
818XNSL 226
818XR 226
818XRSL 226
8206XC 227
8206XE 227
8206XJ 227
8206XK 227
8206XN 227
8206XR 227
828SL 227
829SL 226
8321XC 227

Steel *Continued*

8321XE 227
8321XJ 227
8321XK 227
8321XN 227
8321XR 227
835HD 220
86184SL 227
86185SL 227
86186SL 227
896XC 229
896XE 229
896XJ 229
896XK 229
896XN 229
896XR 229
916SL 213
956SLHD 216
959HD 217
959HDXC 217
959HDXCSL 217
959HDXE 217
959HDXESL 217
959HDXJ 217
959HDXJSL 217
959HDXK 217
959HDXKSL 217
959HDXN 217
959HDXNSL 217
959HDXR 217
959HDXRSL 217
959SLHD 217
961HD 217
961HDXC 217
961HDXE 217
961HDXJ 217
961HDXK 217
961HDXN 217
961HDXR 217
965HD 216
965SLHD 216
966SLHD 216
967HD 216
967SLHD 216
968HD 216
969HD 225
971SLHD 216
978HD 225
980HD 221
980HDXC 220
980HDXE 220
980HDXJ 220
980HDXK 220
980HDXN 220
980HDXR 220
982HD 221
982HDXC 220
982HDXE 220
982HDXJ 220
982HDXK 220
982HDXN 220
982HDXR 220
984HD 220
988HD 219
989HD 219
996HD 218
999HD 219
AXRT 231
BSRT 231
CNRT 231
CX30T 231
CXRT 231
EC30T 231
ECRT 231
FWRT 231
KNRT 231
LT30T 231
LTRT 231
PBRT 231
RSRT 231
SART 231
TS100 230
TS104 228
TS104XC 227
TS104XE 227
TS104XJ 227
TS104XK 227
TS104XN 227
TS104XR 227
TS105 228
TS108 226
TS108XC 226
TS108XE 226
TS108XJ 226
TS108XK 226
TS108XN 226
TS108XR 226
TS115 228
TS118 227
TS118XC 226
TS118XE 226
TS118XJ 226
TS118XK 226
TS118XN 226
TS118XR 226
TS1200 226
TS1201 226
TS1202 226
TS1203 226
TS128 226
TS128XC 226
TS128XE 226
TS128XJ 226
TS128XK 226
TS128XN 226
TS128XR 226
TS130 226
TS131 228
TS132 228
TS132SL 228
TS137 228
TS1405SL 228
TS1408 228
TS1411 229
TS198 227
TS206 228
TS206XC 227
TS206XE 227
TS206XJ 227
TS206XK 227
TS206XN 227
TS206XR 227
TS210 230
TS210SL 228
TS210XCSL 227
TS210XESL 227
TS210XJSL 227
TS210XKSL 227
TS210XNSL 227
TS210XRSL 227
TS236 229
TS237 230
TS243 228
TS255 229
TS256 230
TS262 228
TS262XC 227
TS262XE 227
TS262XJ 227
TS262XK 227
TS262XN 227
TS262XR 227
TS263 229
TS263SL 228
TS263XC 229
TS263XCSL 227
TS263XE 229
TS263XESL 227
TS263XJ 229
TS263XJSL 227
TS263XK 229
TS263XKSL 227
TS263XN 229
TS263XNSL 227
TS263XR 229
TS263XRSL 227
TS289 229
TS289XC 229
TS289XE 229
TS289XJ 229
TS289XK 229
TS289XN 229
TS289XR 229
TS296 230
TS296SL 230
TS296XC 229
TS296XCSL 229
TS296XE 229
TS296XESL 229
TS296XJ 229
TS296XJSL 229
TS296XK 229
TS296XKSL 229
TS296XN 229
TS296XNSL 229
TS296XR 229
TS296XRSL 229
TS572SL 213
TS704 229
TS708 230
TS752 229

Fire

Fire .....
100 235
1005HD 235
203HD 235
205HD 235
210HD 235
969HD 235
978HD 235
SSF100 234
SSF1100 234
SSF120 234
SSF160 234
SSF200 234
SSF205 234
SSF220 234
SSF31 234
SSF45 234
SSF4800 234
SSF600 234
SSF755 234
SSF8100 234
SSF81100 234
SSF8120 234
SSF8160 234
SSF8200 234
SSF8205 234
SSF8220 234
SSF831 234
SSF84800 234
SSF8600 234
SSF93 234
SSF960 234
TS100 235
TS210 235

Pulse®

Pulse .....
DRS2131SL 247
DRS82131SL 247
S10AXSL 248
S10CLSL 248
S10PBSL 247
S10XCSL 248
S10XESL 248
S10XJSL 248
S10XKSL 248
S10XNSL 248
S10XRSL 248
S1651SL 247
S1AX 242
S1BL 240
S1BS 240
S1CL 242
S1CX 242
S1EC 242
S1LAX 242
S1LBL 240
S1LBS 240
S1LCL 242
S1LCX 242
S1LEC 242
S1LLT 242
S1LPB 241
S1LRS 241
S1LSA 241
S1LSG 241
S1LSN 241
S1LT 242
S1LXC 242
S1LXE 242
S1LXJ 242
S1LXK 242
S1LXN 242
S1LXR 242
S1PB 241
S1RAX 242
S1RBL 241
S1RBS 240
S1RCL 242
S1RCX 242
S1REC 242
S1RLT 242
S1RPB 241
S1RRS 241
S1RS 241
S1RSA 241
S1RSG 241
S1RSN 241
S1RXC 242
S1RXE 242
S1RXJ 242
S1RXK 242
S1RXN 242
S1RXR 242
S1SA 241
S1SG 241
S1SN 241
S1XC 242
S1XE 242
S1XJ 242
S1XK 242
S1XN 242
S1XR 242
S2382SL 247
S2385SL 247
S2389SL 247
S2AX 240
S2CL 240
S2CX 240
S2EC 240
S2PB 240
S2RS 240
S2SG 240
S2SN 240
S2XC 240
S2XE 240
S2XJ 240
S2XK 240
S2XN 240
S2XR 240
S4570SL 247
S4AX 244
S4AXSL 248
S4CL 245
S4CLSL 248
S4LAX 244
S4LCL 245
S4LPB 243
S4LXC 245
S4LXE 245
S4LXJ 245
S4LXK 245
S4LXN 245
S4LXR 245
S4PB 243
S4PBSL 247
S4RAX 244
S4RCL 245
S4RPB 243
S4RXC 245
S4RXE 245
S4RXJ 245
S4RXK 245
S4RXN 245
S4RXR 245
S4XC 245
S4XCSL 248
S4XE 245
S4XESL 248
S4XJ 245
S4XJSL 248
S4XK 245
S4XKSL 248
S4XN 245
S4XNSL 248
S4XR 245
S4XRSL 248
S572SL 247
S5AX 244
S5AXSL 248
S5CL 246
S5CLSL 248
S5LAX 244
S5LCL 245
S5LPB 243
S5LXC 245
S5LXE 245
S5LXJ 245
S5LXK 245
S5LXN 245
S5LXR 245
S5PB 243
S5PBSL 247
S5RAX 244
S5RCL 246
S5RPB 243
S5RXC 246
S5RXE 246
S5RXJ 246
S5RXK 246
S5RXN 246
S5RXR 246
S5XC 246
S5XCSL 248
S5XE 246
S5XESL 248
S5XJ 246
S5XJSL 248
S5XK 246
S5XKSL 248
S5XN 246
S5XNSL 248
S5XR 246
S5XRSL 248
S601SL 247
S601XCSL 247
S601XESL 247
S601XJSL 247
S601XKSL 247
S601XNSL 247
S601XRSL 247
S602SL 247
S604SL 247
S6130SL 247
S6134SL 247
S6500SL 247
S81086SL 247
S81086XCSL 247
S81086XESL 247
S81086XJSL 247
S81086XKSL 247
S81086XNSL 247
S81086XRSL 247
S810AX 245
S810AXSL 248
S810CL 246
S810CLSL 248
S810LAX 245
S810LCL 246
S810LPB 244
S810LXC 246
S810LXE 246
S810LXJ 246
S810LXK 246
S810LXN 246
S810LXR 246
S810PB 244
S810PBSL 247
S810RAX 245
S810RCL 246
S810RPB 244
S810RXC 246
S810RXE 246
S810RXJ 246
S810RXK 246
S810RXN 246
S810RXR 246
S810XC 246
S810XCSL 248
S810XE 246
S810XESL 248
S810XJ 246
S810XJSL 248
S810XK 246
S810XKSL 248
S810XN 246
S810XNSL 248
S810XR 246
S810XRSL 248
S811AX 245
S811AXSL 248
S811CL 246
S811CLSL 248
S811LAX 245
S811LCL 246
S811LPB 244
S811LXC 246
S811LXE 246
S811LXJ 246
S811LXK 246
S811LXN 246
S811LXR 246
S811PB 244
S811PBSL 247
S811RAX 245
S811RCL 246
S811RPB 244
S811RXC 246
S811RXE 246
S811RXJ 246
S811RXK 246
S811RXN 246
S811RXR 246
S811XC 246
S811XCSL 248
S811XE 246
S811XESL 248
S811XJ 246
S811XJSL 248
S811XK 246
S811XKSL 248
S811XN 246
S811XNSL 248
S811XR 246
S811XRSL 248
S81651SL 247
S81AX 242
S81BL 240
S81BS 240
S81CL 242
S81CX 242
S81EC 242
S81LAX 242
S81LBL 240
S81LBS 240
S81LCL 242
S81LCX 242

S81LEC..... 242
S81LLT..... 242
S81LPB..... 241
S81LRS..... 241
S81LSA..... 241
S81LSG..... 241
S81LT..... 242
S81LXC..... 242
S81LXE..... 242
S81LXJ..... 242
S81LXK..... 242
S81LXN..... 242
S81LXR..... 242
S81PB..... 241
S81RAX..... 242
S81RBL..... 241
S81RBS..... 240
S81RCL..... 242
S81RCX..... 242
S81REC..... 242
S81RLT..... 242
S81RPB..... 241
S81RRS..... 241
S81RS..... 241
S81RSA..... 241
S81RSG..... 241
S81RXC..... 242
S81RXE..... 242
S81RXJ..... 242
S81RXK..... 242
S81RXN..... 242
S81RXR..... 242
S81SA..... 241
S81SG..... 241
S81XC..... 242
S81XE..... 242
S81XJ..... 242
S81XK..... 242
S81XN..... 242
S81XR..... 242
S82382SL..... 247
S82385SL..... 247
S82389SL..... 247
S83AX..... 240
S83CL..... 240
S83CX..... 240
S83EC..... 240
S83PB..... 240
S83RS..... 240
S83SG..... 240
S83SN..... 240
S83XC..... 240
S83XE..... 240
S83XJ..... 240
S83XK..... 240
S83XN..... 240
S83XR..... 240
S84586SL..... 247
S84AX..... 244
S48XC..... 245
S84AXSL..... 248
S48XE..... 245
S48XJ..... 245
S48XK..... 245
S48XN..... 245
S48XR..... 245
S84CL..... 245
S84CLSL..... 248
S84LAX..... 244
S84LCL..... 245
S84LPB..... 243
S84LXC..... 245
S84LXE..... 245
S84LXJ..... 245
S84LXK..... 245
S84LXN..... 245
S84LXR..... 245
S84PB..... 243
S84PBSL..... 247
S84RAX..... 244
S84RCL..... 245
S84RPB..... 243
S84RXC..... 245
S84RXE..... 245
S84RXJ..... 245
S84RXK..... 245
S84RXN..... 245
S84RXR..... 245
S84XCSL..... 248
S84XESL..... 248
S84XJSL..... 248
S84XKSL..... 248
S84XNSL..... 248
S84XRSL..... 248
S8572SL..... 247
S85927SL..... 247
S85931SL..... 247
S85932SL..... 247
S85AX..... 244
S85AXSL..... 248
S85CL..... 246
S85CLSL..... 248
S85LAX..... 244
S85LCL..... 245
S85LPB..... 243
S85LXC..... 245
S85LXE..... 245
S85LXJ..... 245
S85LXK..... 245
S85LXN..... 245
S85LXR..... 245
S85PB..... 243
S85PBSL..... 247
S85RAX..... 244
S85RCL..... 246
S85RPB..... 243
S85RXC..... 246
S85RXE..... 246
S85RXJ..... 246
S85RXK..... 246
S85RXN..... 246
S85RXR..... 246
S85XC..... 246
S85XCSL..... 248
S85XE..... 246
S85XESL..... 248
S85XJ..... 246
S85XJSL..... 248
S85XK..... 246
S85XKSL..... 248
S85XN..... 246
S85XNSL..... 248
S85XR..... 246
S85XRSL..... 248
S86500SL..... 247
S86AX..... 244
S86AXSL..... 248
S86CL..... 246
S86CLSL..... 248
S86LAX..... 244
S86LCL..... 246
S86LPB..... 243
S86LXC..... 246
S86LXE..... 246
S86LXJ..... 246
S86LXK..... 246
S86LXN..... 246
S86LXR..... 246
S86PB..... 243
S86PBSL..... 247
S86RAX..... 244
S86RCL..... 246
S86RPB..... 243
S86RXC..... 246
S86RXE..... 246
S86RXJ..... 246
S86RXK..... 246
S86RXN..... 246
S86RXR..... 246
S86XC..... 246
S86XCSL..... 248
S86XE..... 246
S86XESL..... 248
S86XJ..... 246
S86XJSL..... 248
S86XK..... 246
S86XKSL..... 248
S86XN..... 246
S86XNSL..... 248
S86XR..... 246
S86XRSL..... 248
S8AX..... 245
S8CL..... 246
S8LAX..... 245
S8LCL..... 246
S8LPB..... 243
S8LXC..... 246
S8LXE..... 246
S8LXJ..... 246
S8LXK..... 246
S8LXN..... 246
S8LXR..... 246
S8PB..... 243
S8RAX..... 245
S8RCL..... 246
S8RPB..... 243
S8RXC..... 246
S8RXE..... 246
S8RXJ..... 246
S8RXK..... 246
S8RXN..... 246
S8RXR..... 246
S8XC..... 246
S8XE..... 246
S8XJ..... 246
S8XK..... 246
S8XN..... 246
S8XR..... 246
S9AX..... 245
S9AXSL..... 248
S9CL..... 246
S9CLSL..... 248
S9LAX..... 245
S9LCL..... 246
S9LPB..... 243
S9LXC..... 246
S9LXE..... 246
S9LXJ..... 246
S9LXK..... 246
S9LXN..... 246
S9LXR..... 246
S9PB..... 243
S9PBSL..... 247
S9RAX..... 245
S9RCL..... 246
S9RPB..... 243
S9RXC..... 246
S9RXE..... 246
S9RXJ..... 246
S9RXK..... 246
S9RXN..... 246
S9RXR..... 246
S9XC..... 246
S9XCSL..... 248
S9XE..... 246
S9XESL..... 248
S9XJ..... 246
S9XJSL..... 248
S9XK..... 246
S9XKSL..... 248
S9XN..... 246
S9XNSL..... 248
S9XR..... 246
S9XRSL..... 248





Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn
Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at **thermatru.com/inspiration.**



Advancement Center

Learn about Therma-Tru products and programs on our online training platform at **brainshark.com/thermatru.**

THERMA-TRU®
Advancement Center

Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at **thermatru.com/installer.**

Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at **thermatru.widencollective.com/login.**



Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals**.



Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit **thermatru.com/design-your-door**.



Left Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn



DOORS · DECORATIVE & SPECIALTY GLASS · FINISHING · SYSTEM COMPONENTS

THERMA-TRU® DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)
1 Horizon Way
Deerfield, IL 60015

#thermatru

ASSEMBLED IN AMERICA

Cover / Back Cover: Classic Craft Mahogany Grain Flush-Glazed ¾-Lite, Clear Glass with SDLs, Door – CCM2806-SDLF6LE, Finish – Barley

©2026 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2026 SHERIDAN / JAN 2026 O25-39280